

according to Regulation (EC) No 1907/2006

# 26597-49 StablCal Formazin Turbidity Standard, < 0.1 NTU

Revision date: 10.04.2018

Product code: 2659749

Page 1 of 9

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

# 1.1. Product identifier

26597-49 StablCal Formazin Turbidity Standard, < 0.1 NTU

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

## Use of the substance/mixture

Water analysis

## 1.3. Details of the supplier of the safety data sheet

Company name: Street: Place:	HACH LANGE GmbH Willstätterstr. 11 D-40549 Düsseldorf
Telephone: e-mail: Internet: Responsible Department:	+49 (0)211 5288-383 SDS@hach.com www.de.hach.com HACH LANGE Ltd. 5, Pacific Way Salford Manchester M50 1DL - United Kingdom Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324 e-Mail: info-uk@hach.com
	HACH LANGE Ltd. Unit 1, Chestnut Road Western Industrial Estate IRL-Dublin 12 Tel. +353 (0)1 4602522 e-Mail: info-ie@hach.com
<u>1.4. Emergency telephone</u> number:	Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency service -

## **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

## Regulation (EC) No. 1272/2008

Hazard categories: Respiratory or skin sensitisation: Resp. Sens. 1 Respiratory or skin sensitisation: Skin Sens. 1 Hazard Statements: May cause allergy or asthma symptoms or breathing difficulties if inhaled . May cause an allergic skin reaction.

### 2.2. Label elements

# Regulation (EC) No. 1272/2008

Hazard components for labelling methenamine; hexamethylenetetramine

Signal word: Danger

Pictograms:



### Hazard statements H317

H334

May cause an allergic skin reaction. May cause allergy or asthma symptoms or breathing difficulties if inhaled .



according to Regulation (EC) No 1907/2006

# 26597-49 StablCal Formazin Turbidity Standard, < 0.1 NTU

Revision date: 10.04.2018

Product code: 2659749

Page 2 of 9

# Precautionary statements

· · · · · · · · · · · · · · · · · · ·	
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P272	Contaminated work clothing should not be allowed out of the workplace.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352	IF ON SKIN: Wash with plenty of water.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P304+P341	IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
P342+P311	If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

### Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

2.3. Other hazards

None known.

## **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

### Hazardous components

CAS No	Chemical name		Quantity
	EC No	Index No REACH No	
	Classification according	o Regulation (EC) No. 1272/2008 [CLP]	
7732-18-5	Water		>95 %
	231-791-2		
100-97-0	methenamine; hexameth	ylenetetramine	5-10 %
	202-905-8	612-101-00-2	
	Flam. Sol. 2, Resp. Sens	. 1, Skin Sens. 1; H228 H334 H317	
7757-82-6	Sodium sulfate	< 1 %	
	231-820-9		
50-00-0	formaldehyde %		< 0,1 %
	200-001-8	605-001-00-5	
	Carc. 1B, Muta. 2, Acute H341 H301 H311 H331	Tox. 3, Acute Tox. 3, Acute Tox. 3, Skin Corr. 1B, Skin Sens. 7 1314 H317	1; H350

Full text of H and EUH statements: see section 16.

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

## **General information**

Take off all contaminated clothing immediately.

### After inhalation

Move to fresh air.

### After contact with skin

Wash off immediately with plenty of water.

### After contact with eyes

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

### After ingestion

Induce vomiting, but only if victim is fully conscious.



according to Regulation (EC) No 1907/2006

# 26597-49 StablCal Formazin Turbidity Standard, < 0.1 NTU

Revision date: 10.04.2018

Product code: 2659749

Page 3 of 9

### 4.2. Most important symptoms and effects, both acute and delayed

Allergic reactions

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The product itself does not burn.

### 5.2. Special hazards arising from the substance or mixture

Fire may liberate hazardous vapours.

# 5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

## Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

## 6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

## 6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

### 6.4. Reference to other sections

13. Disposal considerations

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Use only in well-ventilated areas.

### Advice on protection against fire and explosion

See also section 5

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep in a dry, cool place.

Hints on joint storage

None known.

# 7.3. Specific end use(s)

Reagent for analysis

## **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters



according to Regulation (EC) No 1907/2006

# 26597-49 StablCal Formazin Turbidity Standard, < 0.1 NTU

Revision date: 10.04.2018

Product code: 2659749

Page 4 of 9

## Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
50-00-0	Formaldehyde	2	2.5		TWA (8 h)	WEL
		2	2.5		STEL (15 min)	WEL

### Additional advice on limit values

None known.

### 8.2. Exposure controls

### Appropriate engineering controls

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

## Protective and hygiene measures

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. Wash hands before breaks and after work.

vasit hanus belore breaks and aller work.

# Eye/face protection

Safety glasses with side-shields

### Hand protection

Use barrier skin cream.

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374. In full contact: Gloves material: Viton, Layer thickness: 0.70 mm, Breakthrough time: >480 min. In splash contact: Glove material: nitrile rubber, Layer thickness 0,20 mm, Breakthrough time: > 30 min

### Skin protection

Remove and wash contaminated clothing before re-use.

## **Respiratory protection**

Breathing apparatus only if aerosol or dust is formed. Recommended Filter type: ABEK-filter

## **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state: Colour: Odour: pH-Value (at 20 °C):	liquid colourless odourless	7,5-8,5
Changes in the physical state		1,0 0,0
Melting point: Initial boiling point and boiling range: Sublimation point: Softening point: Pour point:		no data available 100 °C not applicable not applicable not applicable no data available
Flash point:		not applicable
Sustaining combustion:		No data available
Flammability Solid: Gas: Explosive properties not applicable		not applicable not applicable



according to Regulation (EC) No 1907/2006

#### 26597-49 StablCal Formazin Turbidity Standard, < 0.1 NTU Product code: 2659749

Revision date: 10.04.2018	Product code: 2659749	Page 5 of 9
Lower explosion limits:	not applicable	
Upper explosion limits:	not applicable	
Ignition temperature:	no data available	
Auto-ignition temperature Solid: Gas:	not applicable not applicable	
Decomposition temperature:	no data available	
Oxidizing properties not applicable		
Vapour pressure:	no data available	
Vapour pressure:	no data available	
Density (at 20 °C): Bulk density:	1,04 g/cm³ not applicable	
Water solubility: (at 20 °C)	completely soluble	
Solubility in other solvents no data available		
Partition coefficient:	no data available	
Viscosity / dynamic:	no data available	
Viscosity / kinematic:	no data available	
Flow time:	no data available	
Vapour density:	no data available	
Evaporation rate:	no data available	
Solvent separation test:	no data available	
Solvent content:	no data available	
9.2. Other information		
Solid content:	not applicable	
no data available		

# **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

See also section 10.3

# 10.2. Chemical stability

Stable under recommended storage conditions.

# 10.3. Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

# 10.4. Conditions to avoid

Extremes of temperature and direct sunlight.

### 10.5. Incompatible materials

No dangerous reaction known under conditions of normal use. Oxidizing agents

# 10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

## Further information

None known.



according to Regulation (EC) No 1907/2006

# 26597-49 StablCal Formazin Turbidity Standard, < 0.1 NTU

Revision date: 10.04.2018

Product code: 2659749

Page 6 of 9

# **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

### Acute toxicity

No data is available on the product itself.

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
100-97-0	methenamine; hexamethylenetetramine							
	oral	LD50 mg/kg	9200	Ratte				
7757-82-6								
	oral	LD50 mg/kg	5989	mouse				
50-00-0	formaldehyde %							
	oral	ATE mg/kg	100					
	dermal	ATE mg/kg	300					
	inhalation (4 h) vapour	LC50	250 mg/l	rat				
	inhalation aerosol	ATE	0,5 mg/l					

#### Irritation and corrosivity

No known effect.

### Sensitising effects

May cause sensitisation by skin contact.

May cause sensitisation by inhalation. (List of references: Asthma in the workplace, I.Leonard Bernstein)

#### STOT-single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

### STOT-repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

## Aspiration hazard

No aspiration toxicity classification

### Specific effects in experiment on an animal

No data is available on the product itself.

### Additional information on tests

no data available

## Practical experience

## Observations relevant to classification

no data available

# Other observations

no data available

# **Further information**

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

### **SECTION 12: Ecological information**

# 12.1. Toxicity

No data is available on the product itself.



according to Regulation (EC) No 1907/2006

# 26597-49 StablCal Formazin Turbidity Standard, < 0.1 NTU

Revision date: 10.04.2018

Product code: 2659749

Page 7 of 9

### Do not flush into surface water or sanitary sewer system.

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h]   [d]	Species	Source		Method
100-97-0	methenamine; hexamethylenetetramine							
	Acute fish toxicity	LC50 mg/l	49800	96 h	Fisch			
7757-82-6	Sodium sulfate							
	Acute fish toxicity	LC50	120 mg/l	96 h	Gambusia affinis	Merck		
	Acute crustacea toxicity	EC50 mg/l	2564	48 h				

### 12.2. Persistence and degradability

No data is available on the product itself.

#### 12.3. Bioaccumulative potential

No data is available on the product itself.

## 12.4. Mobility in soil

no data available

### 12.5. Results of PBT and vPvB assessment

no data available

# 12.6. Other adverse effects

No known effect.

# Further information

no data available

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

### Advice on disposal

In accordance with local and national regulations.

# Waste disposal number of waste from residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

#### Waste disposal number of used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

# Waste disposal number of contaminated packaging

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

### Contaminated packaging

Dispose of as unused product.

### **SECTION 14: Transport information**

### Land transport (ADR/RID)

## Other applicable information (land transport)

Not subject to transport regulations.

#### Inland waterways transport (ADN)

according to Regulation (EC) No 1907/2006

26597-49 StablCal Formazin Turbidity Standard, < 0.1 NTU Revision date: 10.04.2018 Product code: 2659749 Page 8 of 9 Other applicable information (inland waterways transport) Not tested Marine transport (IMDG) Other applicable information (marine transport) Not subject to transport regulations. Air transport (ICAO-TI/IATA-DGR) Other applicable information (air transport) Not subject to transport regulations. 14.5. Environmental hazards **ENVIRONMENTALLY HAZARDOUS:** no 14.6. Special precautions for user no data available 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code not applicable Other applicable information no data available **SECTION 15: Regulatory information** 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulatory information Restrictions on use (REACH, annex XVII): Entry 28: formaldehyde ... % National regulatory information Water contaminating class (D): 1 - slightly water contaminating 15.2. Chemical safety assessment Chemical safety assessments for substances in this mixture were not carried out. **SECTION 16: Other information** Changes Revision: 10.04.2018 Safety datasheet sections which have been updated: 2, 11, 16 Revision: 22.06.2016 Safety datasheet sections which have been updated: 2, 3 Revision: 13.05.2015 Safety datasheet sections which have been updated: 2, 4, 11 Revision: 29.11.2013 Safety datasheet sections which have been updated: 2.2 Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP] Classification Classification procedure Resp. Sens. 1; H334 Calculation method

## Relevant H and EUH statements (number and full text)

H228	Flammable solid.
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.

Calculation method

Skin Sens. 1; H317



# according to Regulation (EC) No 1907/2006

# 26597-49 StablCal Formazin Turbidity Standard, < 0.1 NTU

Revision date: 10.04.2018	Product code: 2659749	Page 9 of 9
H331	Toxic if inhaled.	
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.	
H341	Suspected of causing genetic defects.	
H350	May cause cancer.	

# **Further Information**

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)