



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# 26602-49 StablCal Formazin Turbidity Standard; 100 NTU

Revision date: 22.06.2016 Product code: 2660249 Page 1 of 8

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

26602-49 StablCal Formazin Turbidity Standard; 100 NTU

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Water analysis

# 1.3. Details of the supplier of the safety data sheet

Company name: HACH LANGE GmbH
Street: Willstätterstr. 11
Place: D-40549 Düsseldorf
Telephone: +49 (0)211 5288-383
e-mail: SDS@hach.com
Internet: www.de.hach.com
Responsible Department: HACH LANGE Ltd.
5, Pacific Way

Salford Manchester M50 1DL - United Kingdom Tel. +44 (0) 161 872 1487 \* Fax +44 (0) 161 848 7324

e-Mail: info-uk@hach.com

HACH LANGE Ltd.

Unit 1, Chestnut Road Western Industrial Estate

IRL-Dublin 12

Tel. +353 (0)1 4602522 e-Mail: info-ie@hach.com

<u>1.4. Emergency telephone</u> Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency

<u>number:</u> service -

# **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

# Regulation (EC) No. 1272/2008

Hazard categories:

Respiratory or skin sensitisation: Resp. Sens. 1 Respiratory or skin sensitisation: Skin Sens. 1

Hazard Statements:

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

#### 2.2. Label elements

### Regulation (EC) No. 1272/2008

# Hazard components for labelling

methenamine; hexamethylenetetramine

Signal word: Danger

Pictograms:



### **Hazard statements**

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H317 May cause an allergic skin reaction.



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

### 26602-49 StablCal Formazin Turbidity Standard; 100 NTU

Revision date: 22.06.2016 Product code: 2660249 Page 2 of 8

# **Precautionary statements**

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

#### Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

# 2.3. Other hazards

None known.

# **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### **Hazardous components**

CAS No	Chemical name					
	EC No	Index No	REACH No			
	Classification according to Regulation (EC) No. 1272/2008 [CLP]					
7732-18-5	Water					
	231-791-2					
			/			
100-97-0	methenamine; hexamethylenetetramine					
	202-905-8	612-101-00-2				
	Flam. Sol. 2, Resp. Sens. 1, Skin Sens. 1; H228 H334 H317					
7757-82-6	Sodium sulfate					
	231-820-9					

Full text of H and EUH statements: see section 16.

# **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

### **General information**

Take off all contaminated clothing immediately.

### After inhalation

Move to fresh air.

## After contact with skin

Wash off immediately with plenty of water.

#### After contact with eyes

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

Show this safety data sheet to the doctor in attendance.

#### After ingestion

Clean mouth with water and drink afterwards plenty of water.

Call a physician immediately. Show this safety data sheet to the doctor in attendance.

# 4.2. Most important symptoms and effects, both acute and delayed

sensitising effects

# 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.



# **Safety Data Sheet**

HACH LANGE GmbH

according to Regulation (EC) No 1907/2006

# 26602-49 StablCal Formazin Turbidity Standard; 100 NTU

Revision date: 22.06.2016 Product code: 2660249 Page 3 of 8

# **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The product itself does not burn.

#### 5.2. Special hazards arising from the substance or mixture

Fire may liberate hazardous vapours.

# 5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

#### Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

#### **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

#### 6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

### 6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

# 6.4. Reference to other sections

13. Disposal considerations

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

# Advice on safe handling

Use only in well-ventilated areas.

Avoid contact with skin and eyes.

# Advice on protection against fire and explosion

See also section 5

# 7.2. Conditions for safe storage, including any incompatibilities

# Requirements for storage rooms and vessels

Keep in a dry, cool place.

# Hints on joint storage

None known.

#### Further information on storage conditions

Keep locked up or in an area accessible only to qualified or authorised persons.

# 7.3. Specific end use(s)

Reagent for analysis

### **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

#### Additional advice on limit values

None known.

### 8.2. Exposure controls



# **Safety Data Sheet**

HACH LANGE GmbH

according to Regulation (EC) No 1907/2006

# 26602-49 StablCal Formazin Turbidity Standard; 100 NTU

Revision date: 22.06.2016 Product code: 2660249 Page 4 of 8

#### Appropriate engineering controls

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

#### Protective and hygiene measures

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Wash hands before breaks and after work.

#### Eye/face protection

Safety glasses with side-shields

#### Hand protection

Use barrier skin cream.

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374. In full contact: Gloves material: Viton, Layer thickness: 0.70 mm, Breakthrough time: >480 min. In splash contact: Glove material: nitrile rubber, Layer thickness 0,20 mm, Breakthrough time: > 30 min

#### Skin protection

Remove and wash contaminated clothing before re-use.

#### Respiratory protection

Provide adequate ventilation.

# SECTION 9: Physical and chemical properties

0.1	Information	on basic phy	eical and c	homical n	roportice
9.1.	information	on basic bit	/Sicai and c	nemicai b	roberties

Physical state: suspension
Colour: cloudy, milky
Odour: odourless

pH-Value (at 20 °C): 8,54

# Changes in the physical state

Melting point:

Indial boiling point and boiling range:

Sublimation point:

Softening point:

Pour point:

Indial boiling point:

Indiapplicable

Indial point:

Indiapplicable

India point:

Indiapplicable

India point:

Indiapplicable

India point:

Indiapplicable

India point:

Indiapplicable

Indiappl

#### **Flammability**

Solid: not applicable
Gas: not applicable

# **Explosive properties**

not applicable

Lower explosion limits:

Upper explosion limits:

Ignition temperature:

not applicable

not applicable

# **Auto-ignition temperature**

Solid: not applicable
Gas: not applicable
Decomposition temperature: no data available





# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

### 26602-49 StablCal Formazin Turbidity Standard; 100 NTU

Revision date: 22.06.2016 Product code: 2660249 Page 5 of 8

#### **Oxidizing properties**

not applicable

Vapour pressure:

Vapour pressure:

Density (at 20 °C):

Bulk density:

Water solubility:

(at 20 °C)

miscible

miscible

# Solubility in other solvents

no data available

Partition coefficient: no data available Viscosity / dynamic: no data available Viscosity / kinematic: no data available Flow time: no data available Vapour density: no data available no data available Evaporation rate: Solvent separation test: no data available Solvent content: no data available

### 9.2. Other information

Solid content: not applicable

no data available

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

See also section 10.3

### 10.2. Chemical stability

Stable under recommended storage conditions.

# 10.3. Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

# 10.4. Conditions to avoid

Extremes of temperature and direct sunlight.

# 10.5. Incompatible materials

Oxidizing agents

# 10.6. Hazardous decomposition products

Ammonia, Carbon monoxide, nitrogen oxides (NOx)

# **Further information**

Stable under recommended storage conditions.

# **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

#### **Acute toxicity**

No data is available on the product itself.



# **Safety Data Sheet**

HACH LANGE GmbH

according to Regulation (EC) No 1907/2006

# 26602-49 StablCal Formazin Turbidity Standard; 100 NTU

Revision date: 22.06.2016 Product code: 2660249 Page 6 of 8

CAS No	Chemical name							
	Exposure route	Dose		Species	Source		Method	
100-97-0	methenamine; hexamethylenetetramine							
	oral	LD50 mg/kg	9200	Ratte				
7757-82-6	Sodium sulfate							
	oral	LD50 mg/kg	5989	mouse				

#### Irritation and corrosivity

No known effect.

#### Sensitising effects

May cause sensitisation by skin contact.

May cause sensitisation by inhalation. (List of references: Asthma in the workplace, I.Leonard Bernstein)

# Carcinogenic/mutagenic/toxic effects for reproduction

Contains no ingredient listed as a carcinogen

#### STOT-single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

# STOT-repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

# **Aspiration hazard**

No aspiration toxicity classification

# Specific effects in experiment on an animal

No data is available on the product itself.

#### Additional information on tests

no data available

#### **Practical experience**

# Observations relevant to classification

no data available

# Other observations

no data available

#### **Further information**

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

# **SECTION 12: Ecological information**

#### 12.1. Toxicity

No data is available on the product itself.

Do not flush into surface water or sanitary sewer system.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
100-97-0	methenamine; hexamethylenetetramine						
	Acute fish toxicity	LC50 mg/l	49800	96 h	Fisch		
7757-82-6	Sodium sulfate						
	Acute fish toxicity	LC50	120 mg/l	96 h	Gambusia affinis	Merck	
	Acute crustacea toxicity	EC50 mg/l	2564	48 h			



# **Safety Data Sheet**

HACH LANGE GmbH

according to Regulation (EC) No 1907/2006

# 26602-49 StablCal Formazin Turbidity Standard; 100 NTU

Revision date: 22.06.2016 Product code: 2660249 Page 7 of 8

### 12.2. Persistence and degradability

No data is available on the product itself.

#### 12.3. Bioaccumulative potential

No data is available on the product itself.

#### 12.4. Mobility in soil

no data available

# 12.5. Results of PBT and vPvB assessment

no data available

#### 12.6. Other adverse effects

No known effect.

#### **Further information**

no data available

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### Advice on disposal

In accordance with local and national regulations.

### Waste disposal number of waste from residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

#### Waste disposal number of used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

#### Waste disposal number of contaminated packaging

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

### Contaminated packaging

Dispose of as unused product.

# **SECTION 14: Transport information**

# Land transport (ADR/RID)

# Other applicable information (land transport)

Not subject to transport regulations.

### Inland waterways transport (ADN)

# Other applicable information (inland waterways transport)

Not tested

### Marine transport (IMDG)

# Other applicable information (marine transport)

Not subject to transport regulations.

# Air transport (ICAO-TI/IATA-DGR)

# Other applicable information (air transport)

Not subject to transport regulations.

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS:



# **Safety Data Sheet**

HACH LANGE GmbH

according to Regulation (EC) No 1907/2006

# 26602-49 StablCal Formazin Turbidity Standard; 100 NTU

Revision date: 22.06.2016 Product code: 2660249 Page 8 of 8

#### 14.6. Special precautions for user

no data available

## 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

# Other applicable information

no data available

# **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulatory information

Water contaminating class (D): 1 - slightly water contaminating

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

#### **SECTION 16: Other information**

### Changes

Revision: 22.06.2016

Safety datasheet sections which have been updated: 2, 3

Revision: 29.04.2015

Safety datasheet sections which have been updated: 2, 4, 11

Revision: 29.11.2013

Safety datasheet sections which have been updated: 2.2

# Relevant H and EUH statements (number and full text)

H228 Flammable solid.

H317 May cause an allergic skin reaction.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

# **Further Information**

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)