

according to Regulation (EC) No 1907/2006

LCI 500 CSB/COD/DCO

Revision date: 28.07.2022 Creation date: 21.01.2005 Product code: LCI500

Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

LCI 500 CSB/COD/DCO

UFI:

PMJ4-YF44-K800-FTPN

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Water analysis

1.3. Details of the supplier of the safety data sheet

Company name:	HACH LANGE GmbH
Street:	Willstätterstr. 11
Place:	D-40549 Düsseldorf
Telephone:	+49 (0)211 5288-383
e-mail:	SDS@hach.com
Internet:	www.de.hach.com
Responsible Department:	HACH LANGE Ltd.
	5, Pacific Way
	Salford Manchester M50 1DL - United Kingdom
	Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324
	e-Mail: info-uk@hach.com
	HACH LANGE Ltd.
	Unit 1, Chestnut Road Western Industrial Estate
	IRL-Dublin 12
	Tel. +353 (0)1 4602522
	e-Mail: info-ie@hach.com
1.4. Emergency telephone	Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour
<u>number:</u>	service -

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories: Substance or mixture corrosive to metals: Met. Corr. 1 Acute toxicity: Acute Tox. 3 Acute toxicity: Acute Tox. 4 Acute toxicity: Acute Tox. 4 Skin corrosion/irritation: Skin Corr. 1A Specific target organ toxicity - repeated exposure: STOT RE 2 Hazardous to the aquatic environment: Aquatic Chronic 1 Hazard Statements: May be corrosive to metals. Toxic in contact with skin. Harmful if swallowed. Harmful if inhaled. Causes severe skin burns and eye damage. May cause damage to organs through prolonged or repeated exposure. Very toxic to aquatic life with long lasting effects.

2.2. Label elements

Regulation (EC) No. 1272/2008

emergency



according to Regulation (EC) No 1907/2006

	LCI 500 CSB/COD/DCO		
Revision date: 28.07.202	2 Product code: LCI500	Page 2 of 12	
Creation date: 21.0	1.2005		
Hazard components sulphuric acid % Mercury(II) sulfate Silver sulfate			
Signal word:	Danger		
Pictograms:			
Hazard statements	· · · · · ·		
H290	May be corrosive to metals.		
H311	Toxic in contact with skin.		
H302	Harmful if swallowed.		
H332	Harmful if inhaled.		
H314	Causes severe skin burns and eye damage.		
H373	May cause damage to organs through prolonged or repeated exposure.		
H410 Very toxic to aquatic life with long lasting effects.			
Precautionary statem	ents		
P260	Do not breathe dust/fume/gas/mist/vapours/spray.		
P273	Avoid release to the environment.		
P280	P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.		
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.		
P303+P361+P353		ater	
P305+P351+P338	or shower. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.		
P310	Immediately call a POISON CENTER/doctor.		
P391	Collect spillage.		
Additional advice on	labelling		
The product is clas	sified as dangerous in accordance with Regulation (EC) No. 1272/2008.		

2.3. Other hazards

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

SECTION 3: Composition/information on ingredients

3.2. Mixtures



according to Regulation (EC) No 1907/2006

LCI 500 CSB/COD/DCO

Revision date: 28.07.2022

Product code: LCI500

Page 3 of 12

Creation date: 21.01.2005

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	CLP Classification			
7664-93-9	sulphuric acid %			84 %
	231-639-5	016-020-00-8		
	Skin Corr. 1A; H314			
7732-18-5	Water			>10 %
	231-791-2			
7783-35-9	Mercury(II) sulfate			1,5 %
	231-992-5	080-002-00-6		
	Acute Tox. 1, Acute Tox H330 H300 H373 H400	2, Acute Tox. 2, STOT RE 2, Aquati H410	c Acute 1, Aquatic Chronic 1; H310	
10294-26-5	Silver sulfate			0,5 %
	233-653-7			
	Eye Dam. 1, Aquatic A	cute 1, Aquatic Chronic 1; H318 H400	H410	
7778-50-9	potassium dichromate			<0,1 %
	231-906-6	024-002-00-6		
	Resp. Sens. 1, Skin Se	uta. 1B, Repr. 1B, Acute Tox. 2, Acut ns. 1, STOT RE 1, Aquatic Acute 1, A 312 H314 H334 H317 H372 H400 H4	quatic Chronic 1; H272 H350 H340	

Full text of H and EUH statements: see section 16.

Specific concentration limits and M-factors CAS No EC No Chemical name Quantity Specific concentration limits and M-factors 7664-93-9 84 % 231-639-5 sulphuric acid ... % Skin Corr. 1A; H314: >= 15 - 100 Skin Irrit. 2; H315: >= 5 - < 15 Eye Irrit. 2; H319: >= 5 - < 15 7783-35-9 231-992-5 Mercury(II) sulfate 1,5 % STOT RE 2; H373: >= 0,1 - 100 10294-26-5 233-653-7 Silver sulfate 0,5 % M akut; H400: M=100 M chron.; H410: M=100 7778-50-9 231-906-6 potassium dichromate <0,1 % STOT SE 3; H335: >= 5 - 100

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take off all contaminated clothing immediately.

Consult a physician. Show this safety data sheet to the doctor in attendance.

After inhalation

Move to fresh air.

Consult a physician. Show this safety data sheet to the doctor in attendance.

After contact with skin

Wash off immediately with plenty of water for at least 15 minutes. Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty. Show this safety data sheet to the doctor in attendance.



according to Regulation (EC) No 1907/2006

LCI 500 CSB/COD/DCO

Product code: LCI500

Page 4 of 12

Creation date: 21.01.2005

Revision date: 28.07.2022

After contact with eyes

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Show this safety data sheet to the doctor in attendance.

After ingestion

Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting.

Consult a physician. Show this safety data sheet to the doctor in attendance.

4.2. Most important symptoms and effects, both acute and delayed

Irritation and corrosion

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The product itself does not burn.

5.2. Special hazards arising from the substance or mixture

Fire may liberate hazardous vapours. The following may develop in event of fire: sulfur oxides, mercury vapors.

5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing.

Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste.

6.4. Reference to other sections

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use only in well-ventilated areas. Do not breathe vapours/dust.

Advice on protection against fire and explosion

no data available

Further information on handling

no data available

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep tightly closed in a dry, cool and well-ventilated place. Protect against light. Accessible only for authorized



according to Regulation (EC) No 1907/2006

LCI 500 CSB/COD/DCO

Revision date: 28.07.2022

Product code: LCI500

Page 5 of 12

Creation date: 21.01.2005

persons.

Hints on joint storage

no data available

Further information on storage conditions no data available

7.3. Specific end use(s)

Reagent for analysis

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
7664-93-9	Sulphuric acid (mist)	-	0.05		TWA (8 h)	WEL

Additional advice on limit values

None known.

8.2. Exposure controls

Appropriate engineering controls

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Protective and hygiene measures

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. Wash hands before breaks and after work.

Eye/face protection

Safety glasses with side-shields

Hand protection

Use barrier skin cream.

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374. In full contact: Gloves material: Viton, Layer thickness: 0.70 mm, Breakthrough time: >480 min. In splash contact: Glove material: nitrile rubber, Layer thickness 0.40 mm, Breakthrough time: > 30 min

Skin protection

Remove and wash contaminated clothing before re-use.

Respiratory protection

Breathing apparatus only if aerosol or dust is formed.

Recommended Filter type: ABEK-filter

Environmental exposure controls

Do not flush into surface water or sanitary sewer system.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Colour:	liquid yellow-orange, clear
Odour:	odourless
pH-Value (at 20 °C):	

Changes in the physical state

< 1



Revision date: 28.07.2022

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCI 500 CSB/COD/DCO

Product code: LCI500

Page 6 of 12

Creation date: 21.01.2005	
Melting point:	not applicable
Initial boiling point and boiling range:	300 °C
Sublimation point:	not applicable
Softening point:	not applicable
Pour point:	not applicable
:	no data available
Flash point:	not applicable
Sustaining combustion:	No data available
Flammability	
Solid:	not applicable
Gas:	not applicable
Explosive properties not applicable	
Lower explosion limits:	not applicable
Upper explosion limits:	not applicable
Ignition temperature:	not applicable
Auto-ignition temperature	
Solid: Gas:	not applicable
	not applicable no data available
Decomposition temperature:	
Oxidizing properties no data available	
Vapour pressure:	no data available
Vapour pressure:	no data available
Density (at 20 °C):	1,79 g/cm ³
Bulk density: Water solubility:	not applicable
(at 20 °C)	completely soluble
Solubility in other solvents no data available	
Partition coefficient:	no data available
Viscosity / dynamic:	no data available
Viscosity / kinematic:	no data available
Flow time:	no data available
Vapour density:	no data available
Evaporation rate:	no data available
Solvent separation test:	no data available
Solvent content:	no data available
9.2. Other information	
Solid content:	not applicable
Corrosive in contact with metals	

SECTION 10: Stability and reactivity



Page 7 of 12

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCI 500 CSB/COD/DCO Product code: LCI500

Revision date: 28.07.2022

Creation date: 21.01.2005

10.1. Reactivity

Corrosive to metals

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous polymerisation does not occur.

10.4. Conditions to avoid

To avoid thermal decomposition, do not overheat. Above 300 °C, hazardous fumes may be released.

10.5. Incompatible materials

Organic materials, Bases, Alkali metals, Metals, Ammonia, Reducing agents, Nitric acid. Reacts violently with water.

10.6. Hazardous decomposition products

Sulphur trioxide Chromium oxides

Further information

very reactive

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Toxic in contact with skin. Harmful if swallowed. Harmful if inhaled.

ATEmix calculated

ATE (oral) 344,4 mg/kg; ATE (dermal) 344,4 mg/kg; ATE (inhalation aerosol) 3,444 mg/l

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
7783-35-9	Mercury(II) sulfate							
	oral	ATE	5 mg/kg					
	dermal	ATE	5 mg/kg					
	inhalation vapour	ATE	0,5 mg/l					
	inhalation aerosol	ATE	0,05 mg/l					
10294-26-5 Silver sulfate								
	oral	LD50 mg/kg	5000	rat				
7778-50-9	potassium dichromate							
	oral	ATE mg/kg	100					
	dermal	ATE mg/kg	1100					
	inhalation (4 h) vapour	LC50 mg/l	0,094	Rat				
	inhalation (4 h) aerosol	LC50 mg/l	0,094	Rat				

Irritation and corrosivity

Causes severe skin burns and eye damage.



according to Regulation (EC) No 1907/2006

LCI 500 CSB/COD/DCO

Product code: LCI500

Page 8 of 12

Revision date: 28.07.2022

Creation date: 21.01.2005

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure. (Mercury(II) sulfate)

Aspiration hazard

Based on available data, the classification criteria are not met. No aspiration toxicity classification

Specific effects in experiment on an animal

No toxicology information is available.

Additional information on tests

None known.

Further information

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1. Toxicity

May cause long-term adverse effects in the aquatic environment. Do not flush into surface water or sanitary sewer system.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
7783-35-9	Mercury(II) sulfate						
	Acute fish toxicity	LC50 mg/l	0,19	96 h			
10294-26-5 Silver sulfate							
	Acute crustacea toxicity	EC50 mg/l	0,0045	48 h	Crustaceans		
7778-50-9 potassium dichromate							
	Acute fish toxicity	LC50 mg/l	26,13	96 h	Pimephales promelas		
	Acute algae toxicity	ErC50 0,59 mg/l	0,16 -	96 h	Chlorella vulgaris		

12.2. Persistence and degradability

No data is available on the product itself.

12.3. Bioaccumulative potential

no data available

12.4. Mobility in soil

no data available

12.5. Results of PBT and vPvB assessment

no data available

12.6. Other adverse effects

Discharge into the environment must be avoided.



according to Regulation (EC) No 1907/2006

LCI 500 CSB/COD/DCO

Revision date: 28.07.2022

Creation date: 21.01.2005

Product code: LCI500

Page 9 of 12

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Our local agencies will accept used cuvettes to ensure their proper disposal. In accordance with local and national regulations.

List of Wastes Code - residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

SECTION 14: Transport information

Land transport (ADR/RID)

Land transport (ADR/RID)	
<u>14.1. UN number:</u>	UN 3316
14.2. UN proper shipping name:	Chemical kit
14.3. Transport hazard class(es):	9
14.4. Packing group:	II
Hazard label:	9
Classification code:	M11
Special Provisions:	251 340
Limited quantity:	SP251
Excepted quantity:	SP340
Transport category:	2
Hazard No:	-
Tunnel restriction code:	E
Inland waterways transport (ADN)	
Other applicable information (inland wat Not tested	erways transport)
Marine transport (IMDG)	
<u>14.1. UN number:</u>	UN 3316
14.2. UN proper shipping name:	CHEMICAL KIT
14.3. Transport hazard class(es):	9
14.4. Packing group:	II
Hazard label:	9
Marine pollutant:	-
Special Provisions:	251, 340
Limited quantity:	See SP251



according to Regulation (EC) No 1907/2006

	LCI 500 CSE	B/COD/DCO	
Revision date: 28.07.2022	Product co	ode: LCI500	Page 10 of 12
Creation date: 21.01.2005			
Excepted quantity: EmS:	SP340 F-A, S-P		
Air transport (ICAO-TI/IATA-DGR)			
<u>14.1. UN number:</u>	UN 3316		
14.2. UN proper shipping name:	CHEMICAL KIT		
14.3. Transport hazard class(es):	9		
14.4. Packing group:	II		
Hazard label:	9		
	9		
Special Provisions: Limited quantity Passenger:	A44 A163 1 kg		
Passenger LQ:	Y960		
Excepted quantity:	E0		
IATA-packing instructions - Passenger:		960	
IATA-max. quantity - Passenger:		10 kg	
IATA-packing instructions - Cargo: IATA-max. quantity - Cargo:		960 10 kg	
14.5. Environmental hazards			
ENVIRONMENTALLY HAZARDOUS:	Yes	\wedge	
ENVIRONMENTALLI HAZARDOUS.	165	¥2	
Danger releasing substance:	Mercury(II) sulfate Silver sulfate	~	
14.6. Special precautions for user Use personal protective equipment.			
14.7. Transport in bulk according to Annex II not applicable	of Marpol and the IE	<u>3C Code</u>	
SECTION 15: Regulatory information			
15.1. Safety, health and environmental regula	ations/legislation sp	ecific for the substance or mixture	
EU regulatory information			
Authorisations (REACH, annex XIV): potassium dichromate			
Restrictions on use (REACH, annex XVII): Entry 3, Entry 28			
Information according to 2012/18/EU (SEVESO III):	E1 Hazardous to the	e Aquatic Environment	
National regulatory information			
Employment restrictions:	work protection guid	to employment for juveniles according to the 'juve deline' (94/33/EC). Observe employment restriction Protection Directive (92/85/EEC) for expectant or	
Water hazard class (D):	3 - strongly hazardo	ous to water	



Page 11 of 12

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCI 500 CSB/COD/DCO Product code: LCI500

Revision date: 28.07.2022

Creation date: 21.01.2005

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

Revision Date 28.07.2022 Safety datasheet sections which have been updated: 2, 11, 15 Revision Date 03.12.2020 Safety datasheet sections which have been updated: 7, 15 Revision Date 30.05.2018 Safety datasheet sections which have been updated: 2, 16 Revision Date 29.03.2017 Safety datasheet sections which have been updated: 7, 9, 14

Revision: 1.03.2017

Safety datasheet sections which have been updated: 2, 8, 11

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure	
Met. Corr. 1; H290	Calculation method	
Acute Tox. 3; H311	Calculation method	
Acute Tox. 4; H302	Calculation method	
Acute Tox. 4; H332	Calculation method	
Skin Corr. 1A; H314	Calculation method	
STOT RE 2; H373	Calculation method	
Aquatic Chronic 1; H410	Calculation method	

Relevant H and EUH statements (number and full text)

H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H300	Fatal if swallowed.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H340	May cause genetic defects.
H350	May cause cancer.
H360FD	May damage fertility. May damage the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.



according to Regulation (EC) No 1907/2006

LCI 500 CSB/COD/DCO

Revision date: 28.07.2022 Creation date: 21.01.2005 Product code: LCI500

Page 12 of 12

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)