

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 305 Ammonium, Sample cuvette; 1/2

Revision date: 17.09.2019

Product code: LCK305-1

Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

LCK 305 Ammonium, Sample cuvette; 1/2

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Water analysis

1.3. Details of the supplier of the safety data sheet

Company name: HACH LANGE GmbH
 Street: Willstätterstr. 11
 Place: D-40549 Düsseldorf
 Telephone: +49 (0)211 5288-383
 e-mail: SDS@hach.com
 Internet: www.de.hach.com
 Responsible Department: HACH LANGE Ltd.
 5, Pacific Way
 Salford Manchester M50 1DL - United Kingdom
 Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324
 e-Mail: info-uk@hach.com

HACH LANGE Ltd.
 Unit 1, Chestnut Road Western Industrial Estate
 IRL-Dublin 12
 Tel. +353 (0)1 4602522
 e-Mail: info-ie@hach.com

1.4. Emergency telephone number:

Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency service -

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Skin corrosion/irritation: Skin Corr. 1

Serious eye damage/eye irritation: Eye Dam. 1

Hazard Statements:

Causes severe skin burns and eye damage.

Causes serious eye damage.

2.2. Label elements

Regulation (EC) No. 1272/2008

Signal word: Danger

Pictograms:



Hazard statements

H314 Causes severe skin burns and eye damage.

Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 305 Ammonium, Sample cuvette; 1/2

Revision date: 17.09.2019

Product code: LCK305-1

Page 2 of 9

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

2.3. Other hazards

no data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
7732-18-5	Water			>95 %
	231-791-2			
54-21-7	Sodium salicylate			<2 %
	200-198-0			
	Acute Tox. 4, Eye Irrit. 2; H302 H319			
1310-73-2	sodium hydroxide; caustic soda			<0,2 %
	215-185-5	011-002-00-6		
	Skin Corr. 1A; H314			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take off all contaminated clothing immediately.

After inhalation

Move to fresh air.

After contact with skin

Wash off immediately with plenty of water.

After contact with eyes

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

After ingestion

Clean mouth with water and drink afterwards plenty of water. Consult a physician.

4.2. Most important symptoms and effects, both acute and delayed

Irritation and corrosion

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 305 Ammonium, Sample cuvette; 1/2

Revision date: 17.09.2019

Product code: LCK305-1

Page 3 of 9

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The product itself does not burn.

Unsuitable extinguishing media

No Limit

5.2. Special hazards arising from the substance or mixture

Fire may liberate hazardous vapours.

5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste.

6.4. Reference to other sections

13. Disposal considerations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use only in well-ventilated areas.
Avoid contact with skin and eyes.

Advice on protection against fire and explosion

See also section 5

Further information on handling

Observe label precautions.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep refrigerated. (2-8 °C)

Hints on joint storage

None known.

7.3. Specific end use(s)

Reagent for analysis

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
1310-73-2	Sodium hydroxide	-	2		STEL (15 min)	WEL

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 305 Ammonium, Sample cuvette; 1/2

Revision date: 17.09.2019

Product code: LCK305-1

Page 4 of 9

Additional advice on limit values

None known.

8.2. Exposure controls

Appropriate engineering controls

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Protective and hygiene measures

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Wash hands before breaks and after work.

Eye/face protection

Safety glasses with side-shields

Hand protection

Use barrier skin cream.

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374. In full contact:

Gloves material: Viton, Layer thickness: 0.70 mm, Breakthrough time: >480 min. In splash contact: Glove

material: nitrile rubber, Layer thickness 0,20 mm, Breakthrough time: > 30 min

Skin protection

Remove and wash contaminated clothing before re-use.

Respiratory protection

Breathing apparatus only if aerosol or dust is formed. Recommended Filter type: ABEK-filter

Environmental exposure controls

Do not flush into surface water or sanitary sewer system.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	liquid
Colour:	colourless
Odour:	odourless
pH-Value (at 20 °C):	12,5
Changes in the physical state	
Melting point:	0 °C
Initial boiling point and boiling range:	100 °C
Sublimation point:	not applicable
Softening point:	not applicable
Pour point:	no data available
:	no data available
Flash point:	not applicable
Flammability	
Solid:	no data available
Gas:	no data available
Explosive properties	
no data available	
Lower explosion limits:	not applicable
Upper explosion limits:	not applicable
Ignition temperature:	no data available

Auto-ignition temperature

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 305 Ammonium, Sample cuvette; 1/2

Revision date: 17.09.2019

Product code: LCK305-1

Page 5 of 9

Solid:	no data available
Gas:	no data available
Decomposition temperature:	no data available
Oxidizing properties	
no data available	
Vapour pressure:	no data available
Vapour pressure:	no data available
Density (at 20 °C):	1,02 g/cm ³
Bulk density:	not applicable
Water solubility:	completely soluble
Solubility in other solvents	
no data available	
Partition coefficient:	no data available
Viscosity / dynamic:	no data available
Viscosity / kinematic:	no data available
Flow time:	no data available
Vapour density:	no data available
Evaporation rate:	no data available
Solvent separation test:	no data available
Solvent content:	no data available
9.2. Other information	
Solid content:	no data available

SECTION 10: Stability and reactivity**10.1. Reactivity**

No dangerous reaction known under conditions of normal use.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous polymerisation does not occur.

10.4. Conditions to avoid

Extremes of temperature and direct sunlight.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information**11.1. Information on toxicological effects****Toxicokinetics, metabolism and distribution**

No toxicology information is available.

Acute toxicity

No data is available on the product itself.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 305 Ammonium, Sample cuvette; 1/2

Revision date: 17.09.2019

Product code: LCK305-1

Page 6 of 9

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
54-21-7	Sodium salicylate				
	oral	LD50 mg/kg	930	Ratte	RTECS

Irritation and corrosivity

The product causes irritation of eyes, skin and mucous membranes.

Sensitising effects

No known effect.

Carcinogenic/mutagenic/toxic effects for reproduction

Contains no ingredient listed as a carcinogen

STOT-single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT-repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

No aspiration toxicity classification

Specific effects in experiment on an animal

No data is available on the product itself.

Further information

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information**12.1. Toxicity**

No data is available on the product itself.

Do not flush into surface water or sanitary sewer system.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
54-21-7	Sodium salicylate					
	Acute fish toxicity	LC50 mg/l	1760	96 h		
1310-73-2	sodium hydroxide; caustic soda					
	Acute fish toxicity	LC50 mg/l	45,4	96 h	Onchorhynchus mykiss	

12.2. Persistence and degradability

No data is available on the product itself.

12.3. Bioaccumulative potential

No data is available on the product itself.

12.4. Mobility in soil

no data available

12.5. Results of PBT and vPvB assessment

no data available

12.6. Other adverse effects

Discharge into the environment must be avoided.

Further information

no data available

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 305 Ammonium, Sample cuvette; 1/2

Revision date: 17.09.2019

Product code: LCK305-1

Page 7 of 9

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Our local agencies will accept used cuvettes to ensure their proper disposal.
In accordance with local and national regulations.

List of Wastes Code - residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste


List of Wastes Code - used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number: UN 3316
14.2. UN proper shipping name: Chemical kit
14.3. Transport hazard class(es): 9
14.4. Packing group: II
 Hazard label: 9



Classification code: M11
 Special Provisions: 251 340
 Limited quantity: SP251
 Excepted quantity: SP340
 Transport category: 2
 Hazard No: -
 Tunnel restriction code: E

Inland waterways transport (ADN)

Other applicable information (inland waterways transport)

Not tested

Marine transport (IMDG)

14.1. UN number: UN 3316
14.2. UN proper shipping name: CHEMICAL KIT
14.3. Transport hazard class(es): 9
14.4. Packing group: II
 Hazard label: 9



Marine pollutant: -
 Special Provisions: 251, 340
 Limited quantity: See SP251
 Excepted quantity: SP340

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 305 Ammonium, Sample cuvette; 1/2

Revision date: 17.09.2019

Product code: LCK305-1

Page 8 of 9

EmS: F-A, S-P

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: UN 3316
14.2. UN proper shipping name: CHEMICAL KIT
14.3. Transport hazard class(es): 9
14.4. Packing group: II
 Hazard label: 9



Special Provisions: A44 A163
 Limited quantity Passenger: 1 kg
 Passenger LQ: Y960
 Excepted quantity: E0
 IATA-packing instructions - Passenger: 960
 IATA-max. quantity - Passenger: 10 kg
 IATA-packing instructions - Cargo: 960
 IATA-max. quantity - Cargo: 10 kg

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

Use personal protective equipment.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

Other applicable information

These transport data apply to the entire pack.

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulatory information**

Water contaminating class (D): -- not water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information**Changes**

Revision Date 17.09.2019
 Safety datasheet sections which have been updated: 15, 16
 Revision Date 09.03.2017
 Safety datasheet sections which have been updated: 14
 Revision: 10.11.2016
 Safety datasheet sections which have been updated: 15
 Revision: 15.03.2016
 Safety datasheet sections which have been updated: 3
 Revision: 26.01.2015
 Safety datasheet sections which have been updated: 14
 Revision: 09.10.2014
 This data sheet contains changes from the previous version in section(s): 2

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 305 Ammonium, Sample cuvette; 1/2

Revision date: 17.09.2019

Product code: LCK305-1

Page 9 of 9

Revision: 16.09.2014

This data sheet contains changes from the previous version in section(s): 7.2

Revision: 14.01.2014

This data sheet contains changes from the previous version in section(s): 4-16

This data sheet contains changes from the previous version in section(s): 14

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Skin Corr. 1; H314	On basis of test data
Eye Dam. 1; H318	On basis of test data

Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 305 Ammonium, DosiCapZip; 2/2

Revision date: 17.09.2019

Product code: LCK305-2

Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

LCK 305 Ammonium, DosiCapZip; 2/2

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Water analysis

1.3. Details of the supplier of the safety data sheet

Company name:	HACH LANGE GmbH
Street:	Willstätterstr. 11
Place:	D-40549 Düsseldorf
Telephone:	+49 (0)211 5288-383
e-mail:	SDS@hach.com
Internet:	www.de.hach.com
Responsible Department:	HACH LANGE Ltd. 5, Pacific Way Salford Manchester M50 1DL - United Kingdom Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324 e-Mail: info-uk@hach.com

HACH LANGE Ltd.
Unit 1, Chestnut Road Western Industrial Estate
IRL-Dublin 12
Tel. +353 (0)1 4602522
e-Mail: info-ie@hach.com

1.4. Emergency telephone number:

Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency service -

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Acute toxicity: Acute Tox. 4

Serious eye damage/eye irritation: Eye Irrit. 2

Hazardous to the aquatic environment: Aquatic Chronic 2

Hazard Statements:

Harmful if swallowed.

Causes serious eye irritation.

Toxic to aquatic life with long lasting effects .

2.2. Label elements

Regulation (EC) No. 1272/2008


Hazard components for labelling

troclosene sodium, dihydrate

Sodium nitroprusside dihydrate

Signal word: Warning

Pictograms:



Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 305 Ammonium, DosiCapZip; 2/2

Revision date: 17.09.2019

Product code: LCK305-2

Page 2 of 9

Hazard statements

H302	Harmful if swallowed.
H319	Causes serious eye irritation.
H411	Toxic to aquatic life with long lasting effects .

Precautionary statements

P280	Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.

Special labelling of certain mixtures

EUH031	Contact with acids liberates toxic gas.
--------	---

Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
69-65-8	D(-)-Mannitol			76 %
	200-711-8			
13755-38-9	Sodium nitroprusside dihydrate			12 %
	238-373-9			
	Acute Tox. 3; H301			
51580-86-0	troclosene sodium, dihydrate			12 %
	220-767-7	613-030-01-7		
	Acute Tox. 4, Eye Irrit. 2, STOT SE 3, Aquatic Acute 1, Aquatic Chronic 1; H302 H319 H335 H400 H410 EUH031			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take off all contaminated clothing immediately.

After inhalation

Move to fresh air.

After contact with skin

Wash off immediately with plenty of water.

After contact with eyes

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

After ingestion

Clean mouth with water and drink afterwards plenty of water. Consult a physician.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 305 Ammonium, DosiCapZip; 2/2

Revision date: 17.09.2019

Product code: LCK305-2

Page 3 of 9

4.2. Most important symptoms and effects, both acute and delayed

Harmful if swallowed.
Contact with acids liberates toxic gas.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The product itself does not burn.

5.2. Special hazards arising from the substance or mixture

Fire may liberate hazardous vapours.

5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Use mechanical handling equipment.

6.4. Reference to other sections

13. Disposal considerations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use only in well-ventilated areas.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep refrigerated. (2-8 °C)

7.3. Specific end use(s)

Reagent for analysis

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Additional advice on limit values

None known.

8.2. Exposure controls

Appropriate engineering controls

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 305 Ammonium, DosiCapZip; 2/2

Revision date: 17.09.2019

Product code: LCK305-2

Page 4 of 9

Protective and hygiene measures

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Wash hands before breaks and after work.

Eye/face protection

Safety glasses with side-shields

Hand protection

Use barrier skin cream.

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374. In full contact:

Gloves material: Viton, Layer thickness: 0.70 mm, Breakthrough time: >480 min. In splash contact: Glove material: nitrile rubber, Layer thickness 0,20 mm, Breakthrough time: > 30 min

Skin protection

Avoid contact with skin, eyes and clothing.

Respiratory protection

Provide adequate ventilation.

Environmental exposure controls

Do not flush into surface water or sanitary sewer system.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state:	lyophilised cake
Colour:	beige
Odour:	odourless
pH-Value (at 20 °C):	7 (5 % solution)
Changes in the physical state	
Melting point:	no data available
Initial boiling point and boiling range:	not applicable
Sublimation point:	no data available
Softening point:	no data available
Pour point:	no data available
Flash point:	not applicable
Flammability	
Solid:	no data available
Gas:	no data available
Explosive properties	
no data available	
Lower explosion limits:	not applicable
Upper explosion limits:	not applicable
Ignition temperature:	no data available
Auto-ignition temperature	
Solid:	no data available
Gas:	no data available
Decomposition temperature:	no data available
Oxidizing properties	
not applicable	
Vapour pressure:	no data available
Vapour pressure:	no data available

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 305 Ammonium, DosiCapZip; 2/2

Revision date: 17.09.2019

Product code: LCK305-2

Page 5 of 9

Density:	no data available
Bulk density:	no data available
Water solubility: (at 20 °C)	160 g/L
Solubility in other solvents	
no data available	
Partition coefficient:	not applicable
Viscosity / dynamic:	not applicable
Viscosity / kinematic:	not applicable
Flow time:	not applicable
Vapour density:	not applicable
Evaporation rate:	not applicable
Solvent separation test:	not applicable
Solvent content:	not applicable

9.2. Other information

Solid content: not applicable

SECTION 10: Stability and reactivity**10.1. Reactivity**

No dangerous reaction known under conditions of normal use.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous polymerisation does not occur.

10.4. Conditions to avoid

No dangerous reaction known under conditions of normal use.

10.5. Incompatible materials

May develop chlorine if mixed with acidic solutions.

10.6. Hazardous decomposition products

Carbon monoxide

May develop chlorine if mixed with acidic solutions.

SECTION 11: Toxicological information**11.1. Information on toxicological effects****Acute toxicity**

Harmful if swallowed.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 305 Ammonium, DosiCapZip; 2/2

Revision date: 17.09.2019

Product code: LCK305-2

Page 6 of 9

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
69-65-8	D(-)-Mannitol				
	oral	LD50 mg/kg	135000	Ratte	
13755-38-9	Sodium nitroprusside dihydrate				
	oral	LD50	99 mg/kg	rat	
51580-86-0	troclosene sodium, dihydrate				
	oral	ATE mg/kg	500		

Irritation and corrosivity

May cause eye irritation.

Sensitising effects

No known effect.

Carcinogenic/mutagenic/toxic effects for reproduction

Contains no ingredient listed as a carcinogen

STOT-single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT-repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

No aspiration toxicity classification

Specific effects in experiment on an animal

No toxicology information is available.

Additional information on tests

None known.

Practical experience**Observations relevant to classification**

Harmful if swallowed.

Further information

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information**12.1. Toxicity**

No data is available on the product itself.

Do not flush into surface water or sanitary sewer system.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
51580-86-0	troclosene sodium, dihydrate					
	Acute fish toxicity	LC50 mg/l	0,46	96 h		
	Acute crustacea toxicity	EC50 mg/l	0,17	48 h		

12.2. Persistence and degradability

No data is available on the product itself.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 305 Ammonium, DosiCapZip; 2/2

Revision date: 17.09.2019

Product code: LCK305-2

Page 7 of 9

12.3. Bioaccumulative potential

No data is available on the product itself.

12.4. Mobility in soil

no data available

12.5. Results of PBT and vPvB assessment

no data available

12.6. Other adverse effects

Discharge into the environment must be avoided.

Further information

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Disposal recommendations**

Our local agencies will accept used cuvettes to ensure their proper disposal.

In accordance with local and national regulations.

List of Wastes Code - residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

SECTION 14: Transport information**Land transport (ADR/RID)**

14.1. UN number:	UN 3316
14.2. UN proper shipping name:	Chemical kit
14.3. Transport hazard class(es):	9
14.4. Packing group:	II
Hazard label:	9



Classification code:	M11
Special Provisions:	251 340
Limited quantity:	SP251
Excepted quantity:	SP340
Transport category:	2
Hazard No:	-
Tunnel restriction code:	E

Inland waterways transport (ADN)**Other applicable information (inland waterways transport)**

Not tested

Marine transport (IMDG)

14.1. UN number:	UN 3316
14.2. UN proper shipping name:	CHEMICAL KIT

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 305 Ammonium, DosiCapZip; 2/2

Revision date: 17.09.2019

Product code: LCK305-2

Page 8 of 9

14.3. Transport hazard class(es):

9

14.4. Packing group:

II

Hazard label:

9



Marine pollutant:

-

Special Provisions:

251, 340

Limited quantity:

See SP251

Excepted quantity:

SP340

EmS:

F-A, S-P

Air transport (ICAO-TI/IATA-DGR)**14.1. UN number:**

UN 3316

14.2. UN proper shipping name:

CHEMICAL KIT

14.3. Transport hazard class(es):

9

14.4. Packing group:

II

Hazard label:

9



Special Provisions:

A44 A163

Limited quantity Passenger:

1 kg

Passenger LQ:

Y960

Excepted quantity:

E0

IATA-packing instructions - Passenger:

960

IATA-max. quantity - Passenger:

10 kg

IATA-packing instructions - Cargo:

960

IATA-max. quantity - Cargo:

10 kg

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: yes



Danger releasing substance: troclosene sodium, dihydrate

14.6. Special precautions for user

Use personal protective equipment.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

Other applicable information

These transport data apply to the entire pack

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulatory information**

Water contaminating class (D): 3 - highly water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 305 Ammonium, DosiCapZip; 2/2

Revision date: 17.09.2019

Product code: LCK305-2

Page 9 of 9

SECTION 16: Other information

Changes

Revision Date 17.09.2019

Safety datasheet sections which have been updated: 8, 11, 15, 16

Revision Date 09.03.2017

Safety datasheet sections which have been updated: 14

Revision: 10.11.2016

This data sheet contains changes from the previous version in section(s): 12

Revision: 23.01.2015

This data sheet contains changes from the previous version in section(s): 14

Revision: 09.10.2014

This data sheet contains changes from the previous version in section(s): 2

Revision: 16.09.2014

This data sheet contains changes from the previous version in section(s): 7.2

Revision: 14.01.2014

This data sheet contains changes from the previous version in section(s): 4-16

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Acute Tox. 4; H302	Calculation method
Eye Irrit. 2; H319	Calculation method
Aquatic Chronic 2; H411	Calculation method

Relevant H and EUH statements (number and full text)

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
EUH031	Contact with acids liberates toxic gas.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)