

Safety Data Sheet

HACH LANGE GmbH

according to Regulation (EC) No 1907/2006

S51M002 0,1 D KCI Potassium Chloride Calibration Solution

Revision date: 14.12.2017 Product code: S51M002 Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

S51M002 0,1 D KCl Potassium Chloride Calibration Solution

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Reagent for analysis

1.3. Details of the supplier of the safety data sheet

Company name: HACH LANGE GmbH
Street: Willstätterstr. 11
Place: D-40549 Düsseldorf
Telephone: +49 (0)211 5288 383
e-mail: SDS@hach-lange.de
Internet: www.hach-lange.com
Responsible Department: HACH LANGE Ltd.

5, Pacific Way

Salford Manchester M50 1DL - United Kingdom Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324

e-Mail: info-uk@hach.com

HACH LANGE Ltd.

Unit 1, Chestnut Road Western Industrial Estate

IRL-Dublin 12

Tel. +353 (0)1 4602522 e-Mail: info-ie@hach.com

1.4. Emergency telephone Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency

number: service -

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No. 1272/2008.

2.2. Label elements

Additional advice on labelling

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

2.3. Other hazards

no data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures



Safety Data Sheet

HACH LANGE GmbH

according to Regulation (EC) No 1907/2006

S51M002 0,1 D KCI Potassium Chloride Calibration Solution

Revision date: 14.12.2017 Product code: S51M002 Page 2 of 8

Hazardous components

CAS No	Chemical name					
	EC No	Index No	REACH No	,		
	Classification according to Regulation (EC) No. 1272/2008 [CLP]					
7732-18-5	Water					
	231-791-2					
		•				
7447-40-7	Potassium chloride					
	231-211-8					

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take off contaminated clothing and shoes immediately.

Show this safety data sheet to the doctor in attendance.

After inhalation

Move to fresh air.

If symptoms persist, call a physician.

After contact with skin

Wash off immediately with plenty of water for at least 15 minutes.

If skin irritation persists, call a physician.

After contact with eyes

Immediately flush eye(s) with plenty of water.

If eye irritation persists, consult a specialist.

After ingestion

Clean mouth with water and drink afterwards plenty of water.

4.2. Most important symptoms and effects, both acute and delayed

No known effect.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The product itself does not burn.

Unsuitable extinguishing media

No Limit

5.2. Special hazards arising from the substance or mixture

Fire may liberate hazardous vapours.

5.3. Advice for firefighters

In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing. In the case of respirable dust and/or fumes, use self-contained breathing apparatus and dust impervious protective suit.



Safety Data Sheet

HACH LANGE GmbH

according to Regulation (EC) No 1907/2006

S51M002 0,1 D KCI Potassium Chloride Calibration Solution

Revision date: 14.12.2017 Product code: S51M002 Page 3 of 8

Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

Only qualified personnel equipped with suitable protective equipment may intervene. Immediately evacuate personnel to safe areas.

For personal protection see section 8.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local/national regulations (see section 13).

6.4. Reference to other sections

13. Disposal considerations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with skin and eyes.

Do not breathe vapours/dust.

Wash thoroughly after handling.

General industrial hygiene practice.

Advice on protection against fire and explosion

See also section 5

Further information on handling

Avoid contact with skin, eyes and clothing.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a dry and well-ventilated place.

Hints on joint storage

None known.

Further information on storage conditions

no data available

7.3. Specific end use(s)

Reagent for analysis

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Additional advice on limit values

None known.

8.2. Exposure controls

Appropriate engineering controls

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Handle in accordance with good industrial hygiene and safety practice.



Safety Data Sheet

HACH LANGE GmbH

according to Regulation (EC) No 1907/2006

S51M002 0,1 D KCI Potassium Chloride Calibration Solution

Revision date: 14.12.2017 Product code: S51M002 Page 4 of 8

Protective and hygiene measures

Wash hands before breaks and after work.

General industrial hygiene practice.

Eye/face protection

Safety glasses with side-shields

Hand protection

Use barrier skin cream.

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374. In full contact: Gloves material: Viton, Layer thickness: 0.70 mm, Breakthrough time: >480 min. In splash contact: Glove material: nitrile rubber, Layer thickness 0,20 mm, Breakthrough time: > 30 min

Skin protection

Avoid contact with skin, eyes and clothing.

Respiratory protection

Provide adequate ventilation.

Environmental exposure controls

Do not flush into surface water or sanitary sewer system.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: colourless
Odour: odourless

pH-Value (at 25 °C):

Changes in the physical state

Melting point:

Initial boiling point and boiling range:

Sublimation point:

Softening point:

Pour point:

Indicate a vailable

no data available

Flash point:

Sustaining combustion:

Indicate a vailable

no data available

No data available

Flammability

Solid: not applicable
Gas: not applicable

Explosive properties

no data available

Lower explosion limits:

Upper explosion limits:

Ignition temperature:

no data available

no data available

Auto-ignition temperature

Solid: not applicable
Gas: not applicable
Decomposition temperature: not applicable

Oxidizing properties

no data available

Vapour pressure: no data available



Safety Data Sheet

HACH LANGE GmbH

according to Regulation (EC) No 1907/2006

S51M002 0,1 D KCI Potassium Chloride Calibration Solution

Revision date: 14.12.2017 Product code: S51M002 Page 5 of 8

Vapour pressure:no data availableDensity (at 20 °C):1,0 g/cm³Bulk density:no data availableWater solubility:completely soluble

Solubility in other solvents

no data available

Partition coefficient: no data available Viscosity / dynamic: no data available Viscosity / kinematic: no data available Flow time: no data available Vapour density: no data available no data available Evaporation rate: Solvent separation test: no data available Solvent content: no data available

9.2. Other information

Solid content: no data available

no data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reaction known under conditions of normal use.

10.2. Chemical stability

The product is chemically stable.

10.3. Possibility of hazardous reactions

Hazardous polymerisation does not occur.

10.4. Conditions to avoid

Extremes of temperature and direct sunlight.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

Further information

None known.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicocinetics, metabolism and distribution

No toxicology information is available.

Acute toxicity

No data is available on the product itself.



Safety Data Sheet

HACH LANGE GmbH

according to Regulation (EC) No 1907/2006

S51M002 0,1 D KCI Potassium Chloride Calibration Solution

Revision date: 14.12.2017 Product code: S51M002 Page 6 of 8

CAS No	Chemical name						
	Exposure route	Dose	Species	Source	Method		
7447-40-7	Potassium chloride						
	oral	LD50 2600 mg/kg	Ratte	RTECS			

Irritation and corrosivity

No known effect.

Sensitising effects

No known effect.

Carcinogenic/mutagenic/toxic effects for reproduction

Contains no ingredient listed as a carcinogen

STOT-single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT-repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

No aspiration toxicity classification

Specific effects in experiment on an animal

No toxicology information is available.

Additional information on tests

None known.

Practical experience

Observations relevant to classification

None known.

Other observations

None known.

Further information

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice

SECTION 12: Ecological information

12.1. Toxicity

No information on ecology is available. No data is available on the product itself.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
7447-40-7	7 Potassium chloride						
	Acute fish toxicity	LC50	920 mg/l		Gambusia affinis (Mosquito fish)	IUCLID	
	Acute algae toxicity	ErC50 mg/l	2500		Pseudokirchneriella subcapitata (green algae)	IUCLID	
	Acute crustacea toxicity	EC50	825 mg/l		Daphnia magna (Water flea)	IUCLID	

12.2. Persistence and degradability

No data is available on the product itself.

12.3. Bioaccumulative potential

no data available



Safety Data Sheet

HACH LANGE GmbH

according to Regulation (EC) No 1907/2006

S51M002 0,1 D KCI Potassium Chloride Calibration Solution

Revision date: 14.12.2017 Product code: S51M002 Page 7 of 8

12.4. Mobility in soil

no data available

12.5. Results of PBT and vPvB assessment

no data available

12.6. Other adverse effects

No known effect.

Further information

No known effect.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

In accordance with local and national regulations.

Our local agencies will accept used cuvettes to ensure their proper disposal. (nur bei Küvettentest, nicht Hach und GF)

Waste disposal number of waste from residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

Waste disposal number of used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

Waste disposal number of contaminated packaging

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

Land transport (ADR/RID)

Other applicable information (land transport)

Not subject to transport regulations.

Inland waterways transport (ADN)

Other applicable information (inland waterways transport)

Not tested

Marine transport (IMDG)

Other applicable information (marine transport)

Not subject to transport regulations.

Air transport (ICAO-TI/IATA-DGR)

Other applicable information (air transport)

Not subject to transport regulations.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user



Safety Data Sheet

HACH LANGE GmbH

according to Regulation (EC) No 1907/2006

S51M002 0,1 D KCI Potassium Chloride Calibration Solution

Revision date: 14.12.2017 Product code: S51M002 Page 8 of 8

no data available

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

Other applicable information

no data available

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information

Water contaminating class (D): -- not water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

Revision: 14.12.2017

Safety datasheet sections which have been updated: 10, 11

Revision: 11.07.2013

Further Information

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)