

Safety Data Sheet

according to Regulation (EC) No 1907/2006

26604-49 StablCal Turbidity Standard, 200.0 NTU

Revision date: 10.04.2018

Product code: 2660449

Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

26604-49 StablCal Turbidity Standard, 200.0 NTU

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Water analysis

1.3. Details of the supplier of the safety data sheet

Company name: HACH LANGE GmbH
 Street: Willstätterstr. 11
 Place: D-40549 Düsseldorf
 Telephone: +49 (0)211 5288-383
 e-mail: SDS@hach.com
 Internet: www.de.hach.com
 Responsible Department: HACH LANGE Ltd.
 5, Pacific Way
 Salford Manchester M50 1DL - United Kingdom
 Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324
 e-Mail: info-uk@hach.com

HACH LANGE Ltd.
 Unit 1, Chestnut Road Western Industrial Estate
 IRL-Dublin 12
 Tel. +353 (0)1 4602522
 e-Mail: info-ie@hach.com

1.4. Emergency telephone number:

Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency service -

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Respiratory or skin sensitisation: Resp. Sens. 1

Respiratory or skin sensitisation: Skin Sens. 1

Hazard Statements:

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

methenamine; hexamethylenetetramine

Signal word: Danger

Pictograms:



Hazard statements

H317

May cause an allergic skin reaction.

H334

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

26604-49 StablCal Turbidity Standard, 200.0 NTU

Revision date: 10.04.2018

Product code: 2660449

Page 2 of 9

Precautionary statements

P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352	IF ON SKIN: Wash with plenty of water.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P342+P311	If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
7732-18-5	Water			90-95 %
	231-791-2			
100-97-0	methenamine; hexamethylenetetramine			5 -10%
	202-905-8	612-101-00-2		
	Flam. Sol. 2, Resp. Sens. 1, Skin Sens. 1; H228 H334 H317			
7757-82-6	Sodium sulfate			< 1 %
	231-820-9			
50-00-0	formaldehyde ... %			< 0,1 %
	200-001-8	605-001-00-5		
	Carc. 1B, Muta. 2, Acute Tox. 3, Acute Tox. 3, Acute Tox. 3, Skin Corr. 1B, Skin Sens. 1; H350 H341 H331 H311 H301 H314 H317			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take off all contaminated clothing immediately.

After inhalation

Move to fresh air.

After contact with skin

Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.

After contact with eyes

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

Show this safety data sheet to the doctor in attendance.

After ingestion

Clean mouth with water and drink afterwards plenty of water.

Call a physician immediately. Show this safety data sheet to the doctor in attendance.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

26604-49 StablCal Turbidity Standard, 200.0 NTU

Revision date: 10.04.2018

Product code: 2660449

Page 3 of 9

4.2. Most important symptoms and effects, both acute and delayed

sensitising effects

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The product itself does not burn.

Unsuitable extinguishing media

None known.

5.2. Special hazards arising from the substance or mixture

Fire may liberate hazardous vapours. (Ammonia, nitrogen oxides (NO_x), Carbon oxides)

5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing.

Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste.

6.4. Reference to other sections

13. Disposal considerations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use only in well-ventilated areas.

Avoid contact with skin and eyes.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep tightly closed in a dry, cool and well-ventilated place. Storage temperature: 5-25 °C. Protect against light.

Further information on storage conditions

Keep locked up or in an area accessible only to qualified or authorised persons.

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Safety Data Sheet

according to Regulation (EC) No 1907/2006

26604-49 StablCal Turbidity Standard, 200.0 NTU

Revision date: 10.04.2018

Product code: 2660449

Page 4 of 9

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
50-00-0	Formaldehyde	2	2.5		TWA (8 h)	WEL
		2	2.5		STEL (15 min)	WEL

Additional advice on limit values

None known.

8.2. Exposure controls**Appropriate engineering controls**

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Protective and hygiene measures

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Eye/face protection

Safety glasses with side-shields

Hand protection

Use barrier skin cream.

Wash hands before breaks and after work.

Chemical resistant protective gloves

The protective gloves to be used must comply with the specifications of EC directive 2016/425/EC and the resultant standard EN374.

Skin protection

Remove and wash contaminated clothing before re-use.

Respiratory protection

Ensure adequate ventilation, especially in confined areas.

In case of insufficient ventilation, wear suitable respiratory equipment.

In the case of vapour formation use a respirator with an approved filter.

Respirator with a gas filter (gas filter type A or B or K)

Environmental exposure controls

Do not flush into surface water or sanitary sewer system.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state:	suspension
Colour:	cloudy, milky
Odour:	odourless
pH-Value (at 20 °C):	7,47

Changes in the physical state

Melting point:	not applicable
Initial boiling point and boiling range:	100 °C
Sublimation point:	not applicable
Softening point:	not applicable
Pour point:	no data available
Flash point:	not applicable
Sustaining combustion:	No data available

Flammability

Safety Data Sheet

according to Regulation (EC) No 1907/2006

26604-49 StablCal Turbidity Standard, 200.0 NTU

Revision date: 10.04.2018

Product code: 2660449

Page 5 of 9

Solid: no data available

Gas: no data available

Explosive properties

no data available

Lower explosion limits:

not applicable

Upper explosion limits:

not applicable

Ignition temperature:

no data available

Auto-ignition temperature

Solid:

no data available

Gas:

no data available

Decomposition temperature:

no data available

Oxidizing properties

no data available

Vapour pressure:

no data available

Vapour pressure:

no data available

Density (at 20 °C):

1,015 g/cm³

Bulk density:

no data available

Water solubility:

miscible

(at 20 °C)

Solubility in other solvents

no data available

Partition coefficient:

no data available

Viscosity / dynamic:

no data available

Viscosity / kinematic:

no data available

Flow time:

no data available

Vapour density:

no data available

Evaporation rate:

0,63

(at 20 °C)

Solvent separation test:

no data available

Solvent content:

no data available

9.2. Other information

Solid content:

no data available

SECTION 10: Stability and reactivity**10.1. Reactivity**

No dangerous reaction known under conditions of normal use.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions: Oxidizing agents

10.4. Conditions to avoid

Extremes of temperature and direct sunlight.

10.5. Incompatible materials

Oxidizing agents

Safety Data Sheet

according to Regulation (EC) No 1907/2006

26604-49 StablCal Turbidity Standard, 200.0 NTU

Revision date: 10.04.2018

Product code: 2660449

Page 6 of 9

10.6. Hazardous decomposition products

Ammonia, Carbon monoxide, nitrogen oxides (NOx)

Further information

Stable under recommended storage conditions.

SECTION 11: Toxicological information**11.1. Information on toxicological effects****Toxicokinetics, metabolism and distribution**

No toxicology information is available.

Acute toxicity

Based on available data, the classification criteria are not met.

LD50/oral/rat = > 5000 mg/kg

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
100-97-0	methenamine; hexamethylenetetramine				
	oral	LD50 mg/kg	9200	Ratte	
7757-82-6	Sodium sulfate				
	oral	LD50 mg/kg	5989	mouse	
50-00-0	formaldehyde ... %				
	oral	ATE mg/kg	100		
	dermal	ATE mg/kg	300		
	inhalation (4 h) vapour	LC50	250 mg/l	rat	
	inhalation aerosol	ATE	0,5 mg/l		

Irritation and corrosivity

Based on available data, the classification criteria are not met.

No known effect.

Sensitising effects

May cause allergy or asthma symptoms or breathing difficulties if inhaled. (methenamine; hexamethylenetetramine)

May cause an allergic skin reaction. (methenamine; hexamethylenetetramine; formaldehyde ... %)

May cause sensitisation by skin contact.

May cause sensitisation by inhalation. (List of references: Asthma in the workplace, I.Leonard Bernstein)

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

Based on available data, the classification criteria are not met.

No aspiration toxicity classification

Safety Data Sheet

according to Regulation (EC) No 1907/2006

26604-49 StablCal Turbidity Standard, 200.0 NTU

Revision date: 10.04.2018

Product code: 2660449

Page 7 of 9

Specific effects in experiment on an animal

No data is available on the product itself.

Practical experience

Observations relevant to classification

May cause allergic skin reaction. May cause allergic respiratory reaction.

Further information

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1. Toxicity

No data is available on the product itself. Do not flush into surface water or sanitary sewer system.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
100-97-0	methenamine; hexamethylenetetramine					
	Acute fish toxicity	LC50 mg/l	49800	96 h	Fisch	
7757-82-6	Sodium sulfate					
	Acute fish toxicity	LC50	120 mg/l	96 h	Gambusia affinis	Merck
	Acute crustacea toxicity	EC50 mg/l	2564	48 h		

12.2. Persistence and degradability

No data is available on the product itself.

12.3. Bioaccumulative potential

No data is available on the product itself.

12.4. Mobility in soil

no data available

12.5. Results of PBT and vPvB assessment

no data available

12.6. Other adverse effects

No known effect.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

In accordance with local and national regulations.

List of Wastes Code - residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

SECTION 14: Transport information

Land transport (ADR/RID)

Safety Data Sheet

according to Regulation (EC) No 1907/2006

26604-49 StabiCal Turbidity Standard, 200.0 NTU

Revision date: 10.04.2018

Product code: 2660449

Page 8 of 9

Other applicable information (land transport)

Not subject to transport regulations.

Inland waterways transport (ADN)**Other applicable information (inland waterways transport)**

Not tested

Marine transport (IMDG)**Other applicable information (marine transport)**

Not subject to transport regulations.

Air transport (ICAO-TI/IATA-DGR)**Other applicable information (air transport)**

Not subject to transport regulations.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

no data available

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 28: formaldehyde ... %

National regulatory information

Water contaminating class (D): 1 - slightly water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information**Changes**

Revision: 10.04.2018

Safety datasheet sections which have been updated: 3, 11, 16

Revision: 19.12.2016

Safety datasheet sections which have been updated: 2, 3, 8, 11

Revision: 09.06.2015

Safety datasheet sections which have been updated: 2, 4, 11

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Resp. Sens. 1; H334	Calculation method
Skin Sens. 1; H317	Calculation method

Relevant H and EUH statements (number and full text)

H228	Flammable solid.
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H331	Toxic if inhaled.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

26604-49 StabCal Turbidity Standard, 200.0 NTU

Revision date: 10.04.2018

Product code: 2660449

Page 9 of 9

H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled .
H341	Suspected of causing genetic defects.
H350	May cause cancer.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)