



according to Regulation (EC) No 1907/2006

LCK505 Ammonium, Sample cuvette; 1/2

Revision date: 11.08.2020 Product code: LCK505-1 Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

LCK505 Ammonium, Sample cuvette; 1/2

UFI: UTSM-QFCH-480V-NDPG

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Water analysis

1.3. Details of the supplier of the safety data sheet

Company name: HACH LANGE GmbH
Street: Willstätterstr. 11
Place: D-40549 Düsseldorf
Telephone: +49 (0)211 5288-383
e-mail: SDS@hach.com
Internet: www.de.hach.com
Responsible Department: HACH LANGE Ltd.

5, Pacific Way

Salford Manchester M50 1DL - United Kingdom Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324

e-Mail: info-uk@hach.com

HACH LANGE Ltd.

Unit 1, Chestnut Road Western Industrial Estate

IRL-Dublin 12

Tel. +353 (0)1 4602522 e-Mail: info-ie@hach.com

1.4. Emergency telephone Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency

number: service -

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Substance or mixture corrosive to metals: Met. Corr. 1

Skin corrosion/irritation: Skin Corr. 1

Serious eye damage/eye irritation: Eye Dam. 1

Hazard Statements:

May be corrosive to metals.

Causes severe skin burns and eye damage.

Causes serious eye damage.

2.2. Label elements

Regulation (EC) No. 1272/2008

Signal word: Danger

Pictograms:



Hazard statements

H290 May be corrosive to metals.



Be Right™

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK505 Ammonium, Sample cuvette; 1/2

Revision date: 11.08.2020 Product code: LCK505-1 Page 2 of 9

H314 Causes severe skin burns and eye damage.

Precautionary statements

P260 Do not breathe mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water

or shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor. P390 Absorb spillage to prevent material damage.

Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

2.3. Other hazards

no data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name				
	EC No	Index No	REACH No		
	GHS Classification				
7732-18-5	Water			>95 %	
	231-791-2				
54-21-7	Sodium salicylate				
	200-198-0				
	Acute Tox. 4, Eye Irrit. 2; H302 H3	19			
1310-73-2	Sodium hydroxide; caustic soda				
	215-185-5	011-002-00-6	01-2119457892-27		
	Skin Corr. 1A; H314				

Full text of H and EUH statements: see section 16.

Specific concentration limits and M-factors

CAS No	EC No	Chemical name	Quantity			
	Specific concen	concentration limits and M-factors				
1310-73-2	215-185-5	Sodium hydroxide; caustic soda	< 0,2 %			
	Skin Corr. 1A; H314: >= 5 - 100 Skin Corr. 1B; H314: >= 2 - < 5 Skin Irrit. 2; H315: >= 0,5 - < 2 Eye Irrit. 2; H319: >= 0,5 - < 2					

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take off all contaminated clothing immediately.

After inhalation

Move to fresh air.





Be Right"

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK505 Ammonium, Sample cuvette; 1/2

Revision date: 11.08.2020 Product code: LCK505-1 Page 3 of 9

After contact with skin

Wash off immediately with plenty of water.

After contact with eyes

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

After ingestion

Clean mouth with water and drink afterwards plenty of water. Consult a physician.

4.2. Most important symptoms and effects, both acute and delayed

Irritation and corrosion

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The product itself does not burn.

Unsuitable extinguishing media

No Limit

5.2. Special hazards arising from the substance or mixture

Fire may liberate hazardous vapours.

5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste.

6.4. Reference to other sections

13. Disposal considerations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use only in well-ventilated areas.

Avoid contact with skin and eyes.

Advice on protection against fire and explosion

See also section 5

Further information on handling

Observe label precautions.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep refrigerated. (2-8 °C)



Be Right[™]

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK505 Ammonium, Sample cuvette; 1/2

Revision date: 11.08.2020 Product code: LCK505-1 Page 4 of 9

Hints on joint storage

None known.

7.3. Specific end use(s)

Reagent for analysis

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
1310-73-2	Sodium hydroxide	-	2		STEL (15 min)	WEL

Additional advice on limit values

None known

8.2. Exposure controls

Appropriate engineering controls

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Protective and hygiene measures

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Wash hands before breaks and after work.

Eye/face protection

Safety glasses with side-shields

Hand protection

Use barrier skin cream.

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374. In full contact: Gloves material: Viton, Layer thickness: 0.70 mm, Breakthrough time: >480 min. In splash contact: Glove material: nitrile rubber, Layer thickness 0,20 mm, Breakthrough time: > 30 min

Skin protection

Remove and wash contaminated clothing before re-use.

Respiratory protection

Breathing apparatus only if aerosol or dust is formed. Recommended Filter type: ABEK-filter

Environmental exposure controls

Do not flush into surface water or sanitary sewer system.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: colourless
Odour: odourless

pH-Value (at 20 °C):

Changes in the physical state

Melting point: 0 °C
Initial boiling point and boiling range: 100 °C
Sublimation point: not applicable
Softening point: not applicable



according to Regulation (EC) No 1907/2006

LCK505 Ammonium, Sample cuvette; 1/2

Revision date: 11.08.2020 Product code: LCK505-1 Page 5 of 9

Pour point: no data available no data available

Flash point: not applicable

Flammability

Solid: no data available

Gas: no data available

Explosive properties

no data available

Lower explosion limits:

Upper explosion limits:

Ignition temperature:

not applicable

not applicable

not applicable

Auto-ignition temperature

Solid: no data available
Gas: no data available
Decomposition temperature: no data available

Oxidizing properties

no data available

Vapour pressure:

Vapour pressure:

Density (at 20 °C):

Bulk density:

No data available

1,02 g/cm³

not applicable

Water solubility:

completely soluble

Solubility in other solvents

no data available

Partition coefficient: no data available Viscosity / dynamic: no data available no data available Viscosity / kinematic: Flow time: no data available Vapour density: no data available Evaporation rate: no data available Solvent separation test: no data available Solvent content: no data available

9.2. Other information

Solid content: no data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reaction known under conditions of normal use.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous polymerisation does not occur.

10.4. Conditions to avoid

Extremes of temperature and direct sunlight.



Be Right"

Safety Data Sheet

HACH LANGE GmbH

according to Regulation (EC) No 1907/2006

LCK505 Ammonium, Sample cuvette; 1/2

Revision date: 11.08.2020 Product code: LCK505-1 Page 6 of 9

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicocinetics, metabolism and distribution

No toxicology information is available.

Acute toxicity

Based on available data, the classification criteria are not met.

No data is available on the product itself.

CAS No	Chemical name					
	Exposure route	Dose	Species	Source	Method	
54-21-7	Sodium salicylate					
	oral	LD50 930 mg/kg	Ratte	RTECS		

Irritation and corrosivity

Causes severe skin burns and eye damage.

Causes serious eye damage.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

No data is available on the product itself.

Further information

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1. Toxicity

No data is available on the product itself.

Do not flush into surface water or sanitary sewer system.



according to Regulation (EC) No 1907/2006

LCK505 Ammonium, Sample cuvette; 1/2

Revision date: 11.08.2020 Product code: LCK505-1 Page 7 of 9

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
54-21-7	Sodium salicylate						
	Acute fish toxicity	LC50 mg/l	1760	96 h			
1310-73-2	Sodium hydroxide; caustic soda						
	Acute fish toxicity	LC50 mg/l	45,4		Onchorhynchus mykiss		

12.2. Persistence and degradability

No data is available on the product itself.

12.3. Bioaccumulative potential

No data is available on the product itself.

12.4. Mobility in soil

no data available

12.5. Results of PBT and vPvB assessment

no data available

12.6. Other adverse effects

Discharge into the environment must be avoided.

Further information

no data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Our local agencies will accept used cuvettes to ensure their proper disposal.

In accordance with local and national regulations.

List of Wastes Code - residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number: UN 3316

14.2. UN proper shipping name: Chemical kit

14.3. Transport hazard class(es):914.4. Packing group:IIHazard label:9



Classification code: M11 Special Provisions: 251 340



according to Regulation (EC) No 1907/2006

LCK505 Ammonium, Sample cuvette; 1/2

Revision date: 11.08.2020 Product code: LCK505-1 Page 8 of 9

Limited quantity: SP251
Excepted quantity: SP340
Transport category: 2
Hazard No: Tunnel restriction code: E

Inland waterways transport (ADN)

Other applicable information (inland waterways transport)

Not tested

Marine transport (IMDG)

14.1. UN number: UN 3316 14.2. UN proper shipping name: CHEMICAL KIT

14.3. Transport hazard class(es):914.4. Packing group:IIHazard label:9



Marine pollutant:

Special Provisions: 251, 340
Limited quantity: See SP251
Excepted quantity: SP340
EmS: F-A, S-P

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:UN 331614.2. UN proper shipping name:CHEMICAL KIT

14.3. Transport hazard class(es):914.4. Packing group:IIHazard label:9



Special Provisions:

Limited quantity Passenger:

Passenger LQ:

Excepted quantity:

A44 Å163

1 kg

Y960

Excepted quantity:

E0

IATA-packing instructions - Passenger:960IATA-max. quantity - Passenger:10 kgIATA-packing instructions - Cargo:960IATA-max. quantity - Cargo:10 kg

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Use personal protective equipment.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

Other applicable information

These transport data apply to the entire pack.



Be Right™

Safety Data Sheet

HACH LANGE GmbH

according to Regulation (EC) No 1907/2006

LCK505 Ammonium, Sample cuvette; 1/2

Revision date: 11.08.2020 Product code: LCK505-1 Page 9 of 9

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3

National regulatory information

Water hazard class (D): - - non-hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

Revision Date 11.08.2020

Safety datasheet sections which have been updated: 1-16

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Met. Corr. 1; H290	
Skin Corr. 1; H314	On basis of test data
Eye Dam. 1; H318	On basis of test data

Relevant H and EUH statements (number and full text)

H290	May be corrosive to metals.
H302	Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage. H319 Causes serious eye irritation.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)





according to Regulation (EC) No 1907/2006

LCK505 Ammonium, DosiCapZip; 2/2

Revision date: 11.08.2020 Product code: LCK505-2 Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

LCK505 Ammonium, DosiCapZip; 2/2

UFI: SDK5-7FH0-W804-749H

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Water analysis

1.3. Details of the supplier of the safety data sheet

Company name: HACH LANGE GmbH
Street: Willstätterstr. 11
Place: D-40549 Düsseldorf
Telephone: +49 (0)211 5288-383
e-mail: SDS@hach.com
Internet: www.de.hach.com
Responsible Department: HACH LANGE Ltd.

5, Pacific Way

Salford Manchester M50 1DL - United Kingdom Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324

e-Mail: info-uk@hach.com

HACH LANGE Ltd.

Unit 1, Chestnut Road Western Industrial Estate

IRL-Dublin 12

Tel. +353 (0)1 4602522 e-Mail: info-ie@hach.com

1.4. Emergency telephone Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency

number: service -

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Acute toxicity: Acute Tox. 4

Serious eye damage/eye irritation: Eye Irrit. 2

Specific target organ toxicity - single exposure: STOT SE 3 Hazardous to the aquatic environment: Aquatic Chronic 2

Hazard Statements: Harmful if swallowed. Causes serious eye irritation. May cause respiratory irritation.

Toxic to aquatic life with long lasting effects.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

troclosene sodium, dihydrate Sodium nitroprusside dihydrate Signal word: Warning



Be Right™

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK505 Ammonium, DosiCapZip; 2/2

Revision date: 11.08.2020 Product code: LCK505-2 Page 2 of 9

Pictograms:





Hazard statements

H302 Harmful if swallowed.

H319 Causes serious eye irritation.H335 May cause respiratory irritation.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash hands thoroughly after handling.
P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P337+P313 If eye irritation persists: Get medical advice/attention.

P391 Collect spillage.

Special labelling of certain mixtures

EUH031 Contact with acids liberates toxic gas.

Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name				
	EC No	Index No	REACH No		
	GHS Classification				
69-65-8	D(-)-Mannitol			76 %	
	200-711-8				
13755-38-9	Sodium nitroprusside dihydrate				
	238-373-9				
	Acute Tox. 3; H301				
51580-86-0	troclosene sodium, dihydrate				
	220-767-7	613-030-01-7	01-2119489371-33		
	Acute Tox. 4, Eye Irrit. 2, STOT SE 3, Aquatic Acute 1, Aquatic Chronic 1; H302 H319 H335 H400 H410 EUH031				

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take off all contaminated clothing immediately.



Be Right"

Safety Data Sheet

HACH LANGE GmbH

according to Regulation (EC) No 1907/2006

LCK505 Ammonium, DosiCapZip; 2/2

Revision date: 11.08.2020 Product code: LCK505-2 Page 3 of 9

After inhalation

Move to fresh air

After contact with skin

Wash off immediately with plenty of water.

After contact with eyes

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

After indestion

Clean mouth with water and drink afterwards plenty of water. Consult a physician.

4.2. Most important symptoms and effects, both acute and delayed

Harmful if swallowed.

Contact with acids liberates toxic gas.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The product itself does not burn.

5.2. Special hazards arising from the substance or mixture

Fire may liberate hazardous vapours.

5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Use mechanical handling equipment.

6.4. Reference to other sections

13. Disposal considerations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use only in well-ventilated areas.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep refrigerated. (2-8 °C)

7.3. Specific end use(s)

Reagent for analysis





Be Right[™]

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK505 Ammonium, DosiCapZip; 2/2

Revision date: 11.08.2020 Product code: LCK505-2 Page 4 of 9

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Additional advice on limit values

None known.

8.2. Exposure controls

Appropriate engineering controls

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Protective and hygiene measures

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Wash hands before breaks and after work.

Eye/face protection

Safety glasses with side-shields

Hand protection

Use barrier skin cream.

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374. In full contact: Gloves material: Viton, Layer thickness: 0.70 mm, Breakthrough time: >480 min. In splash contact: Glove material: nitrile rubber, Layer thickness 0,20 mm, Breakthrough time: > 30 min

Skin protection

Avoid contact with skin, eyes and clothing.

Respiratory protection

Provide adequate ventilation.

Environmental exposure controls

Do not flush into surface water or sanitary sewer system.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: lyophilised cake

Colour: beige Odour: odourless

pH-Value (at 20 °C): 7 (5 % solution)

Changes in the physical state

Melting point:

Indial boiling point and boiling range:

Sublimation point:

Softening point:

No data available

Pour point:

no data available

not applicable

not applicable

not applicable

no data available

not applicable

no data available

Flammability

Solid: no data available
Gas: no data available

Explosive properties

no data available



according to Regulation (EC) No 1907/2006

LCK505 Ammonium, DosiCapZip; 2/2

Revision date: 11.08.2020 Product code: LCK505-2 Page 5 of 9

Lower explosion limits:

Upper explosion limits:

Ignition temperature:

not applicable

not applicable

not applicable

Auto-ignition temperature

Solid: no data available
Gas: no data available
Decomposition temperature: no data available

Oxidizing properties

not applicable

Vapour pressure:

Vapour pressure:

Density:

no data available

Bulk density:

no data available

no data available

no data available

Bulk density:

160 g/L

(at 20 °C)

Solubility in other solvents

no data available

Partition coefficient: not applicable Viscosity / dynamic: not applicable not applicable Viscosity / kinematic: Flow time: not applicable Vapour density: not applicable Evaporation rate: not applicable Solvent separation test: not applicable Solvent content: not applicable

9.2. Other information

Solid content: not applicable

no data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reaction known under conditions of normal use.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous polymerisation does not occur.

10.4. Conditions to avoid

No dangerous reaction known under conditions of normal use.

10.5. Incompatible materials

May develop chlorine if mixed with acidic solutions.

10.6. Hazardous decomposition products

Carbon monoxide

May develop chlorine if mixed with acidic solutions.

SECTION 11: Toxicological information



according to Regulation (EC) No 1907/2006

LCK505 Ammonium, DosiCapZip; 2/2

Revision date: 11.08.2020 Product code: LCK505-2 Page 6 of 9

11.1. Information on toxicological effects

Acute toxicity

Harmful if swallowed. Harmful if swallowed.

CAS No	Chemical name						
	Exposure route	Dose		Species	Source	Method	
69-65-8	D(-)-Mannitol	D(-)-Mannitol					
	oral	LD50 mg/kg	135000	Ratte			
13755-38-9	Sodium nitroprusside dihydrate						
	oral	LD50	99 mg/kg	rat			
51580-86-0	troclosene sodium, dihydrate						
	oral	ATE mg/kg	500				

Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

May cause respiratory irritation.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

No toxicology information is available.

Additional information on tests

None known.

Practical experience

Observations relevant to classification

Harmful if swallowed.

Further information

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1. Toxicity

No data is available on the product itself.

Do not flush into surface water or sanitary sewer system.

12.2. Persistence and degradability

No data is available on the product itself.

12.3. Bioaccumulative potential

No data is available on the product itself.





according to Regulation (EC) No 1907/2006

LCK505 Ammonium, DosiCapZip; 2/2

Revision date: 11.08.2020 Product code: LCK505-2 Page 7 of 9

12.4. Mobility in soil

no data available

12.5. Results of PBT and vPvB assessment

no data available

12.6. Other adverse effects

Discharge into the environment must be avoided.

Further information

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Our local agencies will accept used cuvettes to ensure their proper disposal.

In accordance with local and national regulations.

List of Wastes Code - residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number: UN 3316
14.2. UN proper shipping name: Chemical kit

14.3. Transport hazard class(es):914.4. Packing group:IIHazard label:9



Classification code: M11
Special Provisions: 251 340
Limited quantity: SP251
Excepted quantity: SP340
Transport category: 2
Hazard No: Tunnel restriction code: E

Inland waterways transport (ADN)

Other applicable information (inland waterways transport)

Not tested

Marine transport (IMDG)

<u>14.1. UN number:</u> UN 3316

14.2. UN proper shipping name: CHEMICAL KIT

14.3. Transport hazard class(es): 9
14.4. Packing group: ||



according to Regulation (EC) No 1907/2006

LCK505 Ammonium, DosiCapZip; 2/2

Revision date: 11.08.2020 Product code: LCK505-2 Page 8 of 9

Hazard label:

Marine pollutant:

Special Provisions: 251, 340
Limited quantity: See SP251
Excepted quantity: SP340
EmS: F-A, S-P

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:UN 331614.2. UN proper shipping name:CHEMICAL KIT

14.3. Transport hazard class(es):914.4. Packing group:IIHazard label:9



Special Provisions: A44 A163
Limited quantity Passenger: 1 kg
Passenger LQ: Y960
Excepted quantity: E0

IATA-packing instructions - Passenger:960IATA-max. quantity - Passenger:10 kgIATA-packing instructions - Cargo:960IATA-max. quantity - Cargo:10 kg

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: Yes



Danger releasing substance: troclosene sodium, dihydrate

14.6. Special precautions for user

Use personal protective equipment.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

Other applicable information

These transport data apply to the entire pack

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Information according to 2012/18/EU E2 Hazardous to the Aquatic Environment

(SEVESO III):

National regulatory information

Water hazard class (D): 3 - strongly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.





according to Regulation (EC) No 1907/2006

LCK505 Ammonium, DosiCapZip; 2/2

Revision date: 11.08.2020 Product code: LCK505-2 Page 9 of 9

SECTION 16: Other information

Changes

Revision Date 11.08.2020

Safety datasheet sections which have been updated: 1-16

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Acute Tox. 4; H302	Calculation method
Eye Irrit. 2; H319	Calculation method
STOT SE 3; H335	
Aquatic Chronic 2; H411	Calculation method

Relevant H and EUH statements (number and full text)

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting

H410 Very toxic to aquatic life with long lasting effects.
H411 Toxic to aquatic life with long lasting effects.
EUH031 Contact with acids liberates toxic gas.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)