



Safety Data Sheet

according to Regulation (EC) No 1907/2006

26604-42 StablCal® Turbidity Standard, 200 NTU, 100 mL

Revision date: 22.06.2016 Product code: 2660442 Page 1 of 8

Creation date: 11.11.2011

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

26604-42 StablCal® Turbidity Standard, 200 NTU, 100 mL UFI: DP72-N0Y6-321D-3CFH

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Water analysis

1.3. Details of the supplier of the safety data sheet

Company name: HACH LANGE GmbH
Street: Willstätterstr. 11
Place: D-40549 Düsseldorf
Telephone: +49 (0)211 5288-383
e-mail: SDS@hach.com
Internet: www.de.hach.com
Responsible Department: HACH LANGE Ltd.

5, Pacific Way

Salford Manchester M50 1DL - United Kingdom Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324

e-Mail: info-uk@hach.com

HACH LANGE Ltd.

Unit 1, Chestnut Road Western Industrial Estate

IRL-Dublin 12

Tel. +353 (0)1 4602522 e-Mail: info-ie@hach.com

1.4. Emergency telephone Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency

number: service -

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Respiratory or skin sensitisation: Resp. Sens. 1 Respiratory or skin sensitisation: Skin Sens. 1

Hazard Statements:

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

2.2. Label elements

Regulation (EC) No. 1272/2008

Signal word: Danger

Pictograms:



Hazard statements

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H317 May cause an allergic skin reaction.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

26604-42 StablCal® Turbidity Standard, 200 NTU, 100 mL

Revision date: 22.06.2016 Product code: 2660442 Page 2 of 8

Creation date: 11.11.2011

Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

2.3. Other hazards

This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT).

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name				
	EC No	Index No	REACH No		
	CLP Classification				
7732-18-5	Water			90 -100 %	
	231-791-2				
100-97-0	methenamine; hexamethylenetetramine			1 - 10 %	
	202-905-8	612-101-00-2			
	Flam. Sol. 2, Resp. Sens. 1, Skin Sens. 1; H228 H334 H317				
1263063-17-7	Formazine polymer			< 1 %	

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take off all contaminated clothing immediately.

After inhalation

Move to fresh air.

After contact with skin

Wash off immediately with plenty of water.

After contact with eyes

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

After ingestion

Induce vomiting, but only if victim is fully conscious. Get medical attention immediately.

4.2. Most important symptoms and effects, both acute and delayed

sensitising effects





Be Right[™]

Safety Data Sheet

according to Regulation (EC) No 1907/2006

26604-42 StablCal® Turbidity Standard, 200 NTU, 100 mL

Revision date: 22.06.2016 Product code: 2660442 Page 3 of 8

Creation date: 11.11.2011

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The product itself does not burn.

Unsuitable extinguishing media

no data available

5.2. Special hazards arising from the substance or mixture

Fire may liberate hazardous vapours.Ammonia, Formaldehyde, Nitrogen dioxide, Carbon monoxide, Carbon dioxide (CO2)

5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

6.4. Reference to other sections

13. Disposal considerations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use only in well-ventilated areas. Avoid inhalation, ingestion and contact with skin and eyes. General industrial hygiene practice.

Advice on protection against fire and explosion

No information available.

Further information on handling

No information available.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store between 5 and 25 °C in a dry, well ventilated place away from sources of heat, ignition and direct sunlight.

Hints on joint storage

No information available.

Further information on storage conditions

No information available.

7.3. Specific end use(s)





Be Right™

Safety Data Sheet

according to Regulation (EC) No 1907/2006

26604-42 StablCal® Turbidity Standard, 200 NTU, 100 mL

Revision date: 22.06.2016 Product code: 2660442 Page 4 of 8

Creation date: 11.11.2011

Standard solution

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Additional advice on limit values

No information available.

8.2. Exposure controls

Appropriate engineering controls

No information available.

Protective and hygiene measures

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Wash hands before breaks and after work.

Eye/face protection

Safety glasses with side-shields

Hand protection

Use barrier skin cream.

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374. In full contact: Gloves material: Viton, Layer thickness: 0.70 mm, Breakthrough time: >480 min. In splash contact: Glove material: nitrile rubber. Layer thickness 0.20 mm. Breakthrough time: > 30 min

Skin protection

Remove and wash contaminated clothing before re-use.

Respiratory protection

Use with adequate ventilation. Avoid breathing vapours, mist or gas.

Environmental exposure controls

No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid

Colour: white, cloudy
Odour: odourless

pH-Value (at 20 °C): 7,9

Changes in the physical state

Melting point:
Initial boiling point and boiling range:
Sublimation point:
No data available
Softening point:
No data available
sustaining combustion:
No data available

Flammability

Solid: not applicable
Gas: not applicable





Safety Data Sheet

according to Regulation (EC) No 1907/2006

26604-42 StablCal® Turbidity Standard, 200 NTU, 100 mL

Revision date: 22.06.2016 Product code: 2660442 Page 5 of 8

Creation date: 11.11.2011

Explosive properties

not applicable

Lower explosion limits:

Upper explosion limits:

Inot applicable

Inot applicable

Inot applicable

Inot applicable

Inot applicable

Inot applicable

Auto-ignition temperature

Solid: no data available
Gas: not applicable

Decomposition temperature: no data available

Oxidizing properties

not applicable

Vapour pressure:

Vapour pressure:

Density (at 20 °C):

Bulk density:

Not applicable

Water solubility:

(at 20 °C)

completely soluble

Solubility in other solvents

no data available

Partition coefficient: not applicable Viscosity / dynamic: no data available Viscosity / kinematic: no data available Flow time: no data available Vapour density: no data available Evaporation rate: no data available Solvent separation test: no data available Solvent content: no data available

9.2. Other information

Solid content: no data available

no data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under recommended storage conditions.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

no data available

10.4. Conditions to avoid

Heat.

10.5. Incompatible materials

Oxidizing agents

10.6. Hazardous decomposition products

Ammonia, Carbon monoxide, Formaldehyde, nitrogen oxides (NOx),



Be Right™

Safety Data Sheet

HACH LANGE GmbH

according to Regulation (EC) No 1907/2006

26604-42 StablCal® Turbidity Standard, 200 NTU, 100 mL

Revision date: 22.06.2016 Product code: 2660442 Page 6 of 8

Creation date: 11.11.2011

Further information

None known.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

No data is available on the product itself.

CAS No	Chemical name							
	Exposure route	Dose	Species	Source	Method			
100-97-0	methenamine; hexamethylenetetramine							
	oral	LD50 9200 mg/kg	Ratte					

Irritation and corrosivity

No known effect.

Sensitising effects

May cause sensitisation by skin contact.

May cause sensitisation by inhalation. (List of references: Asthma in the workplace, I.Leonard Bernstein)

Carcinogenic/mutagenic/toxic effects for reproduction

This information is not available.

STOT-single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT-repeated exposure

This information is not available.

Aspiration hazard

No aspiration toxicity classification

Specific effects in experiment on an animal

No data is available on the product itself.

Additional information on tests

This information is not available.

Practical experience

Observations relevant to classification

This information is not available.

Other observations

This information is not available.

Further information

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1. Toxicity

No data is available on the product itself.

Do not flush into surface water or sanitary sewer system.





Be Right[™]

Safety Data Sheet

according to Regulation (EC) No 1907/2006

26604-42 StablCal® Turbidity Standard, 200 NTU, 100 mL

Revision date: 22.06.2016 Product code: 2660442 Page 7 of 8

Creation date: 11.11.2011

CAS No	Chemical name							
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method		
100-97-0	methenamine; hexamethylenetetramine							
	Acute fish toxicity	LC50 49800 mg/l	96 h	Fisch				

12.2. Persistence and degradability

no data available

12.3. Bioaccumulative potential

no data available

12.4. Mobility in soil

no data available

12.5. Results of PBT and vPvB assessment

no data available

12.6. Other adverse effects

no data available

Further information

no data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

In accordance with local and national regulations.

List of Wastes Code - residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - contaminated packaging

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

Land transport (ADR/RID)

Other applicable information (land transport)

Not subject to transport regulations.

Inland waterways transport (ADN)

Other applicable information (inland waterways transport)

Not tested

Marine transport (IMDG)



Be Right[™]

Safety Data Sheet

HACH LANGE GmbH

according to Regulation (EC) No 1907/2006

26604-42 StablCal® Turbidity Standard, 200 NTU, 100 mL

Revision date: 22.06.2016 Product code: 2660442 Page 8 of 8

Creation date: 11.11.2011

Other applicable information (marine transport)

Not subject to transport regulations.

Air transport (ICAO-TI/IATA-DGR)

Other applicable information (air transport)

Not subject to transport regulations.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

This information is not available.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

This information is not available.

Other applicable information

no data available

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3

Additional information

Classification according to EU Directives 67/548/EEC or 1999/45/EC

National regulatory information

Water hazard class (D): 2 - obviously hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

Revision: 22.06.2016

Safety datasheet sections which have been updated: 2, 3

Revision: 30.04.2015

Safety datasheet sections which have been updated: 2, 4, 11

Relevant H and EUH statements (number and full text)

H228 Flammable solid.

H317 May cause an allergic skin reaction.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)