

TICKOPUR R 30

Revision date: 27.02.2018

No: 83021

Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

TICKOPUR R 30

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Cleaning agent. Neutral cleaner for the ultrasonic bath, concentrate.
Restricted to professional users.

1.3. Details of the supplier of the safety data sheet

Company name: DR.H.STAMM GmbH Chemische Fabrik
Street: Heinrichstr. 3 – 4
Place: 12207 Berlin, GERMANY
Telephone: +49 30 76880-280
e-mail: info@dr-stamm.de
Internet: www.dr-stamm.de
Responsible Department: sdb@dr-stamm.de, Tel.: +49 30 76880-258

1.4. Emergency telephone number:

24-hours-emergency: Giftnotruf Berlin: +49 30 30686700 (german, english)

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Regulation (EC) No. 1272/2008**

Hazard categories:
Serious eye damage/eye irritation: Eye Dam. 1
Hazard Statements:
Causes serious eye damage.

2.2. Label elements**Regulation (EC) No. 1272/2008****Hazard components for labelling**

Sulfonic acids, C14-17-sec-alkane, sodium salts
C12-C14 Fatty alcohol ethoxylate

Signal word: Danger**Pictograms:****Hazard statements**

H318 Causes serious eye damage.

Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

SECTION 3: Composition/information on ingredients**3.2. Mixtures**

TICKOPUR R 30

Revision date: 27.02.2018

No: 83021

Page 2 of 8

Hazardous components

| CAS No | Chemical name | | | Quantity |
|------------|--|----------|------------------|----------|
| | EC No | Index No | REACH No | |
| | Classification according to Regulation (EC) No. 1272/2008 [CLP] | | | |
| 7732-18-5 | Water | | | 70-90 % |
| | 213-791-2 | | | |
| 68920-66-1 | C16-C18 Fatty alcohol, ethoxylated | | | <7,0 % |
| | - | | * | |
| 51981-21-6 | N,N-bis(carboxylatomethyl)-L-glutamate, Sodium salt | | | <5,0 % |
| | 257-573-7 | | 01-2119493601-38 | |
| 97489-15-1 | Sulfonic acids, C14-17-sec-alkane, sodium salts | | | <5,0 % |
| | 307-055-2 | | 01-2119489924-20 | |
| | Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Aquatic Chronic 3; H302 H315 H318 H412 | | | |
| 68439-50-9 | C12-C14 Fatty alcohol ethoxylate | | | <4,0 % |
| | - | | * | |
| | Acute Tox. 4, Eye Dam. 1, Aquatic Chronic 3; H302 H318 H412 | | | |
| 95-14-7 | 1,2,3-Benzotriazole | | | <2,0 % |
| | 202-394-1 | | 01-2119979079-20 | |
| | Acute Tox. 4, Acute Tox. 4, Eye Irrit. 2, Aquatic Chronic 3; H332 H302 H319 H412 | | | |

Full text of H and EUH statements: see section 16.

Further Information

*Polymer

SECTION 4: First aid measures

4.1. Description of first aid measures**General information**

Change contaminated clothing.

After inhalation

In case of inhaling spray mists, consult a doctor .

After contact with skin

After contact with skin, wash immediately with plenty of Water and soap.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink large quantities of water. Do not induce vomiting. Consult physician.

4.2. Most important symptoms and effects, both acute and delayed

No symptoms known up to now.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

TICKOPUR R 30

Revision date: 27.02.2018

No: 83021

Page 3 of 8

Suitable extinguishing media

Water. Foam. Atomized water.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Can be released in case of fire: Nitrogen oxides (NOx). Carbon dioxide (CO2).

5.3. Advice for firefighters

Protective clothing.

Additional information

Material is not combustible. Extinguishing materials should be selected according to the surrounding area.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Wear personal protection equipment.

6.2. Environmental precautions

Do not empty into drains or the aquatic environment.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Treat the assimilated material according to the section on waste disposal.

6.4. Reference to other sections

See protective measures under point 7 and 8.

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Advice on safe handling**

No special technical protective measures are necessary.

Advice on protection against fire and explosion

Product is not: Oxidizing. Flammable. explosive.

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Store only in original container. Keep away from food, drink and animal feedingstuffs.

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****DNEL/DMEL values**

| CAS No | Substance | Exposure route | Effect | Value |
|--------------------------|---|----------------|----------|------------------------|
| 97489-15-1 | Sulfonic acids, C14-17-sec-alkane, sodium salts | | | |
| Worker DNEL, acute | | dermal | local | 2,8 mg/cm ² |
| Worker DNEL, long-term | | dermal | systemic | 5 mg/kg bw/day |
| Worker DNEL, long-term | | inhalation | systemic | 35 mg/m ³ |
| Worker DNEL, long-term | | dermal | local | 2,8 mg/cm ² |
| Consumer DNEL, acute | | dermal | local | 2,8 mg/cm ² |
| Consumer DNEL, long-term | | dermal | systemic | 3,57 mg/kg bw/day |
| Consumer DNEL, long-term | | inhalation | systemic | 12,4 mg/m ³ |
| Consumer DNEL, long-term | | oral | systemic | 7,1 mg/kg bw/day |
| Consumer DNEL, long-term | | dermal | local | 2,8 mg/cm ² |

TICKOPUR R 30

Revision date: 27.02.2018

No: 83021

Page 4 of 8

PNEC values

| CAS No | Substance | Value |
|------------------------------------|---|------------|
| Environmental compartment | | |
| 97489-15-1 | Sulfonic acids, C14-17-sec-alkane, sodium salts | |
| Freshwater | | 0,04 mg/l |
| Freshwater (intermittent releases) | | 0,06 mg/l |
| Marine water | | 0,004 mg/l |
| Freshwater sediment | | 9,4 mg/kg |
| Marine sediment | | 0,94 mg/kg |
| Soil | | 9,4 mg/kg |

8.2. Exposure controls**Appropriate engineering controls**

Refer to chapter 7. No further action is necessary.

Protective and hygiene measures

Do not eat, drink, smoke or sneeze at the workplace. Wash hands before breaks and at the end of work.

Eye/face protection

Wear eye/face protection.

Hand protection

Suitable material: PE (polyethylene). CR (polychloroprenes, Chloroprene rubber). NBR (Nitrile rubber). Butyl rubber. FKM (Fluoroelastomer (Viton)).

Tested protective gloves are to be worn: EN 374

Skin protection

Skin protection: not required.

Respiratory protection

Respiratory protection not required.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state: liquid
 Colour: clear, yellow
 Odour: characteristic

pH-Value (at 20 °C): 7,3 **Test method** DGF H-III 1

Changes in the physical state

Melting point: -8 °C
 Initial boiling point and boiling range: >100 °C
 Flash point: ---

Explosive properties

not Explosive.

Oxidizing properties

not oxidizing.

Density (at 20 °C): 1,05 g/cm³ DIN 12791

Water solubility: complete miscible

SECTION 10: Stability and reactivity**10.1. Reactivity**

None, in case of proper use.

TICKOPUR R 30

Revision date: 27.02.2018

No: 83021

Page 5 of 8

10.2. Chemical stability

The product is chemically stable under normal ambient conditions.

10.3. Possibility of hazardous reactions

None, in case of proper use.

10.4. Conditions to avoid

10.5. Incompatible materials

10.6. Hazardous decomposition products

None, in case of proper use.

Further information

Do not mix with other products.

SECTION 11: Toxicological information**11.1. Information on toxicological effects****Acute toxicity**

Based on available data, the classification criteria are not met.

| CAS No | Chemical name | | | | |
|------------|---|---------------------|---------|----------|----------------------|
| | Exposure route | Dose | Species | Source | Method |
| 68920-66-1 | C16-C18 Fatty alcohol, ethoxylated | | | | |
| | oral | LD50 >2000 mg/kg | Ratte | | |
| 51981-21-6 | N,N-bis(carboxylatomethyl)-L-glutamate, Sodium salt | | | | |
| | oral | LD50 >2000 mg/kg | | EC B.1 | |
| | dermal | LD50 >2000 mg/kg | | OECD 402 | |
| | inhalative (4 h) vapour | LC50 4,2 mg/l | | OECD 403 | |
| 97489-15-1 | Sulfonic acids, C14-17-sec-alkane, sodium salts | | | | |
| | oral | LD50 500-2000 mg/kg | rat | | OECD 401 |
| 68439-50-9 | C12-C14 Fatty alcohol ethoxylate | | | | |
| | oral | LD50 >2000 mg/kg | rat | | Cesio-Recommendation |
| 95-14-7 | 1,2,3-Benzotriazole | | | | |
| | oral | LD50 500 mg/kg | rat | | OECD 423 |
| | dermal | LD50 >1000 mg/kg | rat | | |
| | inhalative vapour | ATE 11 mg/l | | | |
| | inhalative aerosol | ATE 1,5 mg/l | | | |

Irritation and corrosivity

Causes serious eye damage.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Risk of serious damage to eyes.

Sensitising effects

Based on available data, the classification criteria are not met.

no danger of sensitization.

Carcinogenic/mutagenic/toxic effects for reproduction

TICKOPUR R 30

Revision date: 27.02.2018

No: 83021

Page 6 of 8

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information**12.1. Toxicity**

Technically correct releases of minimal concentrations to adapted biological sewage treatment facility, will not disturb the biodegradability of activated sludge.

| CAS No | Chemical name | | | | | |
|------------|---|-----------------------|-----------|---------------------------|----------|----------|
| | Aquatic toxicity | Dose | [h] [d] | Species | Source | Method |
| 68920-66-1 | C16-C18 Fatty alcohol, ethoxylated | | | | | |
| | Acute fish toxicity | LC50 30 mg/l | 96 h | | | |
| | Acute crustacea toxicity | EC50 >1000 mg/l | 48 h | | | |
| 51981-21-6 | N,N-bis(carboxylatomethyl)-L-glutamate, Sodium salt | | | | | |
| | Acute fish toxicity | LC50 >100 mg/l | 96 h | Oncorhynchus mykiss | OECD 203 | |
| | Acute algae toxicity | ErC50 >100 mg/l | 72 h | Desmodesmus subspicatus | OECD 201 | |
| | Acute crustacea toxicity | EC50 >100 mg/l | 48 h | Daphnien | OECD 202 | |
| | Acute bacteria toxicity | --- g O2/g (--- mg/l) | | | OECD 209 | |
| 97489-15-1 | Sulfonic acids, C14-17-sec-alkane, sodium salts | | | | | |
| | Acute fish toxicity | LC50 1-10 mg/l | 96 h | Danio rerio | | OECD 203 |
| | Acute algae toxicity | ErC50 >61 mg/l | 72 h | Desmodesmus subspicatus | | OECD 201 |
| | Acute crustacea toxicity | EC50 9,81 mg/l | 48 h | Daphnia magna | | OECD 202 |
| | Fish toxicity | NOEC 0,85 mg/l | 28 d | Oncorhynchus mykiss | | OECD 204 |
| | Crustacea toxicity | NOEC 0,36 mg/l | 22 d | Daphnia magna | | OECD 202 |
| 68439-50-9 | C12-C14 Fatty alcohol ethoxylate | | | | | |
| | Algae toxicity | NOEC <1 mg/l | | | | |
| 95-14-7 | 1,2,3-Benzotriazole | | | | | |
| | Acute fish toxicity | LC50 180 mg/l | 96 h | Danio rerio | | OECD 203 |
| | Acute algae toxicity | ErC50 75 mg/l | 72 h | Selenastrum capricornutum | | OECD 201 |
| | Acute crustacea toxicity | EC50 8,58 mg/l | 48 h | Daphnia galeata | | OECD 202 |

12.2. Persistence and degradability

The surfactants contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

TICKOPUR R 30

Revision date: 27.02.2018

No: 83021

Page 7 of 8

| CAS No | Chemical name | Method | Value | d | Source |
|------------|---|------------|--------|----|--------|
| | | Evaluation | | | |
| 68920-66-1 | C16-C18 Fatty alcohol, ethoxylated | | | | |
| | OECD 301D | | >70 % | 28 | |
| | Leicht biologisch abbaubar | | | | |
| 97489-15-1 | Sulfonic acids, C14-17-sec-alkane, sodium salts | | | | |
| | OECD 301 B | | 78 % | 28 | |
| | leicht biologisch abbaubar | | | | |
| | OECD 301 E | | 98 % | 28 | |
| | leicht biologisch abbaubar | | | | |
| | OECD 303 A | | 96,2 % | 34 | |
| | leicht biologisch abbaubar | | | | |
| 68439-50-9 | C12-C14 Fatty alcohol ethoxylate | | | | |
| | OECD 301F | | >60 % | 28 | |
| | easily biodegradable | | | | |
| 95-14-7 | 1,2,3-Benzotriazole | | | | |
| | OECD 3101D | | 0 % | 28 | |
| | Not easily biodegradable | | | | |

12.3. Bioaccumulative potential

On the basis of existing data about disposal/decomposition and bio-accumulation potential, long term environmental damage is unlikely.

Partition coefficient n-octanol/water

| CAS No | Chemical name | Log Pow |
|------------|---|---------|
| 51981-21-6 | N,N-bis(carboxylatomethyl)-L-glutamate, Sodium salt | <0 |

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

not applicable

12.6. Other adverse effects

No data available

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Advice on disposal**

According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

Waste disposal number of waste from residues/unused products

200129 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately collected fractions (except 15 01); detergents containing hazardous substances; hazardous waste

Waste disposal number of used product

200129 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately collected fractions (except 15 01); detergents containing hazardous substances; hazardous waste

Contaminated packaging

Completely emptied packings can be re-cycled.

SECTION 14: Transport information

TICKOPUR R 30

Revision date: 27.02.2018

No: 83021

Page 8 of 8

Other applicable information

Not a hazardous material with respect to transportation regulations.

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

2010/75/EU (VOC): 0,0 % (0 g/L)

National regulatory information

Water contaminating class (D): 2 - clearly water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information**Changes**

Data changed from previous versions: 2.1., 3.2., 8.1., 9.1., 11.1., 12.1., 12.2., 13.1., 15.1., 16.

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

| | |
|------------------|--------------------------|
| Classification | Classification procedure |
| Eye Dam. 1; H318 | Calculation method |

Relevant H and EUH statements (number and full text)

H302 Harmful if swallowed.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H332 Harmful if inhaled.
H412 Harmful to aquatic life with long lasting effects.

Further Information

Training instructions: Notice the directions for use on the label.

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights.

Identified uses

| No | Short title | LCS | SU | PC | PROC | ERC | AC | TF | Specification |
|----|---------------|-----------|----|----|-----------|-----|----|----|---------------|
| 1 | TICKOPUR R 30 | IS, PW, C | 0 | 35 | 8a, 9, 13 | 8a | 0 | 26 | |

LCS: Life cycle stages

SU: Sectors of use

PC: Product categories

PROC: Process categories

ERC: Environmental release categories

AC: Article categories

TF: Technical functions

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)