

**TICKOPUR J 80U**

Revision date: 01.03.2018

No: 83017

Page 1 of 8

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

TICKOPUR J 80U

**1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of the substance/mixture**

Cleaning agent. Deoxidisation, ready for use.

Restricted to professional users.

**1.3. Details of the supplier of the safety data sheet**

Company name: DR.H.STAMM GmbH Chemische Fabrik  
Street: Heinrichstr. 3 – 4  
Place: 12207 Berlin, GERMANY  
Telephone: +49 30 76880-280  
e-mail: info@dr-stamm.de  
Internet: www.dr-stamm.de  
Responsible Department: sdb@dr-stamm.de, Tel.: +49 30 76880-258

**1.4. Emergency telephone number:** 24-hours-emergency: Giftnotruf Berlin: +49 30 30686700 (german, english)**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Regulation (EC) No. 1272/2008**

Hazard categories:

Carcinogenicity: Carc. 2

Reproductive toxicity: Repr. 2

Hazardous to the aquatic environment: Aquatic Chronic 3

Hazard Statements:

Suspected of causing cancer.

Suspected of damaging the unborn child.

Harmful to aquatic life with long lasting effects.

**2.2. Label elements****Regulation (EC) No. 1272/2008****Hazard components for labelling**  
thiocarbamide, thiourea**Signal word:** Warning**Pictograms:****Hazard statements**

- H351 Suspected of causing cancer.  
H361d Suspected of damaging the unborn child.  
H412 Harmful to aquatic life with long lasting effects.

**Precautionary statements**

- P202 Do not handle until all safety precautions have been read and understood.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P308+P313 IF exposed or concerned: Get medical advice/attention.  
P405 Store locked up.

**SECTION 3: Composition/information on ingredients**

**TICKOPUR J 80U**

Revision date: 01.03.2018

No: 83017

Page 2 of 8

**3.2. Mixtures****Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
7732-18-5	Water			70-80 %
	213-791-2			
62-56-6	thiocarbamide, thiourea			<5,0 %
	200-543-5	612-082-00-0	01-2119977062-37	
	Carc. 2, Repr. 2, Acute Tox. 4, Aquatic Chronic 2; H351 H361d H302 H411			
7664-38-2	Phosphoric acid ... %; orthophosphoric acid			<5,0 %
	231-633-2	015-011-00-6	01-2119485924-24	
	Skin Corr. 1B; H314			
5949-29-1	Citric acid			<1,0 %
	201-069-1		01-2119457026-42	
	Eye Irrit. 2; H319			
68439-50-9	C12-C14 Fatty alcohol ethoxylate			<1,0 %
	-		*	
	Acute Tox. 4, Eye Dam. 1, Aquatic Chronic 3; H302 H318 H412			
12645-31-7	Phosphoric acid-2 ethylhexylester			<0,2 %
	235-741-0		01-2119896587-13	
	Skin Corr. 1B; H314			

Full text of H and EUH statements: see section 16.

**Further Information**

\*Polymer

**SECTION 4: First aid measures****4.1. Description of first aid measures****General information**

Take off immediately all contaminated clothing.

**After inhalation**

Provide fresh air.

**After contact with skin**

After contact with skin, wash immediately with plenty of Water and soap.

**After contact with eyes**

Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. In case of troubles or persistent symptoms, consult an ophthalmologist.

**After ingestion**

Rinse mouth immediately and drink large quantities of water. Do not induce vomiting. Consult physician.

**4.2. Most important symptoms and effects, both acute and delayed**

No symptoms known up to now.

**4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

**SECTION 5: Firefighting measures****5.1. Extinguishing media**

**TICKOPUR J 80U**

Revision date: 01.03.2018

No: 83017

Page 3 of 8

**Suitable extinguishing media**

Water. Foam. Atomized water.

**Unsuitable extinguishing media**

High power water jet.

**5.2. Special hazards arising from the substance or mixture**

Can be released in case of fire: Nitrogen oxides (NOx). Carbon dioxide (CO<sub>2</sub>). Sulfur oxides. Phosphorus oxides.

**5.3. Advice for firefighters**

Protective clothing.

**Additional information**

Material is not combustible. Extinguishing materials should be selected according to the surrounding area.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

Wear personal protection equipment.

**6.2. Environmental precautions**

Do not empty into drains or the aquatic environment.

**6.3. Methods and material for containment and cleaning up**

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Treat the assimilated material according to the section on waste disposal.

**6.4. Reference to other sections**

See protective measures under point 7 and 8.

**SECTION 7: Handling and storage****7.1. Precautions for safe handling****Advice on safe handling**

No special technical protective measures are necessary.

**Advice on protection against fire and explosion**

Product is not: Oxidizing. Flammable. explosive.

**7.2. Conditions for safe storage, including any incompatibilities****Requirements for storage rooms and vessels**

Store only in original container. Keep away from food, drink and animal feedingstuffs.

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters****Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
7664-38-2	Orthophosphoric acid	-	1		TWA (8 h) STEL (15 min)	WEL WEL

**TICKOPUR J 80U**

Revision date: 01.03.2018

No: 83017

Page 4 of 8

**DNEL/DMEL values**

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
62-56-6	thiocarbamide, thiourea			
Consumer DNEL, long-term		oral	systemic	0,1 mg/kg bw/day
Worker DNEL, long-term		dermal	systemic	3,4 mg/kg bw/day
Consumer DNEL, long-term		dermal	systemic	1,7 mg/kg bw/day
Worker DNEL, long-term		inhalation	systemic	1 mg/m³
Consumer DNEL, long-term		inhalation	systemic	0,2 mg/m³
7664-38-2	Phosphoric acid ... %; orthophosphoric acid			
Worker DNEL, long-term		inhalation	systemic	10,7 mg/m³
Worker DNEL, long-term		inhalation	local	1 mg/m³
Worker DNEL, acute		inhalation	local	2 mg/m³

**PNEC values**

CAS No	Substance			
Environmental compartment				Value
62-56-6	thiocarbamide, thiourea			
Freshwater				0,01 mg/l
Marine water				0,001 mg/l
Freshwater sediment				0,0725 mg/kg
Micro-organisms in sewage treatment plants (STP)				0,38 mg/l
Soil				2,725 mg/kg

**8.2. Exposure controls****Appropriate engineering controls**

Refer to chapter 7. No further action is necessary.

**Protective and hygiene measures**

Do not eat, drink, smoke or sneeze at the workplace. Wash hands before breaks and at the end of work.

**Eye/face protection**

Wear eye/face protection.

**Hand protection**

Suitable material: PE (polyethylene). CR (polychloroprenes, Chloroprene rubber). NBR (Nitrile rubber). Butyl rubber. FKM (Fluoroelastomer (Viton)).

Tested protective gloves are to be worn: EN 374

**Skin protection**

Skin protection: not required.

**Respiratory protection**

Respiratory protection not required.

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

Physical state: liquid  
 Colour: clear, light yellow  
 Odour: characteristic

**Test method**

1,3 DGF H-III 1

**pH-Value (at 20 °C):****Changes in the physical state**

**TICKOPUR J 80U**

Revision date: 01.03.2018

No: 83017

Page 5 of 8

Melting point:	-10 °C
Initial boiling point and boiling range:	>100 °C
Flash point:	---
<b>Explosive properties</b>	not Explosive.
<b>Oxidizing properties</b>	not oxidizing.
Density (at 20 °C):	1,038 g/cm³ DIN 12791
Water solubility:	complete miscible

**SECTION 10: Stability and reactivity****10.1. Reactivity**

None, in case of proper use.

**10.2. Chemical stability**

The product is chemically stable under normal ambient conditions.

**10.3. Possibility of hazardous reactions**

None, in case of proper use.

**10.4. Conditions to avoid**

Thermal decomposition can lead to the escape of irritating gases and vapors.

**10.5. Incompatible materials**

Alkalies (alkalis), concentrated. Alkali metals.

**10.6. Hazardous decomposition products**

None, in case of proper use.

**Further information**

Do not mix with other products.

**SECTION 11: Toxicological information****11.1. Information on toxicological effects****Acute toxicity**

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
62-56-6	thiocarbamide, thiourea				
	oral	LD50 mg/kg	1750 rat		
	dermal	LD50 mg/kg	2800 rabbit		
5949-29-1	Citric acid				
	oral	LD50 mg/kg	5400 mouse		OECD 401
	dermal	LD50 mg/kg	>2000 rat		
68439-50-9	C12-C14 Fatty alcohol ethoxylate				
	oral	LD50 mg/kg	>2000 rat		Cesio-Recommendation
12645-31-7	Phosphoric acid-2 ethylhexylester				
	oral	LD50 mg/kg	>2000 Ratte		

**TICKOPUR J 80U**

Revision date: 01.03.2018

No: 83017

Page 6 of 8

**Irritation and corrosivity**

Based on available data, the classification criteria are not met.

Irritant effect on the eye: irritant. Irritant effect on the skin: irritant.

**Sensitising effects**

Based on available data, the classification criteria are not met.

no danger of sensitization.

**Carcinogenic/mutagenic/toxic effects for reproduction**

Suspected of causing cancer. (thiocarbamide, thiourea)

Suspected of damaging the unborn child. (thiocarbamide, thiourea)

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Limited evidence of a carcinogenic effect.

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

Based on available data, the classification criteria are not met.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**SECTION 12: Ecological information****12.1. Toxicity**

Harmful to aquatic organisms.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
62-56-6	thiocarbamide, thiourea					
	Acute fish toxicity	LC50 >10 mg/l	96 h	Leuciscus idus		
	Acute crustacea toxicity	EC50 1,8 mg/l	48 h	Daphnia magna		
	Crustacea toxicity	NOEC 0,25 mg/l	21 d			
7664-38-2	Phosphoric acid ... %; orthophosphoric acid					
	Acute fish toxicity	LC50 138 mg/l	96 h	Gambusia affinis		
	Acute algae toxicity	ErC50 >100 mg/l	72 h	Desmodesmus subspicatus		
	Acute crustacea toxicity	EC50 >100 mg/l	48 h	Gambia magna		
5949-29-1	Citric acid					
	Acute fish toxicity	LC50 440 mg/l	96 h	Leuciscus idus		OECD 203
	Acute crustacea toxicity	EC50 1535 mg/l	48 h	Daphnia magna		
68439-50-9	C12-C14 Fatty alcohol ethoxylate					
	Algea toxicity	NOEC <1 mg/l				
12645-31-7	Phosphoric acid-2 ethylhexylester					
	Acute fish toxicity	LC50 189-355 mg/l	96 h	Danio rerio		

**12.2. Persistence and degradability**

The surfactants contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

**TICKOPUR J 80U**

Revision date: 01.03.2018

No: 83017

Page 7 of 8

CAS No	Chemical name	Method	Value	d	Source
	Evaluation				
5949-29-1	Citric acid	OECD 302 B	>98 %	2	
	easily biodegradable				
68439-50-9	C12-C14 Fatty alcohol ethoxylate	OECD 301F	>60 %	28	
	easily biodegradable				
12645-31-7	Phosphoric acid-2 ethylhexylester	OECD 301 B	>60 %		
	easy biodegradable				
	OECD 302 B		74 %	28	
	OECD 301 D		82 %	21	

**12.3. Bioaccumulative potential**

On the basis of existing data about disposal/decomposition and bio-accumulation potential, long term environmental damage is unlikely.

**12.4. Mobility in soil**

No data available

**12.5. Results of PBT and vPvB assessment**

not applicable

**12.6. Other adverse effects**

No data available

**SECTION 13: Disposal considerations****13.1. Waste treatment methods****Advice on disposal**

According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process. Waste disposal according to official state regulations.

**Waste disposal number of waste from residues/unused products**

200129 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately collected fractions (except 15 01); detergents containing hazardous substances; hazardous waste

**Waste disposal number of used product**

200129 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately collected fractions (except 15 01); detergents containing hazardous substances; hazardous waste

**Contaminated packaging**

Completely emptied packings can be re-cycled.

**SECTION 14: Transport information****Other applicable information**

Not a hazardous material with respect to transportation regulations.

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

2004/42/EC (VOC): 0 % (0g/l)

**National regulatory information**

**TICKOPUR J 80U**

Revision date: 01.03.2018

No: 83017

Page 8 of 8

Water contaminating class (D): 3 - highly water contaminating

**15.2. Chemical safety assessment**

Chemical safety assessments for substances in this mixture were not carried out.

**SECTION 16: Other information****Changes**

Data changed from previous versions: 2.1., 3.2., 8.1., 9.1., 11.1., 12.1., 12.2., 13.1., 15.1., 16.

**Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]**

Classification	Classification procedure
Carc. 2; H351	Calculation method
Repr. 2; H361d	Calculation method
Aquatic Chronic 3; H412	Calculation method

**Relevant H and EUH statements (number and full text)**

H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H351	Suspected of causing cancer.
H361d	Suspected of damaging the unborn child.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

**Further Information**

Training instructions: Notice the directions for use on the label.

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights.

**Identified uses**

No	Short title	LCS	SU	PC	PROC	ERC	AC	TF	Specification
1	TICKOPUR J 80 U	IS, PW	0	35	8a, 9, 13	8b	0	26	

LCS: Life cycle stages

SU: Sectors of use

PC: Product categories

PROC: Process categories

ERC: Environmental release categories

AC: Article categories

TF: Technical functions

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*