CHEREY-NAGE



Safety Data Sheet

according to Regulations REACh 1907/2006/EC

REF: 931210 VISOCOLOR ECO Ammonium 15, refill pack Page: 1/15 Printing date: 06.02.2024 Date of issue: 24.05.2023 Version: 2.2.2.5

SECTION 1: Identification of the substance/mixture and of the company

1.1 **Product identifier**

> REF 931210

Product name VISOCOLOR ECO Ammonium 15, refill pack

REACH Registration number(s): see SECTION 3.1/3.2 or
A registration number for the substance(s) does not exist because the annual tonnage does not require registration or

the substance or its use is excluded from registration.

1 x 30 mL NH ₄ -1 UFI: AADU-73NS-C20E-U17Y 1 x 2,5 g NH₄-2 UFI: JKDU-R3QY-820W-T205 1 x 10 mL NH 4-3

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Product for analytical use.

Exposure Scenario Classification according REACh, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0

The exposure scenario is integrated into sections 1-16.

Uses advised against

not described

1.3 Details of the supplier of the safety data sheet

Manufactured by:

MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11, 52355 Düren, Germany

Phone: +49 2421 969 0 E-mail: sds@mn-net.com (msds@mn-net.com)

1.4 **Emergency telephone number**

Outside Germany (DE): Call your regional Poisons Information Service or call local Life Saving Service.

DE: Gemeinsames Giftinformationszentrum (GGIZ)

99089 Erfurt tel. +49 361 730 730, < https://www.ggiz-erfurt.de>

You find our current versions of SDS in Internet: http://www.mn-net.com/SDS

SECTION 2: Hazard identification

2.0 Classification of the complete product according to Regulation (EC) 1272/2008





GHS02 GHS05

DANGER Signal word

Hazard identification Hazard classes/categories

H226 Flam. Liq. 3 H314 Skin Corr. 1 B H412 Aquatic Chronic 3

2.1 Classification of the substance or mixture according to Regulation (EC) 1272/2008

30 mL NH 4 -1





Software: M2 V 6.1.5.0

MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11

52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com



Safety Data Sheet

according to Regulations REACh 1907/2006/EC

REF: 931210 VISOCOLOR ECO Ammonium 15, refill pack Page: 2/15 Printing date: 06.02.2024 Date of issue: 24.05.2023 Version: 2.2.2.5

> Signal word **DANGER**

Hazard identification Hazard classes/categories H314 Skin Corr. 1 B

10 mL NH 4 -3





Signal word **DANGER**

Hazard identification Hazard classes/categories H226 Flam. Liq. 3 H314 Skin Corr. 1 B H412 Aquatic Chronic 3

2,5 g NH 4 -2

Do not need labelling as hazardous

Signal word

No hazard class

List of H phrases: see section 16.2

2.2 Label elements according regulation (EC) 1272/2008

According CLP directive inner packages must be only labelled with GHS symbol(s) and product identificator(s) (EU 1272/2008 Annex I - 1.5.1.2). Harmful chemicals/mixtures with signal word: WARNING and highly flammable chemicals/mixtures must not be labelled with H and P phrases until 125 mL (EU 1272/2008 Annex I - 1.5.2).

30 mL NH 4 -1



Signal word: DANGER

H314

Causes severe skin burns and eye damage.

P260sh, P264, P280sh, P303+361+353, P305+351+338, P310, P405, P501

Do not breathe dust/vapours. Wash hands thoroughly after handling. Wear protective gloves/eye protection. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.Store locked up.Dispose of contents/container to regulated waste treatment.

10 mL NH 4 -3





Signal word: DANGER

H314

Causes severe skin burns and eye damage.

P260sh, P264, P280sh, P303+361+353, P305+351+338, P310, P405, P501

Do not breathe dust/vapours. Wash hands thoroughly after handling. Wear protective gloves/eye protection. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.Immediately call a POISON CENTER/doctor.Store locked up.Dispose of contents/container to regulated waste treatment.



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11

52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com



Safety Data Sheet

according to Regulations REACh 1907/2006/EC

 REF: 931210
 VISOCOLOR ECO Ammonium 15, refill pack
 Page: 3/15

 Printing date: 06.02.2024
 Date of issue: 24.05.2023
 Version: 2.2.2.5

2,5 g NH 4 -2

Do not need labelling as hazardous Signal word: -

Label elements of the complete product





SHS02 (

Signal word: DANGER

H314

Causes severe skin burns and eye damage.

P260sh, P264, P280sh, P303+361+353, P305+351+338, P310, P405, P501

Do not breathe dust/vapours. Wash hands thoroughly after handling. Wear protective gloves/eye protection. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Store locked up. Dispose of contents/container to regulated waste treatment.

2.3 Other hazards

Possible hazards from physicochemical properties

Generally in the case of pH values are less than 2 or higher than 11.5 then it is corrosive. Flammable properties.

Information pertaining to particular risks to human and possible symptoms

Causes varying degrees of acid burns on the skin, to the eyes and to the mucous membranes and wounds which do not heal quickly depending on the concentration, temperature and the exposure time. Vapours especially which steam from hot liquids and mist can have a severe irritant effect upon the eyes and the respiratory organs.

Information pertaining to particular risks to the environment

Should not be released into the environment.

PBT: not applicable vPvB: not applicable

Possible endocrine disrupting effects

no data available

SECTION 3: Composition / information on ingredients

3.1 Substances or 3.2 Mixtures

30 mL NH 4 -1

Substance name: sodium hydroxide solution

CAS No.: 1310-73-2

Substance rating: H314, Skin Corr. 1 B Formula: NaOH•H 2 O Pseudonym (de): Natronlauge

REACH Řeg. Nó.: 01-2119457892-27-xxxx

EC No.: 215-185-5 Concentration: 5 - <10 %

acc. CLP (GHS): H314, Skin Corr. 1 B



Software: M2 V 6.1.5.0

MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11

52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Indice No.:

011-002-00-6

CHEREY-NAGE



Safety Data Sheet

according to Regulations REACh 1907/2006/EC

REF: 931210 VISOCOLOR ECO Ammonium 15, refill pack Page: 4/15 Date of issue: 24.05.2023 Printing date: 06.02.2024 Version: 2.2.2.5

> Substance name: sodium hydroxide solution

1310-73-2 CAS No.:

Substance rating: H314, Skin Corr. 1 B NaOH•H₂O Formula: Pseudonym (de): Natronlauge

01-2119457892-27-xxxx REACH Reg. No.:

Indice No.: 011-002-00-6 EC No.: 215-185-5

Concentration: 2 - <5 %

acc. CLP (GHS): The criteria for classification are not fulfilled

Substance name: trisodium citrate dihydrate

CAS No.: 6132-04-3

No criteria for classification or naming of chemical not required. C $_6$ H $_5$ Na $_3$ O $_7$ *2H $_2$ O Substance rating:

Formula: Pseudonym (de): Na-citrat, E331

REACH Reg. No.: 01-2119457027-40-xxxx

EC No.: 612-118-5 Concentration: 10 - <20 %

acc. CLP (GHS): The criteria for classification are not fulfilled.

Substance name: trisodium citrate dihydrate

CAS No .: 6132-04-3

Substance rating: No criteria for classification or naming of chemical not required C $_6$ H $_5$ Na $_3$ O $_7$ •2H $_2$ O

Formula: Pseudonym (de): Na-citrat, E331 REACH Reg. No.: 01-2119457027-40-xxxx

EC No.: 612-118-5 Concentration: 1 - <10 %

acc. CLP (GHS): The criteria for classification are not fulfilled

10 mL NH ₄ -3

Substance name: sodium nitroprusside

CAS No.: 13755-38-9

Substance rating: H301, Acute Tox. 3 oral Formula: Na $_2$ [Fe(CN) $_5$ NO] $_2$ •2 H $_2$ O Natriumpentacyanonitrosylferrat(II) Pseudonym (de):

EC No.: 238-373-9 Concentration:

acc. CLP (GHS): The criteria for classification are not fulfilled.

Substance name: ethanol CAS No.:

(denatured with 1% 2-butanone / 1% 2-propanol)

H225, Flam. Liq. 2 Substance rating: $C_2H_6O; C_2H_5OH$ Formula: Äthylalkohol, vergällter Spiritus Pseudonym (de): REACH Reg. No.: 01-2119457610-43-xxxx

200-578-6 603-002-00-5 EC No.: Indice No.:

Concentration: 35 - < 55 % acc. CLP (GHS): H226, Flam. Liq. 3



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11

52355 Düren · Germany www.mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

US Tel.: +1 888 321 62 24 sales-us@mn-net.com



Safety Data Sheet

according to Regulations REACh 1907/2006/EC

 REF: 931210
 VISOCOLOR ECO Ammonium 15, refill pack
 Page: 5/15

 Printing date: 06.02.2024
 Date of issue: 24.05.2023
 Version: 2.2.2.5

Substance name: thymol CAS No.: 89-83-8

Substance rating: H302, Acute Tox. 4 oral, H314, Skin Corr. 1 B, H411, Aquatic Chronic 2

Formula: C ₁₀ H ₁₄ O

Pseudonym (de): 1-Methyl-3-hydroxy-4-isopropylbenzol

REACH Reg. No.: 01-2119511177-46-xxxx

EC No.: 201-944-8 Indice No.: 604-032-00-1

Concentration: 5 - <10 %

acc. CLP (GHS): H314, Skin Corr. 1 B, H412, Aquatic Chronic 3

2,5 g NH 4 -2

Substance name: dichloroisocyanuric acid, Na salt

CAS No.: 2893-78-9

Substance rating: H272, Ox. Liq. 2, H302, Acute Tox. 4 oral, H319, Eye Irrit. 2, H335, resp. irrit. STOT SE 3, H410,

Aquatic Chronic 1, EUH031, not defined Formula: C 3 Cl 2 N 3 NaO 3

Pseudonym (de): 1,3-Dichlor-5H-(1,3,5)-triazin-2,4,6-trion

REACH Reg. No.: 01-2119489371-33-xxxx

EC No.: 220-767-7 Indice No.: 613-030-01-7

Concentration: 1 - <3 %

acc. CLP (GHS): The criteria for classification are not fulfilled.

Substance name: dichloroisocyanuric acid, Na salt

CAS No.: 2893-78-9

Substance rating: H272, Ox. Liq. 2, H302, Acute Tox. 4 oral, H319, Eye Irrit. 2, H335, resp. irrit. STOT SE 3, H410,

Aquatic Chronic 1, EUH031, not defined Formula: C 3 Cl 2 N 3 NaO 3

Pseudonym (de): 1,3-Dichlor-5H-(1,3,5)-triazin-2,4,6-trion

REACH Reg. No.: 01-2119489371-33-xxxx

EC No.: 220-767-7 Indice No.: 613-030-01-7

Concentration: 3 - <10 %

acc. CLP (GHS): The criteria for classification are not fulfilled.

Substance name: sodium chloride CAS No.: sodium chloride 7647-14-5

Substance rating: No criteria for classification or naming of chemical not required.

Formula: NaCl
Pseudonym (de): Kochsalz
REACH Reg. No.: exempt, Annex V
EC No.: 231-598-3
Concentration: 80 - <100 %

acc. CLP (GHS): The criteria for classification are not fulfilled.

3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%.List of H and P phrases: see section 16.2.

SECTION 4: First aid measures

4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately. Ensure quiet, warmth, and provide resuscitation if necessary. If necessary contact medical advice. Remove contaminated clothing. Show product package, packing insert and this material safety data sheet to the doctor.

4.1.1 After SKIN Contact

Remove contaminated clothing immediately. Rinse the affected skin or mucous membrane thoroughly for min. 15 minutes under running water. (If possible) use soap. Avoid neutralisation. Then apply a loose bandage.



Software: M2 V 6.1.5.0

MACHEREY-NAGEL GmbH & Co. KG

Valencienner Str. 11 52355 Düren · Germany www.mn-net.com DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com



Safety Data Sheet

according to Regulations REACh 1907/2006/EC

 REF: 931210
 VISOCOLOR ECO Ammonium 15, refill pack
 Page: 6/15

 Printing date: 06.02.2024
 Date of issue: 24.05.2023
 Version: 2.2.2.5

4.1.2 After EYE Contact

After contact with the eyes rinse thoroughly under running water with the eyelid wide open for min. 10 minutes with eye washing bottle, eye douche or running water (protect intact eye). Before (if possible) apply eye drops Proxymetacaine 0.5%, if the opening the eyelid convulsion is painful. Further treatment to be carried out by an eye specialist.

4.1.3 After INHALATION of vapours

After inhalation of foam or vapour fresh air should be inhaled. Keep airways free. If vomiting and if insensible place patient in recovery position and keep airways free. ---

4.1.4 After ORAL Intake

After oral intake lots of water with activated charcoal supplement should be drunk after it has been ingested. Do not induce vomiting under any circumstances. Do not make any efforts to neutralise it. Contact medical advice for possible consequences.

4.2 Most important symptoms and effects, both acute and delayed

Rapid penetration and destruction of the skin. Especially in the heated form. Causes severe skin burns and eye damage.

4.3 Indication of any immediate medical attention and special treatment needed

CORROSIVE DAMAGE: After SKIN CONTACT rinse with water for a long time. Efforts to neutralise the substance can frequently make matters worse. Apply glucocorticosteroides following inflammatory reactions. After EYE CONTACT rinse immediately with plenty of water for a long time. Eyelid convulsion measures. Name the corrosive chemical. Further treatment must to be carried out by an eye specialist. After INTAKE administer aluminium oxide drug suspensions. Administer a prophylaxis to counter pulmonary oedema following the INGESTION of corrosive aerosols. In the event of RESPIRATORY DISTREES ensure that the patient inhales oxygen. ---

SECTION 5: Firefighting measures

5.1 Extinguishing media

5.1.1 Suitable extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

5.1.2 Unsuitable extinguishing media

no data available

5.2 Special hazards arising from the substance or mixture

WARNING: Flammable (GHS regulation). May form explosive vapour-air mixtures. Formation of hazardous and caustic vapour-air mixtures possible.

5.3 Advice for firefighters

Product package burns like paper or plastic. Spray any vapours released with water. Retent fire water. Use only acid-resistant safety equipment.

For great amount - if necessary - protective breathing apparatus which is independent of the ambient air (isolated equipment), and sealed protective clothing is necessary in the event of a large-scale formation of toxic substances.

5.4 Additional information

Danger for environment only in the event of a large-scale leakage or formation of hazardous substances.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe vapours. Wear suitable protective gloves (see 8.2.2). Wear eye protection, respectively face protection. Regular staff training is necessary, indicating hazards and precautions on the basis of operating instructions. Restrictions on activity must be observed.

6.2 Environmental precautions

Should not be released into the environment.

PBT: not applicable vPvB: not applicable

6.3 Methods and material for containment and cleaning up

Bind any escaping liquid with inert absorbent. And dispose in accordance to local regulations for the disposal of hazardous chemicals. Clean any contaminated equipment and floors with plenty of water.
Collect small amounts of leaked liquid and flush with water into drains.

6.4 Reference to other sections

see information in section 5.4,7,8 and 13



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11

52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

US Tel.: +1 888 321 62 24 sales-us@mn-net.com

CHEREY-NAGEI



Safety Data Sheet

according to Regulations REACh 1907/2006/EC

REF: 931210 VISOCOLOR ECO Ammonium 15, refill pack Page: 7/15 Printing date: 06.02.2024 Date of issue: 24.05.2023 Version: 2.2.2.5

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product.

7.2 Conditions for safe storage, including any incompatibilities

Safe storage is guaranteed in the original packaging from MACHEREY-NAGEL. Storage class (German chemical industry): see chapter 12 1

Storage class (VCI): Water hazard class (DE):

7.2.1 Requirements for stock rooms and containers

Keep original product packages tightly closed during handling and storage. Use inbreakable container for transport of glass bottles.

Specific end use(s) 7.3

Product for analytical use.

SECTION 8: Exposure controls /personal protection

8.1 Control parameters

2,5 g NH 4 -2

sodium chloride CAS No.: 7647-14-5 Chemical:

Chemical: dichloroisocyanuric acid, Na salt CAS No.: 2893-78-9

not listed

[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: not listed

10 mL NH 4 -3

CAS No.: 89-83-8 Chemical: thymol

Chemical: sodium nitroprusside CAS No.: 13755-38-9

Chemical: ethanol CAS No.: 64-17-5

[derm] 343 mg/kg; [inh] 950 mg/m³ DNEL = Derived No-Effect Level (for workers) DNEL:

PNEC (fresh water): 0.96 mg/L PNEC = Predicted No Effected Concentration

TRGS 900 (DE): 200 mL/m3 / 380 mg/m3

E/e respirable

Short-term exposure factor: 4 (II), Y

skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 500 ppm / 960 mg/m³

NIOSH:

: [TWA] 1000 ppm / 1900 mg/m³ [TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: [TWA] 1000 ppm / 1900 mg/m³

30 mL NH 4 -1

sodium hydroxide solution CAS No : 1310-73-2 Chemical:

[inh] 1 mg/m³
DNEL = Derived No-Effect Level (for workers) DNEL: TRGS 900 (DE): 2 mg/m³

Short-term exposure factor: (=1=, Y)

skin rescrptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 2 e mg/m³ NIOSH: 2 mg/m³

[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: [TWA] 2 mg/m³

Chemical: trisodium citrate dihydrate CAS No.: 6132-04-3

8.2 **Exposure controls**

Good ventilation and extraction system in the room, floor resistant to chemicals with floor drainage and washing facilities. The highest level of cleanliness must be maintained at the workplace.



Software: M2 V 6.1.5.0

MACHEREY-NAGEL GmbH & Co. KG

Valencienner Str. 11 52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com US Tel.: +1 888 321 62 24 sales-us@mn-net.com



Safety Data Sheet

according to Regulations REACh 1907/2006/EC

 REF: 931210
 VISOCOLOR ECO Ammonium 15, refill pack
 Page: 8/15

 Printing date: 06.02.2024
 Date of issue: 24.05.2023
 Version: 2.2.2.5

8.2.1 Respiratory protection

No additional recommendations.

8.2.2 Skin protection / Hand protection

Yes, gloves according EN 374 (permeation time >30 min - level 2), consist of PVC, natural latex, Neopren, or Nitril (f.ex. from Ansell or KCL). Use for short times chemical resistant latex gloves with code EN 374-3 level 1

or KCL). Use for short times chemical resistant latex gloves with code EN 374-3 level 1.

8.2.3 Eye / Face Protection

Yes, safety glasses according EN 166 with integrated side shields or wrap-around protection or face protection.

8.2.4 Skin protection

Recommended to avoid clothing damage, and to avoid contamination with these hazards.

8.2.5 Personal hygiene

Eating, drinking, smoking, taking snuff and storage of food in work areas and at outdoor workplaces is prohibited. Avoid contact with the skin, eyes and clothing. Rinse any clothing on which the substance has been spilled, and soak it in water. Wash hands thoroughly with soap and water when stopping work and before eating, and then apply protective skin cream.

no data available

no data available

no data available

8.2.6 Thermal hazards

no data available

8.3 Limitation and monitoring of environmental exposure

Do not release product into environment.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

2,5 g NH 4 -2

a) State of aggregation: powder (solid) b) Colour: colourless c) Odor: chloric d) Melting point: no data available e) Boiling point: no data available f) Flammability: no data available g) Explosive limits (lower / upper): no data available h) Flash point: no data available i) Flashing temperature: no data available i) Decomposition temperature: no data available k) pH value: 5-7 I) Kinematic viscosity: no data available m) Solubility in water: no data available n) Dispersion coefficient (K o/w): no data available o) Vapour pressure (20°C): no data available p) Specific gravity: no data available q) Relative vapour density (air=1): no data available

10 mL NH ₄ -3

r) Particle size:

q) Relative vapour density (air=1):

r) Particle size:

a) State of aggregation: liquid b) Colour: rose c) Odor: organic d) Melting point: no data available e) Boiling point: no data available f) Flammability: no data available g) Explosive limits (lower / upper): no data available h) Flash point: 23 °C i) Flashing temperature: no data available j) Decomposition temperature: no data available k) pH value: 6-8 I) Kinematic viscosity: no data available m) Solubility in water: no data available n) Dispersion coefficient (K o/w): no data available no data available o) Vapour pressure (20°C): p) Specific gravity: 0,9 g/cm3



 MACHEREY-NAGEL GmbH & Co. KG
 DE
 Tel.: +49 24 21 969-0
 info@mn-net.com

 Valencienner Str. 11
 CH
 Tel.: +41 62 388 55 00
 sales-ch@mn-net.com

 52355 Düren · Germany
 FR
 Tel.: +33 388 68 22 68
 sales-fr@mn-net.com

 www.mn-net.com
 US
 Tel.: +1 888 321 62 24
 sales-us@mn-net.com



Safety Data Sheet

according to Regulations REACh 1907/2006/EC

 REF: 931210
 VISOCOLOR ECO Ammonium 15, refill pack
 Page: 9/15

 Printing date: 06.02.2024
 Date of issue: 24.05.2023
 Version: 2.2.2.5

30 mL NH 4 -1

a) State of aggregation: liauid colourless b) Colour: c) Odor: odorless d) Melting point: no data available e) Boiling point: no data available f) Flammability: no data available g) Explosive limits (lower / upper): no data available h) Flash point: no data available i) Flashing temperature: no data available j) Decomposition temperature: no data available k) pH value: 11.5-12.5 I) Kinematic viscosity: no data available m) Solubility in water: no data available n) Dispersion coefficient (K o/w): no data available o) Vapour pressure (20°C): no data available

9.2 Other information

9.2.1 Information on physical hazard classes

q) Relative vapour density (air=1):

no data available

9.2.2 Other safety-related parameters

p) Specific gravity:

r) Particle size:

No data is available for the other parameters for the mixtures, since no registration and no chemical safety report is required.

no data available

no data available

no data available

Substances are highly corrosive.

SECTION 10: Stability and reactivity

10.1 Reactivity

no further data available.

10.2 Chemical stability

no known instability.

10.3 Possibility of hazardous reactions

Can react violently with organic material. No further data available.

10.4 Conditions to avoid

No more required.

10.5 Incompatible materials

no additional data available

10.6 Hazardous decomposition products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

SECTION 11: Toxicological information

11.1 Information on the hazard classes according regulation (EC) 1272/2008

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

2,5 g NH 4 -2

Chemical: sodium chloride CAS No.: 7647-14-5

TSCA Inventory: listed Korea Exist.Chem.Inventory: KE-31387 LD50 orl rat: 3000 mg/kg



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11

52355 Düren · Germany

DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com



Safety Data Sheet

according to Regulations REACh 1907/2006/EC

 REF: 931210
 VISOCOLOR ECO Ammonium 15, refill pack
 Page: 10/15

 Printing date: 06.02.2024
 Date of issue: 24.05.2023
 Version: 2.2.2.5

Chemical: dichloroisocyanuric acid, Na salt CAS No.: 2893-78-9

TSCA Inventory: listed California Proposition 65 List: not listed Australia NICNAS: not listed Canada CEPA 1999: DSL Yes

Japan CSCL/PRTR: not listed, Japan PDSCL: not listed

Japan ISHL: not listed South Korea TCCA: not listed

Korea Exist.Chem.Inventory: KE-10215, >25% Toxic 2014-1-688

LD50 _{orl rat}: 550-1600 mg/kg LC_Low _{orl hmn}: 3570 mg/kg

10 mL NH ₄ -3

Chemical: thymol CAS No.: 89-83-8

TSCA Inventory: listed
Korea Exist.Chem.Inventory: KE-24420
LD50 orl rat: 980 mg/kg

Chemical: sodium nitroprusside CAS No.: 13755-38-9

TSCA Inventory: listed (CAS 14402-89-2)

Korea Exist.Chem.Inventory: not listed LD50 _{orl rat}: 99 mg/kg LC_Low _{orl rat}: 20 mg/kg

Chemical: ethanol CAS No.: 64-17-5

TSCA Inventory: listed California Proposition 65 List: not listed

ACGIH: 1000 ppm

Exposure Routes: inhalation, ingestion, skin and/or eye contact

Target Organs: Eyes, skin, respiratory system, central nervous system, liver, blood, reproductive system

Symptoms: irritation eyes, skin, nose; headache, drowsiness, lassitude (weakness, exhaustion), narcosis; cough;

liver damage; anemia; reproductive, teratogenic

Australia NICNAS: not listed Canada CEPA 1999: DSL yes

Japan CSCL/PRTR: not listed, Japan PDSCL: not listed

Japan ISHL: listed ≥0,1%/≥0,1%, Article 57-2 (SDS required) south Korea TCCA: not listed

Korea Exist.Chem.Inventory: KE-13217

LD50 orl rat: 6200 mg/kg

LC_Low ihl gpg: 21,900 mg/L

LC_Low orl hmn: 1400 mg/kg

LC50 ihl mus: 123,4 mg/L/4H

LC50 ihl rat: 115,9-133,8 mg/L/4H

LD50 orl mus: 3450 mg/kg

TRGS 905 (DE): K5, M5, R _F C

30 mL NH ₄ -1

Chemical: sodium hydroxide solution CAS No.: 1310-73-2

TSCA Inventory: listed California Proposition 65 List: not listed

Exposure Routes: inhalation, ingestion, skin and/or eye contact

Target Organs: Eyes, skin, respiratory system

Symptoms: irritation eyes, skin, mucous membrane; pneumonitis; eye, skin burns; temporary loss of hair

Australia NICNAS: not listed Canada CEPA 1999: DSL Yes

Japan CSCL/PRTR: not listed, Japan PDSCL: not listed

Japan ISHL: listed ≥1,0%/≥1,0%, Article 57-2 (SDS required)

South Korea TCCA: not listed Korea Exist.Chem.Inventory: KE-31487

LD50 _{orl rat}: [40%] 1250 / [<25%] >2000 mg/kg

LD50 _{orl mus}: 40 mg/kg

Chemical: trisodium citrate dihydrate CAS No.: 6132-04-3

TSCA Inventory: listed (CAS 68-04-2)
Korea Exist.Chem.Inventory: KE-20843
LD50 orl rat: > 8000 mg/kg



MACHEREY-NAGEL GmbH & Co. KG

Valencienner Str. 11 52355 Düren · Germany www.mn-net.com DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

US Tel.: +1 888 321 62 24 sales-us@mn-net.com

ACHEREY-NAGEI



Safety Data Sheet

according to Regulations REACh 1907/2006/EC

REF: 931210 VISOCOLOR ECO Ammonium 15, refill pack Page: 11/15 Printing date: 06.02.2024 Date of issue: 24.05.2023 Version: 2.2.2.5

11.2 Other hazards

Possible endocrine disrupting effects

no data available

Other information

no additional data available

SECTION 12: Ecological information

12.1 **Toxicity**

Following information is valid for pure substances.

2,5 g NH 4 -2

Substance name: sodium chloride CAS-Nr.: 7647-14-5

Water hazard class (DE): Storage class (VCI): 12-13

Substance name: dichloroisocyanuric acid, Na salt CAS-Nr.: 2893-78-9

Water hazard class (DE): Storage class (VCI): 13

10 mL NH 4 -3

Substance name: thymol CAS-Nr.: 89-83-8

Harmful to aquatic life with long lasting effects. Do not release into the environment.

Environmentally hazardous substances/mixtures do not have to be labeled with P-phrases up to 125 mL (EU 1272/2008 Annex I

Paragraph 1.5.2).

LC50 pimephales promelas/96h: 3.2 mg/L EC50 daphnia/48h: 3.2 mg/L

Water hazard class (DE): WGK No.: 1220

Storage class (VCI): 8 A

CAS-Nr.: 13755-38-9 Substance name: sodium nitroprusside

Water hazard class (DE): Storage class (VCI): 6.1 B

CAS-Nr.: 64-17-5 Substance name: ethanol

PNEC (fresh water): 0.96 mg/L
PNEC = Predicted No Effected Concentration = concentration at which no effect on the environment is expected

LC50 daphnia magna/48h: >100 mg/L

13400 - 15100 mg/L LC50 pimephales promelas/96h: LC50 leuciscus idus/96h [48h] 8140 mg/L

LC50 fish/96h: 13 g/L 9.3-14.2 g/L EC50 daphnia/48h: IC50 scenedesmus quadricauda/72h: [7d] 5000 mg/L EC10 pseudomonas putita/16h: Water hazard class (DE): [EC5] 6500 mg/L WGK No.: 0096

Storage class (VCI): 3

30 mL NH 4 -1

Substance name: sodium hydroxide solution CAS-Nr.: 1310-73-2

Do not release into the environment.

LC50 leuciscus idus/96h: 35-189 mg/L LC50 fish/96h: 45.4 mg/L EC50 daphnia/48h >100 mg/L

Water hazard class (DE): WGK No.: 142

Storage class (VCI):

Substance name: trisodium citrate dihydrate CAS-Nr.: 6132-04-3

LC50 fish/96h: 18-32 g/L EC50 daphnia/48h: 5.6-10 g/L EC50 chlorella vulgaris/5d : >18-32 g/L

EC10 pseudomonas putita/16h: EC50 ps. fluorescens/8h: >1.8-3.2 g/L

Water hazard class (DE): Storage class (VCI): 12-13



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11

52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

US Tel.: +1 888 321 62 24 sales-us@mn-net.com



Safety Data Sheet

according to Regulations REACh 1907/2006/EC

 REF: 931210
 VISOCOLOR ECO Ammonium 15, refill pack
 Page: 12/15

 Printing date: 06.02.2024
 Date of issue: 24.05.2023
 Version: 2.2.2.5

12.2 Persistence and degradability

12.3 Bioaccumulative potential

Substance name: ethanol CAS-Nr.: 64-17-5

Dispersion coefficient (K $_{O/W}$): -0,31

12.4 Mobility in soil

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

no data available

12.7 Other adverse effects

no additional data available

SECTION 13: Disposal considerations

Please observe local regulations for collection and disposal of hazardous waste and contact waste disposal company, where you will obtain information on laboratory waste disposal (waste code number 16 05 06).

13.1 Waste treatment methods

Normally it is possible to empty small amounts (diluted!) into drains. Empty containers of corrosive reagents prior to disposal, rinse with water

SECTION 14: Transport information

14.1. UN number: 3316

14.2. UN proper shipping name: Chemical Kit

14.3. Class: 9

14.4. Packing group:

Road transport ADR

Classification code: M11 Tunnel restriction code: E

Limited Quantity: acc. ADR 3.3.1/251: see LQ in Alternative declaration for transportation

Air transport IATA DGR

Limited Quantity: PAX: 960 max. quantity PAX: 10 KG
CAO: 960 max. quantity CAO: 10 KG

Maritime transport IMDG

EmS: F-A, S-P Staukategorie: A

Or use Alternative declaration for transportation:

UN No.: (see below) UN 1993 class 3 III, Excepted Quantities (≤30 mL/∑≤1 L) = ADR/ IATA E1

class 8 II, Excepted Quantities (≤30 mL/∑≤500 mL) = ADR/ IATA E2

or

14.1 UN number: 1824

14.2 UN proper shipping name: Sodium hydroxide solution

14.3 Class: 8

14.4 Packing group:

Road transport ADR

Classification code: C5 Limited Quantity: 1 L

Limited Quantity: 1 L Tunnel restriction code: E

Excepted Quantity:
Air transport IATA DGR

Limited Quantity: PAX: 851 max. quantity PAX: 1 L
CAO: 855 max. quantity CAO: 30 L

Excepted Quantity: E 2

Maritime transport IMDG

EmS: F-A, S-B Staukategorie: A



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11

52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com US Tel.: +1 888 321 62 24 sales-us@mn-net.com



Safety Data Sheet

according to Regulations REACh 1907/2006/EC

 REF: 931210
 VISOCOLOR ECO Ammonium 15, refill pack
 Page: 13/15

 Printing date: 06.02.2024
 Date of issue: 24.05.2023
 Version: 2.2.2.5

Tunnel restriction code:

max. quantity PAX: max. quantity CAO:

D/F

220 L

14.1 UN number: 1993

14.2 UN proper shipping name: Flammable liquid, n.o.s. (ethanol mixture)

14.3 Class: 3

14.4 Packing group: III

Road transport ADR

Classification code: F1
Limited Quantity: 5 L

Excepted Quantity: E 1 Special instructions: 640E

Air transport IATA DGR

Limited Quantity: PAX: 355 CAO: 366

Excepted Quantity: E 1

Maritime transport IMDG

EmS: F-E, S-E Staukategorie: A

14.5 Environmental hazards

none, contains only small quantities of hazardous substances, contains only small amounts of these substances

14.6 Special precautions for user

not necessary

14.7 Carriage in bulk by sea in accordance with IMO instruments

Not applicable.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Dangerous Substances Protection Act (DE: Chemikaliengesetz - ChemG), Aug 2013, Stand: Okt 2020

Ordinance on protection against dangerous substances (E: Gefahrstoffverordnung - GefStoffV), Nov 2010, Stand: Mrz 2017

TRGS 201, Classification and labeling of activities involving hazardous substances, Feb 2017

TRGS 220, National aspects when preparing safety data sheets, Jan 2017

TRGS 400, Risk assessment for activities involving hazardous substances, Jul 2017

TRGS 401, Skin contact hazard - identification, assessment, action, Jun 2008, status: Feb 2011

BekGS 408, Application of the GefStoffV and the TRGS with the entry into force of the CLP regulation, December 2009, status: Jan 2012

TRGS 500, Protective measures, Mai 2008

TRGS 510, Storage of hazardous substances in portable containers from March 2013, status: Oct 2015

Chapter 4, Measures when storing hazardous substances up to 50 kg (small quantity regulation)

Wasserhaushaltsgesetz - WHG, Section 3 Handling substances hazardous to water, Jul 2009, status: Aug 2016

MN leaflet/instructions for use, also at www.mn-net.com If necessary, observe other country-specific regulations.

15.2 Chemical safety assessment

not necessary for these small amounts

SECTION 16: Other information

16.1 Changes compared to the last version

Between versions 2.2.2.5 and 2.2.2.2 following changes were applied: - 3 substance data corrected

16.2 List of H and P phrases

16.2.1 List of relevant H phrases

H Between versions 2.2.2.5 and 2.2.2.2 following changes were applied: - 3 substance data corrected

H226 Flammable liquid and vapour.

H314 Causes severe skin burns and eye damage. H412 Harmful to aquatic life with long lasting effects.

16.2.2 List of relevant P phrases

P260sh Do not breathe dust/vapours.

P264 Wash hands thoroughly after handling. P280sh Wear protective gloves/eye protection.

P303+361+353
P305+351+338
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.



Software: M2 V 6.1.5.0

MACHEREY-NAGEL GmbH & Co. KG

Valencienner Str. 11 52355 Düren · Germany www.mn-net.com DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com

FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com



Safety Data Sheet

according to Regulations REACh 1907/2006/EC

Page: 14/15 REF: 931210 VISOCOLOR ECO Ammonium 15, refill pack Printing date: 06.02.2024 Date of issue: 24.05.2023 Version: 2.2.2.5

> P310 Immediately call a POISON CENTER/doctor.

P405 Store locked up.

P501 Dispose of contents/container to regulated waste treatment.

16.3 Recommended restriction on use

Only for professional user.

Look about employee restrictions for young people (f. ex. 94/33/EC or DE § 22 JArbSchG)!

Look about employee restrictions for pregnant women and nursing women (f.ex. 92/85/EEC or for DE §§ 11-13 MuSchG 2017)!

An individual package of this product or test kit has a moderate hazardous potential.

16.4 Sources of key data

KÜHN, BIRETT, Leaflets on hazardous materials, 2021

Directive 1999/92/EG Minimum requirements to improve the safety and health protection of workers at risk from potentially explosive

SUVA .CH, limit values in the air at work 2009, revised on 01/2009

Regulation 790/2009/EU, adaptation of Regulation 1272/2008/EU to technical and scientific progress (1st ATP)

Regulation 453/2010/EU, adaptation of the REACH regulation 1907/2006/EG

Regulation 487/2013/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (4th ATP) Regulation 1221/2015/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (7th ATP) Regulation 776/2017/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (10th ATP)

Regulation 669/2018/EU, adaptation of Regulation 1272/2008/EC to technical and scientific progressText (11th ATP) Regulation 1480/2018/EÚ, adaptation of regulation 1272/2008/EG to technical and scientific progress (13th ATP)

Regulation 521/2019/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (12th ATP)

TRGS 900, German rules of technology on limit values in the air at work, as of 03/2019

Regulation 217/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (14th ATP)

Regulation 878/2020/EU, adaptation of Annex II of the REACH regulation 1907/2006/EG

Regulation 1182/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (15th ATP) Regulation 643/2021/EU, adaptation of Annex VI, Part 1, of Regulation 1272/2008/EC to technical and scientific progress (16th ATP) Regulation 849/2021/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (17th ATP)

Regulation 692/2022/EU, adaptation of Annex VI, Part 1, of Regulation 1272/2008/EC to technical and scientific progress (18th ATP)

revisions/updates

Reason for revision: 2014-02 Corrected structure of the sections according to Regulation 453/2010/EU, if necessary

2014-04 adjustment according Regulation 487/2013/EU 2016-03 adjustment according Regulation 1221/2015/EU

2017–08 adjustment according the Ordinance on Ethanol Denaturation 2016/1867/EU 2017-11 adjustment according the ECHA registration dossier

2022-11 adjustment according Regulation 878/2020/EU

16.5 **Further information**

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

16.6 Legend / Abbreviations

according acc:

ADR: Convention concerning the International Carriage of Dangerous Goods by Road

Act: acute

BAT: biological workplace tolerance value

CAO: Cargo Aircraft Only

Carc: carcinogen

CAS: Chemical Abstracts Service CLP:

Classification, Labelling and Packaging regulation

CMR: carcinogen, mutagen, reproduction toxic

Corr: corrosive

COD: chemical oxigen demand

CSCL: Chemical Substance Control Law (Jp) Dam: damage DNEL: Derived No-Effect Level (for workers)

derm: dog: dog

EC10: Concentration causing a toxic effect in 10% of the test organisms

EC: **European Community**



MACHEREY-NAGEL GmbH & Co. KG

Valencienner Str. 11 52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com

FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com US Tel.: +1 888 321 62 24 sales-us@mn-net.com

CHEREY-NAGEI



Safety Data Sheet

according to Regulations REACh 1907/2006/EC

REF: 931210 VISOCOLOR ECO Ammonium 15, refill pack Page: 15/15 Printing date: 06.02.2024 Date of issue: 24.05.2023 Version: 2.2.2.5

FC-Nr Substance number of the EC substance inventory EmS: Guide to accident management measures on ships

EU: **European Union** fish: fish (not spezified)

GHS: Global Harmonized System of Classification and Labeling of Chemicals

gpg: ICAO: guinea pig

International Civil Aviation Organization

ihl: inhaled

IMDG: International Maritime Dangerous Goods Code

intrav: intravenous intraperitonaeal int.

Industrial Safety and Health Law (Jp) iSHL:

LC50: letale concentration 50% LD50: letale dosis 50% fisch, ide, orfe leuciscus idus: MAK: maximum workplace concentration

Metall Met. mus: mouse Muta: mutagen

NIOSH: National Institute for Occupational Safety and Health (US)

Non-rapidly degradable NRD:

onchorhynchus mykiss: fish, rainbow trout

orl: oral

OSHA: Occupational Safety and Health Administration PAX: transport on passenger planes allowed PBT: persistent, bioaccumulating, toxic substance

pH: pH value

pimephales promelas: fish, fathead minnow Predicted No Effected Concentration PNEC: PROC 15: Process category 'for laboratory use'

PRTR: Law for PRTR and Promotion of Chemical Management (Jp)

PVC: polyvinyl chloride quail: bird, quail rat: rat rbt: rabbit

RD: rapidly degradable

RE: repeated

REACh: Registration, Evaluation, Authorisation and Restriction of Chemicals

RFF item number, reference number Reg.No.: rRegistration number

Repr: harmful to reproduction

Resp: respiratory

REACH Implementations Projects RIP:

scu: sub cutan safety data sheet SDS: Sens: sensitisation

STEL: short term exposure limit Specific Target Organ Toxicity STOT: SVHC: Substance of Very High Concern

tons per year t/a TCCA:

Toxic Chemicals Control Act (S. Korea) Tox: toxic TSCA: The Toxic Substances Control Act (US) TWA: time weighted average

TRGS: technical regulations (DE)

very persistent, very bioaccumulating substance vPvB:

16.7 Training advice

Regular safety training. Multiple safety training of staffs about danger and protection by using hazards in working area. Additionally training and introduction of staffs for using these products.



MACHEREY-NAGEL GmbH & Co. KG

Valencienner Str. 11 52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com

FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com US Tel.: +1 888 321 62 24 sales-us@mn-net.com