

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 931241

VISOCOLOR ECO Nitrate, refill pack

Page: 1/8

Printing date: 09.03.2022

Date of issue: 03.12.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

REF 931241
Product name VISOCOLOR ECO Nitrate, refill pack

REACH Registration number(s): see SECTION 3.1/3.2 or
A registration number for the substance(s) does not exist because the annual tonnage does not require registration or the substance or its use is excluded from registration.

1 x 30 mL NO₃ -1
1 x 5 g NO₃ -2

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses
Product for analytical use.

Exposure Scenario Classification according REACH, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0
The exposure scenario is integrated into sections 1-16.

Uses advised against
not described

1.3 Details of the supplier of the safety data sheet

Manufactured by:
MACHEREY-NAGEL GmbH & Co. KG
Valenciener Str. 11, 52355 Düren, GERMANY
Tel.: +49 2421 969 0

E-mail: sds@mn-net.com (msds@mn-net.com)

1.4 Emergency telephone number

Outside Germany (DE): Call your regional Poisons Information Service or call local Life Saving Service.
DE: Gemeinsames Giftinformationszentrum (GGIZ) 99089 Erfurt tel. +49 361 730 730

You find our current versions of SDS (22 languages) in Internet:

<http://www.mn-net.com/SDS>

SECTION 2: Hazard identification

2.0 Classification of the complete product



GHS09

Signal word

Hazard identification	Hazard classes/categories
H411	Aquatic Chronic 2

2.1 Classification of the substance or mixture

30 mL NO₃ -1

Do not need labelling as hazardous

Signal word
No hazard class

5 g NO₃ -2



MACHEREY-NAGEL GmbH & Co. KG
Valenciener Str. 11
52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 931241

VISOCOLOR ECO Nitrate, refill pack

Page: 2/8

Printing date: 09.03.2022

Date of issue: 03.12.2020



GHS09

Signal word

Do not need labelling as hazardous

Hazard identification

Hazard classes/categories

H411

Aquatic Chronic 2

2.2 Label elements

According **CLP directive** inner packages must be only labelled with GHS symbol(s) and product identifier(s) (EU 1272/2008 Annex I - 1.5.1.2).

Harmful chemicals/mixtures with signal word: **WARNING** must not be labelled with H and P phrases **until 125 mL** (EU 1272/2008 Annex I - 1.5.2).

30 mL NO₃ -1

Do not need labelling as hazardous

5 g NO₃ -2



GHS09

Signal word: -

2.3 Other hazards

Possible hazards from physicochemical properties

Information pertaining to particular risks to human and possible symptoms

Information pertaining to particular risks to the environment

Other hazards

SECTION 3: Composition/information on ingredients

3.1 Substances or 3.2 Mixtures

30 mL NO₃ -1

Chemical: *m*-phenylenediammonium dichloride

CAS No.: 541-69-5

Classification: No criteria for classification or naming of chemical not required.

Formula: C₆H₁₀Cl₂N₂

Pseudonym: 1,3-benzenediamine, dihydrochloride

TSCA Inventory: listed

EC No.: 208-790-0

Indice No.:

612-148-00-9

RTECS: SS9800000

MFCD:

00012975

KE No.: KE-05-1004, >25% Toxic 97-1-334

Concentration: < 0,10 %

acc. CLP (GHS): The criteria for classification are not fulfilled.

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 931241

VISOCOLOR ECO Nitrate, refill pack

Page: 3/8

Printing date: 09.03.2022

Date of issue: 03.12.2020

Chemical:	<i>citric acid</i>	CAS No.:	77-92-9
Classification:	H303, Acute Tox. 5 oral, H316, Skin Irrit. 3, H319, Eye Irrit. 2, H335, STOT SE 3		
Formula:	C ₆ H ₈ O ₇		
Pseudonym:	2-hydroxy-1,2,3-propanetricarboxylic acid		
TSCA Inventory:	listed		
REACH Reg. No.:	01-2119457026-42-xxxx		
EC No.:	201-069-1		
RTECS:	GE7350000/GE7810000		
KE No.:	KE-20831		
Concentration:	1 - <10 %		
acc. CLP (GHS):	The criteria for classification are not fulfilled.		

5 g NO₃-2

Chemical:	<i>zinc powder (stabilized)</i>	CAS No.:	7440-66-6
Classification:	H410, Aquatic Chronic 1		
Formula:	Zn		
TSCA Inventory:	listed		
REACH Reg. No.:	01-2119467174-37-xxxx		
EC No.:	231-175-3	Indice No.:	030-002-01-9
RTECS:	ZG8600000		
KE No.:	KE-35518		
Concentration:	2,5 - <10 %		
acc. CLP (GHS):	H411, Aquatic Chronic 2		

3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%.

List of H and P phrases: see section 16.1

SECTION 4: First aid measures

4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately. Ensure quiet, warmth, and provide resuscitation if necessary. If necessary contact medical advice.

4.1.1 After SKIN Contact

Remove contaminated clothing. Rinse the affected skin or mucous membrane thoroughly under running water. (If possible) use soap.

4.1.2 After EYE Contact

After contact with the eyes rinse thoroughly under running water with the eyelid wide open with eye washing bottle, eye douche or running water (protect intact eye).

4.1.3 After INHALATION of vapours

After inhalation of foam or vapour fresh air should be inhaled. Keep airways free. ---

4.1.4 After ORAL Intake

After oral intake lots of water should be drunk after it has been ingested. ---

4.2 Most important symptoms and effects, both acute and delayed

4.3 Indication of any immediate medical attention and special treatment needed

No additionally recommendations. ---

SECTION 5: Firefighting measures

5.1 Extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

5.2 Special hazards arising from the substance or mixture

Formation of hazardous and caustic vapour-air mixtures possible. ---

5.3 Advice for firefighters

No, for listed product. Product package burns like paper or plastic.



MACHEREY-NAGEL GmbH & Co. KG
 Valenciener Str. 11
 52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 931241

VISOCOLOR ECO Nitrate, refill pack

Page: 4/8

Printing date: 09.03.2022

Date of issue: 03.12.2020

5.4 Additional information

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe vapours. Regular staff training is necessary.

6.2 Environmental precautions

not necessary, contains only small amounts of these substances

6.3 Methods and material for containment and cleaning up

Bind any escaping liquid with inert absorbent.
Collect small amounts of leaked liquid and flush with water into drains.

6.4 Reference to other sections

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product.

7.2 Conditions for safe storage, including any incompatibilities

The original product package of MACHEREY-NAGEL allows a safe storage.

Storage class (VCI): 6.1D
Water hazard class (DE): 3

7.2.1 Requirements for stock rooms and containers

Keep original product packages tightly closed during handling and storage.

7.3 Specific end use(s)

Product for analytical use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

30 mL NO₃ -1

Chemical: *m*-phenylenediammonium dichloride
TRGS 900 (DE): - (0.1E_{alt}) mg/m³
E/e respirable

CAS No.: 541-69-5

Short-term exposure factor: 2 (II)

skin sorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

Chemical: *citric acid*

CAS No.: 77-92-9

PNEC_(fresh water): 440 mg/L
PNEC = Predicted No Effect Concentration

TRGS 900 (DE): 2 E mg/m³
E/e respirable

Short-term exposure factor: 2 (I) Y

skin sorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

5 g NO₃ -2

Chemical: *zinc powder (stabilized)*
DNEL: 1_{inh} mg/m³
DNEL = Derived No-Effect Level (for workers)
TRGS 900 (DE): 0.1A / 2E mg/m³
E/e respirable

CAS No.: 7440-66-6

8.2 Exposure controls

Good ventilation and extraction system in the room, floor resistant to chemicals with floor drainage and washing facilities. The highest level of cleanliness must be maintained at the workplace.



MACHEREY-NAGEL GmbH & Co. KG
Valenciener Str. 11
52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 931241

VISOCOLOR ECO Nitrate, refill pack

Page: 5/8

Printing date: 09.03.2022

Date of issue: 03.12.2020

- 8.2.1 Respiratory protection**
No additional recommendations.
- 8.2.2 Hand protection**
Yes, gloves according EN 374 (permeation time >30 min - level 2), consist of PVC, natural latex, Neopren, or Nitril (f.ex. from Ansell or KCL). Use for short times chemical resistant latex gloves with code EN 374-3 level 1.
- 8.2.3 Eye protection**
Yes, safety glasses according EN 166 with integrated side shields or wrap-around protection.
- 8.2.4 Skin protection**
Not necessary.
- 8.2.5 Personal hygiene**
Eating, drinking, smoking, taking snuff and storage of food in work areas and at outdoor workplaces is prohibited. Avoid contact with the skin, eyes and clothing. Rinse any clothing on which the substance has been spilled, and soak it in water. Wash hands thoroughly with soap and water when stopping work and before eating, and then apply protective skin cream.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

30 mL NO₃ -1		
Appearance: liquid	Colour: rose	Odor: odorless
pH:	2-3	
5 g NO₃ -2		
Appearance: powder (solid)	Colour: slightly grey	Odor: odorless
pH:	6,5-7,5	

9.2 Other information

Data for the other parameters of the mixtures are not available, because no registration and no chemical safety report is required.

Relevant Properties of Substance Group

SECTION 10: Stability and reactivity

10.1 Reactivity

no further data available.

10.2 Chemical stability

No known instability.

10.3 Possibility of hazardous reactions

No further data available.

10.4 Conditions to avoid

10.5 Incompatible materials

10.6 Hazardous decomposition products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

30 mL NO₃ -1

Chemical:	<i>m-phenylenediammonium dichloride</i>	CAS No.: 541-69-5
TSCA Inventory:	listed	
Korea Exist.Chem.Inventory:	KE-05-1004, >25% Toxic 97-1-334	
LD50 _{Orl rat} :	280 mg/kg	
EU carcinogen:	mut. 3	
TRGS 905 (DE):	K3B, M3	



MACHEREY-NAGEL GmbH & Co. KG
Valenciener Str. 11
52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 931241

VISOCOLOR ECO Nitrate, refill pack

Page: 6/8

Printing date: 09.03.2022

Date of issue: 03.12.2020

TRGS 907 (DE): Sh

Chemical: *citric acid* CAS No.: 77-92-9
 TSCA Inventory: listed
 Korea Exist.Chem.Inventory: KE-20831
 LD50_{orl rat}: >3000 mg/kg
 LC50_{ihl rat}: 5800 mg/m³
 LD50_{drm rat}: >2000 mg/kg
 LD50_{orl mus}: 5400 mg/kg
 LD50_{scu rat}: 5500 mg/kg

5 g NO₃ -2

Chemical: *zinc powder (stabilized)* CAS No.: 7440-66-6
 TSCA Inventory: listed
 Korea Exist.Chem.Inventory: KE-35518
 LD50_{orl rat}: >2000 mg/kg
 LC_{LoWinh hmn}: 124_{50min} mg/m³
 LC50_{ihl rat}: >5.4_{4h} mg/m³

SECTION 12: Ecological information

12.1 Toxicity

Following information is valid for pure substances.

30 mL NO₃ -1

Chemical: *m-phenylenediammonium dichloride* CAS No.: 541-69-5
 Water hazard class (DE): 3 WGK No.: 1312
 Storage class (VCI): 6.1 D

Chemical: *citric acid* CAS No.: 77-92-9
 PNEC_(fresh water): 440 mg/L
 PNEC = Predicted No Effect Concentration
 LC50_{leuciscus idus/96h}: 440-760 mg/L
 EC50_{daphnia/48h}: 1535_{24h} mg/L
 IC50_{scenedesmus quadricauda/72h}: 7d: 425-640 mg/L
 EC10_{pseudomonas putita/16h}: EC0: >10 g/L
 Water hazard class (DE): 1 WGK No.: 0057
 Dispersion coefficient_(octanol-water): -1.72
 Storage class (VCI): 12-13

5 g NO₃ -2

Chemical: *zinc powder (stabilized)* CAS No.: 7440-66-6
 Toxic to aquatic life with long lasting effects. Avoid contact of substance/mixture to environment.
 Environmental hazards must not be labelled with H and P phrases until 125 mL (EU 1272/2008 Annex I - 1.5.2).
 LC50_{fish/96h}: 2.01 mg/L
 EC50_{daphnia/48h}: 0.131 mg/L
 EC50_{pseudokirchneriella subcapitata/72h}: IC50: 0.713 mg/L
 Water hazard class (DE): 2 WGK No.: 7325
 Storage class (VCI): 13

12.2 Persistence and degradability

not necessary

12.3 Bioaccumulative potential

not necessary

12.4 Mobility in soil

not necessary

12.5 Results of PBT and vPvB assessment



Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 931241

VISOCOLOR ECO Nitrate, refill pack

Page: 7/8

Printing date: 09.03.2022

Date of issue: 03.12.2020

no data available

12.6 Other adverse effects

no additional data available

SECTION 13: Disposal considerations

Please observe local regulations for collection and disposal of hazardous waste and contact waste disposal company, where you will obtain information on laboratory waste disposal (waste code number 16 05 06).

13.1 Waste treatment methods

Normally it is possible to empty small amounts (diluted!) into drains.

SECTION 14: Transport information

14.1 - 14.4: No dangerous goods according the transport regulations

14.5 Environmental hazards

none, contains only small quantities of hazardous substances, contains only small amounts of these substances

14.6 Special precautions for user

not necessary

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

German act governing protection from hazardous substances (Chemicals Act / Chemikaliengesetz- ChemG), revised on August 2013
 German order governing protection from hazardous substances (Ordinance on Hazardous Substances / Gefahrstoffverordnung - GefStoffV), revised on November 2010, according to Directive 98/24/EC
 TRGS 200, German engineering rules governing the classification and labelling of hazardous substances, preparations and products, updated October 2011
 MN Leaflet/User manual, also see www.mn-net.com
 Look for your country-specific regulations.

15.2 Chemical safety assessment

not necessary for these small amounts ---

SECTION 16: Other information

16.1 List of H and P phrases

16.1.1 List of relevant H phrases

H411 Toxic to aquatic life with long lasting effects.

16.1.2 List of relevant P phrases

16.2 Training advice

Regular safety training.

16.3 Recommended restriction on use

Only for professional user.
 An individual package of this product or test kit has a moderate hazardous potential.

16.4 Further information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.
 MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

16.5 Sources of key data



MACHEREY-NAGEL GmbH & Co. KG
 Valenciener Str. 11
 52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 931241

VISOCOLOR ECO Nitrate, refill pack

Page: 8/8

Printing date: 09.03.2022

Date of issue: 03.12.2020

Regulation 453/2010/EU REACH - REQUIREMENTS FOR THE COMPILATION OF SAFETY DATA SHEETS
 Regulation 487/2013/EU, 4th adaptation of CLP regulation to technical and scientific progress
 Regulation 669/2018/EU, 4th adaptation of CLP regulation to technical and scientific progress
 Regulation 1480/2018/EU, 4th adaptation of CLP regulation to technical and scientific progress
 Regulation 849/2021/EU, 4th adaptation of CLP regulation to technical and scientific progress
 TRGS 900, German engineering rules governing limits in air at work, updated 03/2019
 SUVA .CH, Limits in air at work 2009, revised on 01.2009
 KÜHN, BIRETT Merkblätter Gefährliche Arbeitsstoffe (Data Sheets of Hazardous Substances)

Revisions/Updates

Reason for Revision: 2016-03 Adaptation of regulation 1221/2015/EU



MACHEREY-NAGEL GmbH & Co. KG
 Valencienner Str. 11
 52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com