


PDS No. 78127x	<b>PRODUCT DATA SHEET</b>			Page 1 of 1
Revision 03	384 Well Deep Well MASTERBLOCK <sup>®</sup> , PP			
	Greiner Item-No. 78127x			
Valid for Item-No.:	<b>781270</b>	<b>781271 (sterile)</b>		

1.	Description / Specification	
1.1	Description	PP Masterblock <sup>®</sup> , 384 deep well, solid V-bottom (conical shape), rounded square well design, alphanumeric well coding 781270: standard 781271: sterile
1.2	Dimensions	See customer drawing
1.3	Volume per well	Total volume: 240 µl (mathematical calculated) Working volume: 20 – 225 µl
1.4	Material / Resin	PP (Polypropylene), free of heavy metal
1.5	Colour	Translucent
1.6	Sterilization	781270: no 781271: SAL 10 <sup>-3</sup>
1.7	Quality Control	- <u>Raw Material-Control</u> : physical testing - <u>Product-Control</u> : testing of attributive and variable characteristics in accordance with the valid specification
1.8	Other Information	For single use only

2.	Features	
2.1	Basic features	Free of detectable DNase/RNase, human DNA and pyrogens.
2.2	Temperature range	-196°C to +121°C
2.3	Autoclavability	No
2.4	Centrifugation, max. RCF	4800 x g: swinging-bucket rotor
2.5	Chemical Resistance	See homepage: <a href="https://www.gbo.com/en_INT/know-how-services/download-center.html">https://www.gbo.com/en_INT/know-how-services/download-center.html</a>
2.6	Shelf life	781270: n/a 781271: 5 years after month of production
2.7	Other Information	-

3.	Packaging	
3.1	Pieces / Bag	6
3.2	Pieces / Box	60
3.3	Lot-No.	E YY MM XXX (manufacturing facility, year, month, consecutive SAP-No.)
3.4	Other Information	Certificate of Quality

4.	Other Information
	-

Data Sheet subject to change without notice!

Prior Issue	Drawn	Approved	Released	<b>CONFIDENTIAL:</b> Information contained in this document or drawing is confidential and proprietary to Greiner Bio-One GmbH. This document may not be reproduced for any reason without written permission from Greiner Bio-One GmbH. All rights of design, invention, and copyright are reserved.
Revision 02	Date 2 December 2014	Date 3 December 2014	Date 3 December 2014	
Date 16.12.2009	Name S. Kaelberer	Name R. Heller	Name A. Schulz	

**DISCLAIMER:** The description of a certain product can only be considered as a guidance, because its performance ultimately depends on what the product is used for. Very often performance studies are indispensable.