

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Revision Date 09.09.2020

Version 17.4

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Catalogue No. 114560

Product name COD Cell Test Method: photometric 4.0 - 40.0 mg/l

Spectroquant®

COD

REACH Registration

This product is a mixture. REACH Registration Number see

Number

section 3.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Reagent for analysis

Scientific research and development

For additional information on uses please refer to the Merck

Chemicals portal (www.merckgroup.com).

1.3 Details of the supplier of the safety data sheet

Company Merck KGaA * 64271 Darmstadt * Germany * Phone: +49

6151 72-0

Responsible Department LS-QHC * e-mail: prodsafe@merckgroup.com

your country.

1.4 Emergency telephone Please contact the regional company representation in

number

SECTION 2. Hazards identification

2.1 Classification of the substance or mixture Classification (REGULATION (EC) No 1272/2008)



Catalogue No. 114560

Product name COD Cell Test Method: photometric 4.0 - 40.0 mg/l Spectroquant®

COD

Corrosive to metals, Category 1, H290

Acute toxicity, Category 4, Oral, H302

Acute toxicity, Category 3, Dermal, H311

Skin corrosion, Category 1A, H314

Specific target organ toxicity - repeated exposure, Category 2, Kidney, H373

Short-term (acute) aquatic hazard, Category 1, H400

Long-term (chronic) aquatic hazard, Category 1, H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 Label elements

Labelling.(REGULATION (EC) No 1272/2008)

Hazard pictograms









Signal word Danger

Hazard statements

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H373 May cause damage to organs (Kidney) through prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

Prevention

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/physician.

Reduced labelling (≤125 ml)

Hazard pictograms









Signal word Danger

Merck

Catalogue No.

COD Cell Test Method: photometric 4.0 - 40.0 mg/l Spectroquant® Product name

COD

Hazard statements

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

Precautionary statements

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/ physician.

Contains: sulphuric acid, mercury(II) sulphate

2.3 Other hazards

None known.

SECTION 3. Composition/information on ingredients

Chemical nature

Aqueous sulfuric acid solution of inorganic compounds.

3.1 Substance

Not applicable

3.2 Mixture

Hazardous components (REGULATION (EC) No 1272/2008)

Chemical name (Concentration)

CAS-No. Registration Classification

number

sulphuric acid (>= 50 % - <= 100 %)

Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

7664-93-9 01-2119458838-

> 20-XXXX Corrosive to metals, Category 1, H290

Skin corrosion, Category 1A, H314

mercury(II) sulphate (>= 0.5 % - < 1 %)

The concentration stated or, in the absence of such concentrations, the generic concentrations set out in this Regulation are the percentages by weight of the metallic element calculated with reference to the total weight of

the mixture.

01-2120118583-Acute toxicity, Category 2, H330 59-XXXX Acute toxicity, Category 1, H310

Acute toxicity, Category 2, H300

Specific target organ toxicity - repeated exposure,

Category 2, H373

Short-term (acute) aquatic hazard, Category 1, H400 Long-term (chronic) aquatic hazard, Category 1, H410

M-Factor: 1

silver sulfate (>= 0.25 % - < 1 %)

10294-26-5 *)

7783-35-9

Serious eye damage, Category 1, H318

Short-term (acute) aquatic hazard, Category 1, H400 Long-term (chronic) aquatic hazard, Category 1, H410

M-Factor: 1.000

Page 3 of 15



Catalogue No. 114560

Product name COD Cell Test Method: photometric 4.0 - 40.0 mg/l Spectroquant®

COD

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4. First aid measures

4.1 Description of first aid measures

General advice

First aider needs to protect himself.

After inhalation: fresh air. Call in physician.

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

4.2 Most important symptoms and effects, both acute and delayed

Irritation and corrosion, Cough, Shortness of breath Risk of blindness!

Mercury compounds have a cytotoxic and protoplasmatoxic effect. Intoxication symptoms: acute: contact with eye causes severe lesions. Swallowing and inhalation of dusts damages mucous membranes of gastrointestinal and respiratory tract (metallic taste, nausea, vomiting, abdominal pain, bloody diarrhoea, intestinal burns, glottal oedema, aspiration pneumonia); drop in blood pressure, cardiac dysrhythmia, circulatory collapse, and renal failure; chronic: inflammation of the mouth with loss of teeth and mercurial line. The principal signs manifest themselves in the CNS (impaired speech, vision, hearing, and sensitivity, loss of memory, irritability, hallucinations, delirium inter alia).

4.3 Indication of any immediate medical attention and special treatment needed No information available.

SECTION 5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

MERCK

Page 4 of 15

^{*)} A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

Catalogue No. 11456

Product name COD Cell Test Method: photometric 4.0 - 40.0 mg/l Spectroquant®

COD

5.2 Special hazards arising from the substance or mixture

Not combustible.

Ambient fire may liberate hazardous vapours.

Fire may cause evolution of:

Sulphur oxides, mercury vapours

5.3 Advice for firefighters

Special protective equipment for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Suppress (knock down) gases/vapours/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapours, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

6.4 Reference to other sections

Indications about waste treatment see section 13.

SECTION 7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Observe label precautions.

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

Hygiene measures

Change contaminated clothing and immerse in water. Preventive skin protection Wash hands and face after working with substance.

7.2 Conditions for safe storage, including any incompatibilities



Catalogue No. 114560

Product name COD Cell Test Method: photometric 4.0 - 40.0 mg/l Spectroquant®

COD

Requirements for storage areas and containers

No metal containers.

Storage conditions

Tightly closed. Dry. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorised persons.

Recommended storage temperature see product label.

The data applies to the entire pack.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8. Exposure controls/personal protection

8.1 Control parameters

Derived No Effect Level (DNEL)

sulphuric acid (7664-93-9)

Worker DNEL, acute Local effects inhalation 0,1 mg/m³

Worker DNEL, Local effects inhalation 0,05 mg/m³

longterm

Predicted No Effect Concentration (PNEC)

sulphuric acid (7664-93-9)

PNEC Fresh water 0,0025 mg/l

PNEC Fresh water sediment 0,002 mg/kg

PNEC Marine water 0,00025 mg/l

PNEC Marine sediment 0,002 mg/kg

PNEC Sewage treatment plant 8,8 mg/l

8.2 Exposure controls

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye/face protection

Tightly fitting safety goggles



Catalogue No. 114560

Product name COD Cell Test Method: photometric 4.0 - 40.0 mg/l Spectroquant®

COD

Hand protection

full contact:

Glove material: Viton®
Glove thickness: 0,70 mm
Break through time: > 480 min

splash contact:

Glove material: butyl-rubber
Glove thickness: 0,7 mm
Break through time: > 120 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 890 Vitoject® (full contact), KCL 898 Butoject® (splash contact).

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment
Acid-resistant protective clothing

Respiratory protection

required when vapours/aerosols are generated.

Recommended Filter type: combination filter ABEK Hg P3

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

Environmental exposure controls

Do not let product enter drains.

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form liquid

Colour yellow

Odour odourless

Odour Threshold Not applicable

pH < 1

at 20 °C

Melting point No information available.

Boiling point No information available.

Merck

Catalogue No. 114560

Product name COD Cell Test Method: photometric 4.0 - 40.0 mg/l Spectroquant®

COD

Flash point No information available.

Evaporation rate No information available.

Flammability (solid, gas) No information available.

Lower explosion limit No information available.

Upper explosion limit No information available.

Vapour pressure No information available.

Relative vapour density No information available.

Density ca.1,81 g/cm3

at 20 °C

Relative density No information available.

Water solubility at 20 °C

soluble, (caution! development of heat)

No information available.

Partition coefficient: n-

octanol/water

Auto-ignition temperature No information available.

Decomposition temperature No information available.

Viscosity, dynamic No information available.

Explosive properties Not classified as explosive.

Oxidizing properties Oxidizing potential

9.2 Other data

Corrosion May be corrosive to metals.

SECTION 10. Stability and reactivity

10.1 Reactivity

has a corrosive effect

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

A risk of explosion and/or of toxic gas formation exists with the following substances: Violent reactions possible with:

Merck

Catalogue No. 114560

Product name COD Cell Test Method: photometric 4.0 - 40.0 mg/l Spectroquant®

COD

Water, Alkali metals, alkali compounds, Ammonia, Aldehydes, acetonitrile, Alkaline earth metals, alkalines, Acids, alkaline earth compounds, Metals, metal alloys, Oxides of phosphorus, phosphorus, hydrides, halogen-halogen compounds, oxyhalogenic compounds, permanganates, nitrates, carbides, combustible substances, organic solvent, acetylidene, Nitriles, organic nitro compounds, anilines, Peroxides, picrates, nitrides, lithium silicide, iron(III) compounds, bromates, chlorates, Amines, perchlorates, hydrogen peroxide

10.4 Conditions to avoid

no information available

10.5 Incompatible materials

animal/vegetable tissues

Metals

Gives off hydrogen by reaction with metals.

10.6 Hazardous decomposition products

in the event of fire: See section 5.

SECTION 11. Toxicological information

11.1 Information on toxicological effects Mixture

Acute oral toxicity

Acute toxicity estimate: 691,12 mg/kg

Calculation method

Acute inhalation toxicity

Acute toxicity estimate: > 5 mg/l; 4 h; dust/mist

Calculation method

Acute dermal toxicity

Acute toxicity estimate: 691,05 mg/kg

Calculation method

Skin irritation

Mixture causes severe burns.

Eye irritation

Mixture causes serious eye damage. Risk of blindness!

Sensitisation

This information is not available.

Germ cell mutagenicity

This information is not available.

Carcinogenicity

This information is not available.

Reproductive toxicity

This information is not available.

Teratogenicity

This information is not available.



Catalogue No. 11456

Product name COD Cell Test Method: photometric 4.0 - 40.0 mg/l Spectroquant®

COD

Specific target organ toxicity - single exposure

This information is not available.

Specific target organ toxicity - repeated exposure

Mixture may cause damage to organs through prolonged or repeated exposure.

Target Organs: Kidney

Aspiration hazard

This information is not available.

11.2 Further information

After inhalation of aerosols: damage to the affected mucous membranes. After skin contact: severe burns with formation of scabs. After eye contact: burns, corneal lesions. After swallowing: severe pain (risk of perforation!), nausea, vomiting and diarrhoea. After a latency period of several weeks possibly pyloric stenosis. Mercury compounds have a cytotoxic and protoplasmatoxic effect. Intoxication symptoms: acute: contact with eye causes severe lesions. Swallowing and inhalation of dusts damages mucous membranes of gastrointestinal and respiratory tract (metallic taste, nausea, vomiting, abdominal pain, bloody diarrhoea, intestinal burns, glottal oedema, aspiration pneumonia); drop in blood pressure, cardiac dysrhythmia, circulatory collapse, and renal failure; chronic: inflammation of the mouth with loss of teeth and mercurial line. The principal signs manifest themselves in the CNS (impaired speech, vision, hearing, and sensitivity, loss of memory, irritability, hallucinations, delirium inter alia).

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

Components

sulphuric acid

Acute oral toxicity

LD50 Rat: 2.140 mg/kg (ECHA)

Repeated dose toxicity

Rat female Inhalation

dust/mist 28 d daily

LOAEL: 0,0003 mg/l OECD Test Guideline 412

Subacute toxicity

Germ cell mutagenicity Genotoxicity in vitro

Ames test

Salmonella typhimurium

Result: negative

(HSDB)

mercury(II) sulphate



Catalogue No. 11456

Product name COD Cell Test Method: photometric 4.0 - 40.0 mg/l Spectroquant®

COD

Acute inhalation toxicity

Acute toxicity estimate: 0,051 mg/l; dust/mist

Expert judgement

silver sulfate

Acute oral toxicity

LD50 Rat: > 5.000 mg/kg OECD Test Guideline 401

Skin irritation

Rabbit

Result: No skin irritation OECD Test Guideline 404

Eye irritation

Rabbit

Result: Corrosive

OECD Test Guideline 405

Germ cell mutagenicity Genotoxicity in vitro

Mutagenicity (mammal cell test): micronucleus.

Human lymphocytes

Result: negative

Method: OECD Test Guideline 487

SECTION 12. Ecological information

Mixture

12.1 Toxicity

No information available.

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

12.6 Other adverse effects

Additional ecological information

Biological effects:

Harmful effect due to pH shift. Caustic even in diluted form.

Discharge into the environment must be avoided.

Components

sulphuric acid

Toxicity to daphnia and other aquatic invertebrates static test EC50 Daphnia magna (Water flea): > 100 mg/l; 48 h Analytical monitoring: yes OECD Test Guideline 202



Catalogue No.

COD Cell Test Method: photometric 4.0 - 40.0 mg/l Spectroguant® Product name

COD

Toxicity to algae

static test EC50 Desmodesmus subspicatus (green algae): > 100 mg/l; 72 h

Analytical monitoring: yes OECD Test Guideline 201

Biodegradability

Hydrolysis

Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

mercury(II) sulphate

Toxicity to fish

LC50 Pimephales promelas (fathead minnow): 0,19 mg/l; 96 h (Hommel)

Toxicity to algae

IC5 M.aeruginosa: 0,005 mg/l(maximum permissible toxic concentration) (Hommel)

M-Factor

silver sulfate

Toxicity to fish

semi-static test LC50 Pimephales promelas (fathead minnow): 0,0017 mg/l; 96 h

Analytical monitoring: yes

US-EPA

Toxicity to daphnia and other aquatic invertebrates

semi-static test LC50 Daphnia magna (Water flea): 0,00032 mg/l; 48 h

Analytical monitoring: yes(Lit.)

Toxicity to algae

flow-through test EC10 Pseudokirchneriella subcapitata (green algae): 0,00059 mg/l; 24 h

Analytical monitoring: yes(ECHA)

Toxicity to fish (Chronic toxicity)

flow-through test NOEC Pimephales promelas (fathead minnow): 0,00051 mg/l; 32 d

Analytical monitoring: yes(ECHA)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) semi-static test EC10 Daphnia magna (Water flea): 0,00308 mg/l; 21 d

Analytical monitoring: yes

(ECHA)

M-Factor

1.000



Catalogue No. 114560

Product name COD Cell Test Method: photometric 4.0 - 40.0 mg/l Spectroquant®

COD

SECTION 13. Disposal considerations

Waste treatment methods

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14. Transport information

Land transport (ADR/RID)

14.1 UN number UN 3316

14.2 Proper shipping CHEMICAL KIT

name

14.3 Class 9 **14.4 Packing group** II **14.5 Environmentally** ---

hazardous

14.6 Special precautions yes

for user

Tunnel restriction code E

Inland waterway transport (ADN)

Not relevant

Air transport (IATA)

14.1 UN number UN 3316 **14.2 Proper shipping** CHEMICAL KIT

name

14.3 Class 9
14.4 Packing group II
14.5 Environmentally --hazardous

iiuzui uous

14.6 Special precautions no

for user

Sea transport (IMDG)

14.1 UN number UN 3316 **14.2 Proper shipping** CHEMICAL KIT

name

14.3 Class914.4 Packing groupII14.5 Environmentally--

hazardous

14.6 Special precautions yes

for user

EmS F-A S-P



Catalogue No. 11456

Product name COD Cell Test Method: photometric 4.0 - 40.0 mg/l Spectroquant®

COD

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not relevant

THIS TRANSPORT DATA APPLIES TO THE ENTIRE PACK!

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Major Accident Hazard

Legislation

96/82/EC Toxic

2

Quantity 1: 50 t Quantity 2: 200 t

96/82/EC

Dangerous for the environment

9a

Quantity 1: 100 t Quantity 2: 200 t

SEVESO III

ENVIRONMENTAL HAZARDS

E1

Quantity 1: 100 t Quantity 2: 200 t

Occupational restrictions

Take note of Dir 94/33/EC on the protection of young people at work. Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or

stricter national regulations where applicable.

Regulation (EC) No 1005/2009 on substances not regulated that deplete the ozone layer

Regulation (EC) No 850/2004 of the

not regulated

European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC

Substances of very high concern (SVHC)

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of \geq 0.1 %

(w/w).

National legislation

Storage class 6.1B

Page 14 of 15



Catalogue No. 114560

Product name COD Cell Test Method: photometric 4.0 - 40.0 mg/l Spectroquant®

COD

The data applies to the entire pack.

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

SECTION 16. Other information

Full text of H-Statements referred to under sections 2 and 3.

H290	May be corrosive to metals.
H300	Fatal if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Training advice

Provide adequate information, instruction and training for operators.

Key or legend to abbreviations and acronyms used in the safety data sheet Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Regional representation

This information is given on the authorised Safety Data Sheet for your country.

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

