

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Date of issue: 15.02.2019 Version 1.0

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Catalogue No. 100609

Product name Nitrite Cell Test Method: photometric 1.0 - 90.0 mg/l NO₂-N

3.3 - 295.2 mg/l NO₂ - Spectroquant®

N02-

REACH Registration This product is a mixture. REACH Registration Number see

Number section 3.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Reagent for analysis

For additional information on uses please refer to the Merck

Chemicals portal (www.merckgroup.com).

1.3 Details of the supplier of the safety data sheet

Company Merck KGaA * 64271 Darmstadt * Germany * Phone: +49

6151 72-0

Responsible Department LS-QHC * e-mail: prodsafe@merckgroup.com

1.4 Emergency telephone / Please contact the regional company representation in

number your country.

SECTION 2. Hazards identification

2.1 Classification of the substance or mixture Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4, Inhalation, H332

Skin corrosion, Category 1A, H314

For the full text of the H-Statements mentioned in this Section, see Section 16.



Catalogue No. Product name

100609

Nitrite Cell Test Method: photometric 1.0 - 90.0 mg/l NO2-N 3.3 - 295.2 mg/l NO2⁻ Spectroquant®

2.2 Label elements

Labelling.(REGULATION (EC) No 1272/2008)

Hazard pictograms





Signal word Danger

Hazard statements

H314 Causes severe skin burns and eye damage.

H332 Harmful if inhaled.

Precautionary statements

Prevention

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. Response

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/ physician.

Reduced labelling (≤125 ml)

Hazard pictograms





Signal word Danger

Hazard statements

H314 Causes severe skin burns and eye damage.

Precautionary statements

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/ physician.

2.3 Other hazards

None known.

SECTION 3. Composition/information on ingredients

Page 2 of 12



Catalogue No. 100609

Nitrite Cell Test Method: photometric 1.0 - 90.0 mg/l NO2-N 3.3 - 295.2 mg/l NO2⁻ Spectroquant® Product name

N02-

Chemical nature

Aqueous solution of inorganic compounds.

3.1 Substance Not applicable

3.2 Mixture

Hazardous components (REGULATION (EC) No 1272/2008)

Chemical name (Concentration)

CAS-No. Registration Classification

number

dipotassium disulphate (>= 20 % - < 25 %)

7790-62-7 01-2119987095-

> 26-XXXX Acute toxicity, Category 3, H331

Skin corrosion, Category 1A, H314

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4. First aid measures

4.1 Description of first aid measures

General advice

First aider needs to protect himself.

After inhalation: fresh air. Call in physician.

If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin

with water/ shower. Call a physician immediately.

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

4.2 Most important symptoms and effects, both acute and delayed

Irritation and corrosion, Cough, Shortness of breath Risk of blindness!

4.3 Indication of any immediate medical attention and special treatment needed No information available.

SECTION 5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

MERCK

Catalogue No. 100609

Nitrite Cell Test Method: photometric 1.0 - 90.0 mg/l NO2-N 3.3 - 295.2 mg/l NO2- Spectroquant® Product name

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Not combustible.

Ambient fire may liberate hazardous vapours.

Fire may cause evolution of:

Sulphur oxides

5.3 Advice for firefighters

Special protective equipment for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Suppress (knock down) gases/vapours/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapours, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10).

Take up with liquid-absorbent and neutralising material (e.g. Chemizorb® H⁺, Merck Art. No. 101595). Dispose of properly. Clean up affected area.

6.4 Reference to other sections

Indications about waste treatment see section 13.

SECTION 7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling Observe label precautions.

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.



Catalogue No. 100609

Nitrite Cell Test Method: photometric 1.0 - 90.0 mg/l NO2-N 3.3 - 295.2 mg/l NO2- Spectroquant® Product name

N02-

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed.

Recommended storage temperature see product label.

The data applies to the entire pack.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8. Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye/face protection

Tightly fitting safety goggles

Hand protection

full contact:

Glove material: Nitrile rubber Glove thickness: 0.11 mm Break through time: 480 min

splash contact:

Glove material: Nitrile rubber Glove thickness: 0,11 mm Break through time: 480 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 741 Dermatril® L (full contact), KCL 741 Dermatril® L (splash contact).



Catalogue No. 100609

Nitrite Cell Test Method: photometric 1.0 - 90.0 mg/l NO2-N 3.3 - 295.2 mg/l NO2- Spectroquant® Product name

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment Acid-resistant protective clothing

Respiratory protection

required when vapours/aerosols are generated.

Recommended Filter type: filter ABEK

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

Environmental exposure controls

Do not let product enter drains.

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

liquid Form

Colour colourless

Odour No strong odour known.

Odour Threshold No information available.

0,2 pН

at 20 °C

Melting point No information available.

No information available. Boiling point

Flash point Not applicable

No information available. Evaporation rate

Flammability (solid, gas) No information available.

Lower explosion limit Not applicable

Upper explosion limit Not applicable

No information available. Vapour pressure



Catalogue No. 100609

Nitrite Cell Test Method: photometric 1.0 - 90.0 mg/l NO2-N 3.3 - 295.2 mg/l NO2- Spectroquant® Product name

Relative vapour density No information available.

1,19 g/cm3 Density

at 20 °C

Relative density No information available.

Water solubility No information available.

Partition coefficient: n-

octanol/water

No information available.

Auto-ignition temperature No information available.

Decomposition temperature No information available.

Viscosity, dynamic No information available.

Not classified as explosive. Explosive properties

Oxidizing properties none

9.2 Other data

none

SECTION 10. Stability and reactivity

10.1 Reactivity

See section 10.3

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

10.3 Possibility of hazardous reactions

Violent reactions possible with:

The generally known reaction partners of water.

10.4 Conditions to avoid

no information available

10.5 Incompatible materials

no information available

10.6 Hazardous decomposition products

in the event of fire: See section 5.



Catalogue No. Product name

100609

Nitrite Cell Test Method: photometric 1.0 - 90.0 mg/l NO2-N 3.3 - 295.2 mg/l NO2- Spectroquant®

SECTION 11. Toxicological information

11.1 Information on toxicological effects **Mixture**

Acute oral toxicity

Symptoms: If ingested, severe burns of the mouth and throat, as well as a danger

of perforation of the oesophagus and the stomach.

Acute inhalation toxicity

Acute toxicity estimate: 13,2 mg/l; 4 h; vapour

Calculation method

Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages:,

damage of respiratory tract

Acute dermal toxicity

This information is not available.

Skin irritation

Mixture causes severe burns.

Eye irritation

Mixture causes serious eye damage. Risk of blindness!

Sensitisation

This information is not available.

Germ cell mutagenicity

This information is not available.

Carcinogenicity

This information is not available.

Reproductive toxicity

This information is not available.

Teratogenicity

This information is not available.

Specific target organ toxicity - single exposure

This information is not available.

Specific target organ toxicity - repeated exposure

This information is not available.

Aspiration hazard

This information is not available.

11,2 Further information

After absorption of large quantities:

Nausea, Stomach/intestinal disorders, Dizziness, Drowsiness

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

Components

dipotassium disulphate

MERCK

Catalogue No. Product name

100609

Nitrite Cell Test Method: photometric 1.0 - 90.0 mg/l NO2-N 3.3 - 295.2 mg/l NO2⁻ Spectroquant®

N0₂-

Acute inhalation toxicity

LC50 Rat: 0,85 mg/l; 4 h; aerosol The value is given in analogy to the following substances:

OECD Test Guideline 403

SECTION 12. Ecological information

Mixture

12.1 Toxicity

No information available.

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

12.6 Other adverse effects

Discharge into the environment must be avoided.

Components

dipotassium disulphate

Toxicity to fish

static test LC50 Pimephales promelas (fathead minnow): 680 mg/l; 96 h US-EPA The value is given in analogy to the following substances:

Toxicity to daphnia and other aquatic invertebrates

static test EC50 Daphnia magna (Water flea): 720 mg/l; 48 h US-EPA The value is given in analogy to the following substances:

Toxicity to algae

static test EC50 Pseudokirchneriella subcapitata (green algae): 1.492 mg/l; 96 h

US-EPA The value is given in analogy to the following substances:

static test EC10 Pseudokirchneriella subcapitata (green algae): 656 mg/l; 96 h

US-EPA The value is given in analogy to the following substances:



Catalogue No. 100609

Nitrite Cell Test Method: photometric 1.0 - 90.0 mg/l NO2-N 3.3 - 295.2 mg/l NO2⁻ Spectroquant® Product name

SECTION 13. Disposal considerations

Waste treatment methods

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14. Transport information

Land transport (ADR/RID)

14.1 - 14.6 Not classified as dangerous in the meaning of

transport regulations.

Inland waterway transport (ADN)

Not relevant

Air transport (IATA)

14.1 - 14.6 Not classified as dangerous in the meaning of

transport regulations.

Sea transport (IMDG)

14.1 - 14.6 Not classified as dangerous in the meaning of

transport regulations.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not relevant

THIS TRANSPORT DATA APPLIES TO THE ENTIRE PACK!

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Major Accident Hazard 96/82/EC

Legislation Directive 96/82/EC does not apply

> SEVESO III Not applicable

Occupational restrictions Take note of Dir 94/33/EC on the protection of young

people at work. Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or

stricter national regulations where applicable.

Regulation (EC) No 1005/2009 on substances not regulated that deplete the ozone layer

MERCK

Catalogue No. 100609

Nitrite Cell Test Method: photometric 1.0 - 90.0 mg/l NO2-N 3.3 - 295.2 mg/l NO2- Spectroquant® Product name

Regulation (EC) No 850/2004 of the

European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC

not regulated

Substances of very high concern (SVHC)

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of ≥ 0.1 % (w/w).

National legislation

Storage class 10 - 13 The data applies to the entire pack.

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

SECTION 16. Other information

Full text of H-Statements referred to under sections 2 and 3.

Causes severe skin burns and eye damage.

H331 Toxic if inhaled.

Training advice

Provide adequate information, instruction and training for operators.

Labelling

Hazard pictograms





Signal word Danger

Hazard statements

H314 Causes severe skin burns and eye damage.

H332 Harmful if inhaled.

Precautionary statements

Prevention

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response



Catalogue No. Product name

100609

Nitrite Cell Test Method: photometric 1.0 - 90.0 mg/l NO2-N 3.3 - 295.2 mg/l NO2⁻ Spectroquant®

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/ physician.

Key or legend to abbreviations and acronyms used in the safety data sheet Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Regional representation

This information is given on the authorised Safety Data Sheet for your country.

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

