

GENERAL PURPOSE WATER BATH 5 LITER

Product # WBE05A11B



Key Features:

- Displays actual and set point temperature simultaneously
- Programmable pre-sets for frequently used temperatures
- Integrated timer
- Hinged gable cover
- Calibration off-set feature
- Reservoir sizes from 2 to 28 liters
- Reservoir made of 304 Stainless Steel
- Reservoir drain (10 liter and larger baths)
- Primary and automatic safety thermostats

- Also compatible with waterless bath beads
- All 220-240V units are compatible with both 50Hz and 60Hz electrical systems

COMMON SPECIFICATIONS

Working Temperature Range °F	Ambient +10° to 212°
Working Temperature Range °C	Ambient +5° to 100°
Reservoir Capacity (gallons)	1.32
Reservoir Capacity (liters)	5
Reservoir/Tank Material	Stainless Steel
Reservoir Cover	Hinged Gable
Working Access (L x W x D) (inches)	5 x 10.8 x 6
Working Access (L x W x D) (cm)	12.7 x 27.4 x 15.2
Temperature Stability °C	±0.1°

Display	Full-color TFT
---------	----------------

Flammability Class (DIN 12876-1)	I (NFL)
--	---------

Over- Temperature Protection / Failsafe Heater Control	Yes
--	-----

Maximum Ambient Temperature °F	104°
--------------------------------------	------

Maximum Ambient Temperature °C	40°
--------------------------------------	-----

Shipping Weight (pounds)	14.00
-----------------------------	-------

Shipping Weight (kilograms)	6.40
-----------------------------------	------

60 HZ ONLY

Part Number for 60 Hz Model	WBE05A11B
--------------------------------	-----------

Included Hardware (60Hz)	Sample Tray
--------------------------------	-------------

Heater Wattage (60hz)	360
--------------------------	-----

Electrical Requirements (VAC/Hz/Ph/A) (60Hz)	120/60/1/3.3
---	--------------

Regulatory Approvals (60Hz)	ETL
-----------------------------------	-----

50 HZ ONLY

Part Number for 50 Hz Model	WBE05A12E
--------------------------------	-----------

Electrical Requirements (VAC/Hz/Ph/A) (50Hz)	240/50/1/1.6
---	--------------

DOMINIQUE DUTSCHER SAS