

Technical Datasheet

Update on 10-02-2022

1. Description of product

Product	:	Safetybag
Reference number	:	460911
Size	:	590 x 620 mm (tolerance \pm 5 mm)
Use	:	Transport of Biological Substances
Qualification	:	ADR, packaging regulation P620/650
Remarks	:	Opening on short side Easy to open notches on both sides Unique number and barcode (type 39)



2. Material

Film	:	Polyethylene (LDPE), transparent
Film thickness	:	70 μ m (\pm 10%)
Adhesive	:	Hot melt with high adhesive power, solvent free
Colors	:	Solvent based pigment colors During the production process the solvent vapors are extracted and recycled thermally
Remarks	:	Latex free and no softeners

3. Closure system

Security Closure	:	Special tape closure, impervious to fluid
Masking tape	:	Release paper (one-side siliconized), white

Technical Datasheet

Update on 10-02-2022

4. Print

Flex print : Three colors → black, blue and writable white
Tape print : SAFETYBAG (repetitive)

5. Sealing

Type of sealing : Double shrink seal

6. Packaging

Standard : 100 pieces / sub packaging
250 pieces / carton
6.000 pieces / palette
HS code : 39232100
EAN code : 8712963008161

7. Processing

Safetybags should be fixed at temperature $> + 10^{\circ}\text{C}$. After removing the protection paper, seal the opening well by pressing firmly over the entire closure surface.

8. Stocking

When kept in a dark and dry place at room temperature (between $+ 10^{\circ}\text{C}$ and $+ 30^{\circ}\text{C}$), the pouches can be stored for at least 2 years.

9. Disposal

The product can be burnt in a municipal waste incinerator or can be recycled.