

Version: N°1 (19/04/2019)

(ELCOPHARMA) EUROCHIMIC-SOCHIPHARM

IDOS 45 - IDOQU

Date: 26/09/2023 Page 1/11 Revision: N°10 (19/04/2019)

**SAFETY DATA SHEET** (REACH regulation (EC) n° 1907/2006 - n° 2015/830)

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE **COMPANY/UNDERTAKING**

#### 1.1. Product identifier

Product name: IDOS 45 Product code: IDOQU.

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

N/A

Is not intended for public use. For professional use only.

#### 1.3. Details of the supplier of the safety data sheet

Registered company name: (ELCOPHARMA) EUROCHIMIC-SOCHIPHARM.

Address: ZI - 20 RUE EDOUARD BOUTHIER.89500.VILLENEUVE/YONNE.FRANCE.

Telephone: +33(0)386876363. Fax: +33(0)386873535.

info@elcopharma.com www.elco-pharma.fr

#### 1.4. Emergency telephone number: +33 (0)1 45 42 59 59.

Association/Organisation: INRS / ORFILA http://www.centres-antipoison.net.

#### **SECTION 2: HAZARDS IDENTIFICATION**

# 2.1. Classification of the substance or mixture

#### In compliance with EC regulation No. 1272/2008 and its amendments.

Flammable liquid, Category 3 (Flam. Liq. 3, H226).

Acute oral toxicity, Category 4 (Acute Tox. 4, H302).

Skin corrosion, Category 1B (Skin Corr. 1B, H314).

Serious eye damage, Category 1 (Eye Dam. 1, H318).

Hazardous to the aquatic environment - Acute hazard, Category 1 (Aquatic Acute 1, H400).

#### 2.2. Label elements

Biocidal detergent mixture (see section 15).

# In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms:









GHS05

GHS09

GHS02

GHS07

Signal Word:

DANGER

Product identifiers:

EC 230-525-2

DIDECYLDIMETHYLAMMONIUM CHLORIDE

Hazard statements:

H226 Flammable liquid and vapour. H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H400 Very toxic to aquatic life.



Version: N°1 (19/04/2019)

(ELCOPHARMA) EUROCHIMIC-SOCHIPHARM

#### IDOS 45 - IDOQU

Precautionary statements - Prevention:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

P264 Wash thoroughly with water after handling.

P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face

protection/hearing protection/ ...

Precautionary statements - Response :

P301 + P312 IF SWALLOWED: Call a POISON CENTER/doctor/.../if you feel unwell.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse

skin with water [or shower].

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

Date: 26/09/2023 Page 2/11 Revision: N°10 (19/04/2019)

P310 Immediately call a POISON CENTER or a doctor.

P363 Wash contaminated clothing before reuse.

P391 Collect spillage.

Precautionary statements - Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.

Precautionary statements - Disposal:

P501 Dispose of contents / container in accordance with local regulations.

#### 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2. Mixtures

#### **Composition:**

Composition:			
Identification	Classification (EC) 1272/2008	Note	%
CAS: 7173-51-5	GHS06, GHS05, GHS09		10 <= x % < 25
EC: 230-525-2	Dgr		
	Acute Tox. 3, H301		
DIDECYLDIMETHYLAMMONIUM	Skin Corr. 1B, H314		
CHLORIDE	Aquatic Acute 1, H400		
	M Acute = 10		
INDEX: 603-117-00-0	GHS02, GHS07	[1]	2.5 <= x % < 10
CAS: 67-63-0	Dgr		
EC: 200-661-7	Flam. Liq. 2, H225		
	Eye Irrit. 2, H319		
PROPAN-2-OL	STOT SE 3, H336		

# Information on ingredients:

(Full text of H-phrases: see section 16)

[1] Substance for which maximum workplace exposure limits are available.

# **SECTION 4: FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

# 4.1. Description of first aid measures



Version: N°1 (19/04/2019)

(ELCOPHARMA) EUROCHIMIC-SOCHIPHARM

#### **IDOS 45 - IDOQU**

Date: 26/09/2023 Page 3/11 Revision: N°10 (19/04/2019)

#### In the event of splashes or contact with eyes:

Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open.

Regardless of the initial state, refer the patient to an ophthalmologist and show him the label.

#### In the event of splashes or contact with skin:

Remove any soiled or splashed clothing immediately.

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

If the contaminated aera is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital.

# In the event of swallowing:

Do not give the patient anything orally.

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water, administer activated medical charcoal and consult a doctor.

Keep the person exposed at rest. Do not force vomiting.

Seek medical attention immediately, showing the label.

If swallowed accidentally, call a doctor to ascertain whether observation and hospital care will be necessary. Show the label.

#### 4.2. Most important symptoms and effects, both acute and delayed

No data available.

## 4.3. Indication of any immediate medical attention and special treatment needed

No data available.

#### **SECTION 5: FIREFIGHTING MEASURES**

Flammable.

Chemical powders, carbon dioxide and other extinguishing gas are suitable for small fires.

#### 5.1. Extinguishing media

Keep packages near the fire cool, to prevent pressurised containers from bursting.

#### Suitable methods of extinction

In the event of a fire, use:

- sprayed water or water mist
- water with AFFF (Aqueous Film Forming Foam) additive
- halon
- foam
- multipurpose ABC powder
- BC powder
- carbon dioxide (CO2)

Prevent the effluent of fire-fighting measures from entering drains or waterways.

#### Unsuitable methods of extinction

In the event of a fire, do not use:

- water jet

# 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

## 5.3. Advice for firefighters

Fire-fighting personnel are to be equipped with autonomous insulating breathing apparatus.



Version: N°1 (19/04/2019)

(ELCOPHARMA) EUROCHIMIC-SOCHIPHARM

IDOS 45 - IDOQU

Date: 26/09/2023 Page 4/11 Revision: N°10 (19/04/2019)

# SECTION 6 : ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

#### For non first aid worker

Because of the organic solvents contained in the mixture, eliminate sources of ignition and ventilate the area.

Avoid any contact with the skin and eyes.

#### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

#### 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

If the product contaminates waterways, rivers or drains, alert the relevant authorities in accordance with statutory procedures

Use drums to dispose of collected waste in compliance with current regulations (see section 13).

#### 6.3. Methods and material for containment and cleaning up

If the ground is contaminated, once the product has been recovered by sponging with an inert and non-combustible absorbent material, wash the contaminated area in plenty of water.

Clean preferably with a detergent, do not use solvents.

#### 6.4. Reference to other sections

No data available.

# **SECTION 7: HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

#### 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Ensure that there is adequate ventilation, especially in confined areas.

Remove contaminated clothing and protective equipment before entering eating areas.

Emergency showers and eye wash stations will be required in facilities where the mixture is handled constantly.

#### Fire prevention:

Handle in well-ventilated areas.

Vapours are heavier than air. They can spread along the ground and form mixtures that are explosive with air.

Prevent the formation of flammable or explosive concentrations in air and avoid vapor concentrations higher than the occupational exposure limits.

Prevent the accumulation of electrostatic charges with connections to earth.

The mixture can become electrostatically charged: always ground when decanting. Wear antistatic shoes and clothing and make floors of non-conductive

Use the mixture in premises free of naked flames or other sources of ignition and ensure that electrical equipment is suitably protected.

Keep packages tightly closed and away from sources of heat, sparks and naked flames.

Do not use tools which may produce sparks. Do not smoke.

Prevent access by unauthorised personnel.

# Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Packages which have been opened must be reclosed carefully and stored in an upright position.

# Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

Never open the packages under pressure.



Version: N°1 (19/04/2019)

(ELCOPHARMA) EUROCHIMIC-SOCHIPHARM

IDOS 45 - IDOQU

Date: 26/09/2023 Page 5/11 Revision: N°10 (19/04/2019)

#### 7.2. Conditions for safe storage, including any incompatibilities

No data available.

#### Storage

Keep the container tightly closed in a dry, well-ventilated place.

Keep away from food and drink, including those for animals.

Keep away from all sources of ignition - do not smoke.

Keep well away from all sources of ignition, heat and direct sunlight.

Avoid accumulation of electrostatic charges.

The floor must be impermeable and form a collecting basin so that, in the event of an accidental spillage, the liquid cannot spread beyond this area.

#### **Packaging**

Always keep in packaging made of an identical material to the original.

#### 7.3. Specific end use(s)

No data available.

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

#### Occupational exposure limits:

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010):

CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:
67-63-0	200 ppm	400 ppm		A4; BEI	

- Germany - AGW (BAuA - TRGS 900, 02/2022):

CAS	VME :	VME:	Excess	Notes
67-63-0		200 ppm		2(II)
		500 mg/m <sup>3</sup>		

- France (INRS - Outils 65 / 2021-1849, 2021-1763, decree of 09/12/2021) :

CAS	VME-ppm:	VME-mg/m3:	VLE-ppm:	VLE-mg/m3:	Notes:	TMP No:
67-63-0	-	-	400	980	-	84

- UK / WEL (Workplace exposure limits, EH40/2005, Fourth Edition 2020) :

CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:
67-63-0	400 ppm	500 ppm			
	999 mg/m <sup>3</sup>	1250 mg/m <sup>3</sup>			

#### Derived no effect level (DNEL) or derived minimum effect level (DMEL):

PROPAN-2-OL (CAS: 67-63-0)

**Final use:** Workers. Exposure method: Ingestion.

Potential health effects: Long term systemic effects.

DNEL: 888 mg/kg body weight/day

Exposure method: Inhalation.

Potential health effects: Long term systemic effects.
DNEL: 500 mg of substance/m3

#### Predicted no effect concentration (PNEC):

PROPAN-2-OL (CAS: 67-63-0)

Environmental compartment: Soil.
PNEC: 28 mg/kg

Environmental compartment: Fresh water. PNEC: 140.9 mg/l



Version: N°1 (19/04/2019)

(ELCOPHARMA) EUROCHIMIC-SOCHIPHARM

#### IDOS 45 - IDOQU

Date: 26/09/2023 Page 6/11 Revision: N°10 (19/04/2019)

Environmental compartment: Sea water. PNEC: 140.9 mg/l

Environmental compartment: Intermittent waste water.

PNEC: 140.9 mg/l

Environmental compartment: Fresh water sediment.

PNEC: 552 mg/kg

Environmental compartment: Waste water treatment plant.

PNEC: 2251 mg/l

#### 8.2. Exposure controls

# Personal protection measures, such as personal protective equipment

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE):







Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

### - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles with protective sides accordance with standard EN166.

In the event of high danger, protect the face with a face shield.

Prescription glasses are not considered as protection.

Individuals wearing contact lenses should wear prescription glasses during work where they may be exposed to irritant vapours.

Provide eyewash stations in facilities where the product is handled constantly.

#### - Hand protection

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended:

- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))

Recommended properties:

- Impervious gloves in accordance with standard EN ISO 374-2

### - Body protection

Avoid skin contact.

Wear suitable protective clothing.

Suitable type of protective clothing:

In the event of substantial spatter, wear liquid-tight protective clothing against chemical risks (type 3) in accordance with EN14605 to prevent skin contact.

In the event of a risk of splashing, wear protective clothing against chemical risks (type 6) in accordance with EN13034 to prevent skin contact.

Wear suitable protective clothing and, in particular, an apron and boots. These items of clothing shall be maintained in good condition and cleaned after use.

Suitable type of protective boots:

In the event of minor spatter, wear protective boots or half-boots against chemical risks in accordance with standard EN13832-2.



Version: N°1 (19/04/2019)

(ELCOPHARMA) EUROCHIMIC-SOCHIPHARM

#### IDOS 45 - IDOQU

In the event of prolonged contact, wear boots or half-boots with liquid-chemical-resistant and waterproof soles and uppers in accordance with standard EN13832-3.

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

#### 9.1. Information on basic physical and chemical properties

**General information:** 

Physical state : Fluid liquid.
Color: pink
Odour: in situ

Important health, safety and environmental information

pH:  $7.50 \pm 0.5$ .

Neutral.

Date: 26/09/2023 Page 7/11 Revision: N°10 (19/04/2019)

Boiling point/boiling range : Not specified. Flash Point : 55.00 °C.

Vapour pressure (50°C): Above 300 kPa (3 bar).

Density: 0,980 à 0,990
Water solubility: Soluble.
Melting point/melting range: Not specified.
Self-ignition temperature: Not specified.
Decomposition point/decomposition range: Not specified.

9.2. Other information

No data available.

# **SECTION 10: STABILITY AND REACTIVITY**

# 10.1. Reactivity

No data available.

#### 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

#### 10.3. Possibility of hazardous reactions

When exposed to high temperatures, the mixture can release hazardous decomposition products, such as carbon monoxide and dioxide, fumes and nitrogen oxide.

#### 10.4. Conditions to avoid

Any apparatus likely to produce a flame or to have a metallic surface at high temperature (burners, electric arcs, furnaces etc.) must not be allowed on the premises.

#### Avoid

- accumulation of electrostatic charges.
- heating
- heat
- flames and hot surfaces
- frost

# 10.5. Incompatible materials

No data available.

# 10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)



Version: N°1 (19/04/2019)

(ELCOPHARMA) EUROCHIMIC-SOCHIPHARM

IDOS 45 - IDOQU

# SECTION 11: TOXICOLOGICAL INFORMATION

#### 11.1. Information on toxicological effects

Harmful if swallowed.

May cause irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis, following exposure between three minutes and one hour.

Corrosive reactions are typified by ulcers, bleeding, bloody scabs, and, by the end of observation at 14 days, by discolouration due to blanching of the skin, complete areas of alopecia, and scars.

#### 11.1.1. Substances

#### Acute toxicity:

DIDECYLDIMETHYLAMMONIUM CHLORIDE (CAS: 7173-51-5)

Oral route: 200 < LD50 <= 300 mg/kg

Species: Rat

OECD Guideline 401 (Acute Oral Toxicity)

Date: 26/09/2023 Page 8/11 Revision: N°10 (19/04/2019)

Dermal route : 2,000 < LD50 <= 5000 mg/kg

Species: Rabbit

#### 11.1.2. Mixture

No toxicological data available for the mixture.

# Monograph(s) from the IARC (International Agency for Research on Cancer):

CAS 67-63-0: IARC Group 3: The agent is not classifiable as to its carcinogenicity to humans.

#### **SECTION 12: ECOLOGICAL INFORMATION**

Very toxic to aquatic organisms.

The product must not be allowed to run into drains or waterways.

#### 12.1. Toxicity

#### 12.1.1. Substances

DIDECYLDIMETHYLAMMONIUM CHLORIDE (CAS: 7173-51-5) Fish toxicity: LC50 = 0.19 mg/l

Factor M = 1

Species : Pimephales promelas Duration of exposure : 96 h

EPA OPP 72-1 (Fish Acute Toxicity Test)

Crustacean toxicity: EC50 = 0.062 mg/l

Factor M = 10

Species : Daphnia magna Duration of exposure : 48 h

Algae toxicity: ECr50 = 0.026 mg/l

Factor M = 10

Species: Pseudokirchnerella subcapitata

Duration of exposure : 96 h

OECD Guideline 201 (Alga, Growth Inhibition Test)

# **12.1.2.** Mixtures

Not release to the environment / water courses.

#### 12.2. Persistence and degradability

The surface-active agent contained in this preparation is readily biodegradable according to the biodegradability criteria laid down in Regulation EC No. 648/2004.



Version: N°1 (19/04/2019)

(ELCOPHARMA) EUROCHIMIC-SOCHIPHARM

#### **IDOS 45 - IDOQU**

Date: 26/09/2023 Page 9/11 Revision: N°10 (19/04/2019)

#### 12.2.1. Substances

DIDECYLDIMETHYLAMMONIUM CHLORIDE (CAS: 7173-51-5)
Biodegradability: Rapidly degradable.

# 12.3. Bioaccumulative potential

No potential for bioaccumulation for this product hydrophilic.

# 12.4. Mobility in soil

No data available.

#### 12.5. Results of PBT and vPvB assessment

No data available.

#### 12.6. Other adverse effects

No data available.

# **SECTION 13: DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

#### 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

### Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

# **SECTION 14: TRANSPORT INFORMATION**

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2017 - IMDG 2016 - ICAO/IATA 2017).

#### 14.1. UN number

1760

# 14.2. UN proper shipping name

UN1760=CORROSIVE LIQUID, N.O.S.

(didecyldimethylammonium chloride)

# 14.3. Transport hazard class(es)

- Classification:



8

# 14.4. Packing group

III



Version: N°1 (19/04/2019)

(ELCOPHARMA) EUROCHIMIC-SOCHIPHARM

IDOS 45 - IDOQU

# 14.5. Environmental hazards

- Environmentally hazardous material :



#### 14.6. Special precautions for user

ADR/RID	Class	Code	Pack gr.	Label	Ident.	LQ		EQ	Cat.	Tunnel
	8	C9	III	8	80	5 L	274	E1	3	E

Date: 26/09/2023 Page 10/11 Revision: N°10 (19/04/2019)

IMDG	Class	2°Label	Pack gr.	LQ	EMS	Provis.	EQ
	8	-	III	5 L	F-A,S-B	223 274	E1

IATA	Class	2°Label	Pack gr.	Passager	Passager	Cargo	Cargo	note	EQ
	8	-	III	852	5 L	856	60 L	A3 A803	E1
	8	-	III	Y841	1 L	-	-	A3 A803	E1

For limited quantities, see part 2.7 of the OACI/IATA and chapter 3.4 of the ADR and IMDG.

For excepted quantities, see part 2.6 of the OACI/IATA and chapter 3.5 of the ADR and IMDG.

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No data available.

#### **SECTION 15: REGULATORY INFORMATION**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2018/1480 (ATP 13)

#### **Container information:**

No data available.

# Particular provisions:

No data available.

#### Labelling for detergents (EC Regulation No. 648/2004,907/2006):

- 5% or more, but less than 15% of: cationic surfactants
- disinfectants

#### Labelling for biocidal products (Regulation (UE) $n^{\circ}$ 528/2012):

Name	CAS	%	Product-type
DIDECYLDIMETHYLAMMONIUM	7173-51-5	100.00 g/kg	04
CHLORIDE			

Product-type 4: Food and feed area.

#### 15.2. Chemical safety assessment

No data available.

# **SECTION 16: OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.



Version: N°1 (19/04/2019)

(ELCOPHARMA) EUROCHIMIC-SOCHIPHARM

#### IDOS 45 - IDOQU

Date: 26/09/2023 Page 11/11 Revision: N°10 (19/04/2019)

#### Wording of the phrases mentioned in section 3:

H225 Highly flammable liquid and vapour.

H301 Toxic if swallowed.

H314 Causes severe skin burns and eye damage.

H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.

H400 Very toxic to aquatic life.

#### Abbreviations and acronyms:

DNEL: Derived No-Effect Level

PNEC: Predicted No-Effect Concentration

STEL : Short-term exposure limit TWA : Time Weighted Averages

TMP : French Occupational Illness table TLV : Threshold Limit Value (exposure)

AEV: Average Exposure Value.

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

 $WGK: Wasserge fahrdungsklasse \ (Water\ Hazard\ Class).$ 

GHS02 : Flame GHS05 : Corrosion

GHS07 : Exclamation mark GHS09 : Environment

PBT: Persistent, bioaccumulable and toxic. vPvB: Very persistent, very bioaccumulable. SVHC: Substances of very high concern.