

# Stainless Steel Multi-Branch Manifold



## Features

- **Quick-assembly and disassembly**  
Each component can be easily removed for cleaning and autoclaving. All wetted parts of MultiVac 300/600 manifold are made of SS316 stainless steel, which has a better chemical resistance.
- **Convertible funnel adaptor**  
Convertible funnel adaptor design allows user to fit the desired funnel (reusable or disposable) easily.
- **Innovative vent valve design**  
An adjustable vent valve integrated with the pipe can eliminate water hammer phenomenon and help drain out residual waste water.
- **Quick-Fit hose barb**  
Detachable hose barb can be connected to either side of the manifold quickly towards the vacuum source.
- **Individual control valve**  
Each branch permits individual control.
- **Compatible with different sizes of filter holders**  
MultiVac 300/600-MS manifold includes No.8 silicone stoppers which can accept various types of filter holders at option.
- **Two-Year Warranty**

## Applications

- Microbiological test
- Chemical experiment
- General laboratory filtration

## Ordering Information

### 180300-01

MultiVac 300-MS, 3 Places SS Manifold with No. 8 stopper funnel adaptor

### 180600-01


MultiVac 600-MS, 6 Places SS Manifold with No. 8 stopper funnel adaptor

### 200300-01

MF 3, 300ml Magnetic Filter Holder with lid kit

### 167110-16

No.8 Silicone Stopper



## Specification

Model	MultiVac 300-MS	MultiVac 600-MS
Number of branch	3	6
Filter diameter	Optional	Optional
Funnel capacity	Optional	Optional
Effective filtration area	Optional	Optional
Hose barb	5/16 inch (8 mm)	5/16 inch (8 mm)
Dimension (LxWxH)	48 x 13 x 16 cm	85 x 13 x 16 cm
Part	Material	Material
Body	SS316	SS316
Control valve / Knob	SS316 / Aluminum	SS316 / Aluminum
Funnel support base	SS316	SS316
Handle	Aluminum	Aluminum
Hose barb / vent valve	SS316	SS316