# Safety Data Sheet

## according to Regulations REACh 1907/2006/EC



## SECTION 1: Identification of the substance/mixture and of the company

### 1.1 Product identifier

REF 985083
Product name NANOCOLOR total Nitrogen TNb 22

REACH Registration number(s): see SECTION 3.1/3.2 or
A registration number for the substance(s) does not exist because the annual tonnage does not require registration or the substance or its use is excluded from registration.

| | |
|---|---|
| 1 x 11 mL $NO_3$ /N (R2) | UFI: WE6U-A31D-7208-6G1H |
| 20 x 4 mL total Nitrogen $TN_b$ 22 (R0) | UFI: 6NMU-83AH-D20G-21SF |
| 1 x 20x 14 mg NANOFIX Compensation reagent | |
| 20 x 0,18 g Decomposition tube $TN_b$ 22 (RA) | UFI: 448U-E3UA-C205-E9PT |

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Relevant identified uses**
Product for analytical use.
Exposure Scenario Classification according REACh, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0
The exposure scenario is integrated into sections 1-16.
**Uses advised against**
not described

### 1.3 Details of the supplier of the safety data sheet

**Manufactured by:**
MACHEREY-NAGEL GmbH & Co. KG
Valencienner Str. 11, 52355 Düren, Germany
Phone: +49 2421 969 0 E-mail: sds@mn-net.com (msds@mn-net.com)

### 1.4 Emergency telephone number

Outside Germany (DE): Call your regional Poisons Information Service or call local Life Saving Service.
DE: Gemeinsames Giftinformationszentrum (GGIZ)
99089 Erfurt tel. +49 361 730 730, **<https://www.ggiz-erfurt.de>**

You find our current versions of SDS in Internet: **<http://www.mn-net.com/SDS>**

## SECTION 2: Hazard identification

### 2.0 Classification of the complete product according to Regulation (EC) 1272/2008



GHS02 GHS03 GHS05 GHS07 GHS08

Signal word DANGER

| Hazard identification | Hazard classes/categories |
|---|---|
| H226 | Flam. Liq. 3 |
| H272 | Ox. Liq. 2 |
| H290 | Met. Corr. 1 |
| H302 | Acute Tox. 4 oral |
| H314 | Skin Corr. 1 B |
| H317 | Skin Sens. 1 |
| H334 | Resp. Sens. 1 |
| H335 | resp. irrit. STOT SE 3 |
| H336 | resp. irrit. STOT SE 3 |

### 2.1 Classification of the substance or mixture according to Regulation (EC) 1272/2008

**0,18 g Decomposition tube $TN_b$ 22 (RA)**



GHS03 GHS07 GHS08

Signal word DANGER

| Hazard identification | Hazard classes/categories |
|---|---|
| H272 | Ox. Liq. 2 |
| H302 | Acute Tox. 4 oral |
| H315 | Skin Irrit. 2 |
| H317 | Skin Sens. 1 |
| H319 | Eye Irrit. 2 |
| H334 | Resp. Sens. 1 |
| H335 | resp. irrit. STOT SE 3 |

**11 mL NO 3 /N (R2)**



GHS02 GHS07

Signal word WARNING

| Hazard identification | Hazard classes/categories |
|---|---|
| H226 | Flam. Liq. 3 |
| H319 | Eye Irrit. 2 |
| H336 | resp. irrit. STOT SE 3 |

**4 mL total Nitrogen TN b 22 (R0)**



GHS05 GHS07

Signal word DANGER

| Hazard identification | Hazard classes/categories |
|---|---|
| H290 | Met. Corr. 1 |
| H302 | Acute Tox. 4 oral |
| H314 | Skin Corr. 1 B |

**20x 14 mg NANOFIX Compensation reagent**

Do not need labelling as hazardous

Signal word -

No hazard class

List of H phrases: see section 16.2

### 2.2 Label elements according regulation (EC) 1272/2008

According **CLP directive** inner packages must be only labelled with GHS symbol(s) and product identificator(s) (EU 1272/2008 Annex I - 1.5.1.2). Inner packages up to 10 mL need max. 2 symbols (Annex I - 1.5.2.4.1 / 2). Harmful chemicals/mixtures with signal word: **WARNING** and highly flammable chemicals/mixtures must not be labelled with H and P phrases **until 125 mL** (EU 1272/2008 Annex I - 1.5.2). This labelling exemption is NOT valid for sensibilizing substances. Oxidizing mixtures with signal word: **DANGER** and **H272** must not be labelled with H and P phrases **until 125 mL** . Metal corrosive solutions **do not have to** be labelled with GHS symbol, signal word, H and P phrases **until 125 mL** (EU 1272/2008 Annex I - 1.5.2.1.3).

**0,18 g Decomposition tube TN $_b$ 22 (RA)**



GHS03 GHS07 GHS08

Signal word: DANGER
H317, H334
May cause an allergic skin reaction.May cause allergy or asthma symptoms or breathing difficulties if inhaled.
P261sh, P280sh, P284, P302+352, P333+313, P342+311, P362+364, P501
Avoid breathing dust/vapours.Wear protective gloves/eye protection.[In case of inadequate ventilation] wear respiratory protection.IF ON SKIN: Wash with plenty of water.If skin irritation or rash occurs: Get medical advice/attention.If experiencing respiratory symptoms: Call a POISON CENTER/doctor.Take off contaminated clothing and wash it before reuse.Dispose of contents/container to regulated waste treatment.

**11 mL NO $_3$ /N (R2)**



GHS02 GHS07

Signal word: WARNING

**4 mL total Nitrogen TN $_b$ 22 (R0)**



GHS05 GHS07

Signal word: DANGER
H314
Causes severe skin burns and eye damage.
P260sh, P264, P280sh, P303+361+353, P305+351+338, P310, P405, P501
Do not breathe dust/vapours.Wash hands thoroughly after handling.Wear protective gloves/eye protection.IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.Immediately call a POISON CENTER/doctor.Store locked up.Dispose of contents/container to regulated waste treatment.

**20x 14 mg NANOFIX Compensation reagent**
Do not need labelling as hazardous
Signal word: -

### Label elements of the complete product



GHS02 GHS03 GHS05 GHS08

Signal word: DANGER
H314, H317, H334
Causes severe skin burns and eye damage.May cause an allergic skin reaction.May cause allergy or asthma symptoms or breathing difficulties if inhaled.
P260sh, P264, P280sh, P284, P303+361+353, P305+351+338, P310, P333+313, P405, P501
Do not breathe dust/vapours.Wash hands thoroughly after handling.Wear protective gloves/eye protection.[In case of inadequate ventilation] wear respiratory protection.IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.Immediately call a POISON CENTER/doctor.If skin irritation or rash occurs: Get medical advice/attention.Store locked up.Dispose of contents/container to regulated waste treatment.

## 2.3 Other hazards

**Possible hazards from physicochemical properties**
Generally in the case of pH values are less than 2 or higher than 11.5 then it is corrosive. In the case of pH values are less than 5 or higher than 9 then it is irritant. Flammable properties.

**Information pertaining to particular risks to human and possible symptoms**
Causes varying degrees of acid burns on the skin, to the eyes and to the mucous membranes and wounds which do not heal quickly depending on the concentration, temperature and the exposure time. Vapours especially which steam from hot liquids and mist can have a severe irritant effect upon the eyes and the respiratory organs.
Cause after oral intake, inhalation of vapours/dust, skin contact, impairments of health when ingested in small quantities. May cause sensitization by skin contact, also in repeated contact of small amounts. May cause allergy or asthma symptoms or breathing difficulties if inhaled.

**Information pertaining to particular risks to the environment**
Should not be released into the environment.
**PBT:** not applicable
**vPvB:** not applicable

**Possible endocrine disrupting effects**
no data available

# SECTION 3: Composition / information on ingredients

## 3.1 Substances or 3.2 Mixtures

**0,18 g Decomposition tube TN $_b$ 22 (RA)**

Substance name: *sodium carbonate*
CAS No.: 497-19-8

Substance rating: H319, Eye Irrit. 2
Formula: $Na_2CO_3$
Pseudonym (de): Soda
REACH Reg. No.: 01-2119485498-19-xxxx
EC No.: 207-838-8 Indice No.: 011-005-00-2
Concentration: 20 - <50 %
acc. CLP (GHS): H319, Eye Irrit. 2

Substance name: *potassium peroxydisulfate*
CAS No.: 7727-21-1

Substance rating: H272, Ox. Sol. 2, H302, Acute Tox. 4 oral, H315, Skin Irrit. 2, H317, Skin Sens. 1, H319, Eye Irrit. 2, H334, Resp. Sens. 1, H335, resp. irrit. STOT SE 3
Formula: $K_2O_8S_2$
Pseudonym (de): Kaliumpersulfat
REACH Reg. No.: 01-2119495676-19-xxxx
EC No.: 231-781-8 Indice No.: 016-061-00-1
Concentration: 60 - <80 %
acc. CLP (GHS): H272, Ox. Liq. 2, H302, Acute Tox. 4 oral, H315, Skin Irrit. 2, H317, Skin Sens. 1, H319, Eye Irrit. 2, H334, Resp. Sens. 1, H335, resp. irrit. STOT SE 3

**11 mL $NO_3$/N (R2)**

Substance name: *2,6-dimethylphenol*
CAS No.: 576-26-1

Substance rating: H301, Acute Tox. 3 oral, H311, Acute Tox. 3 derm., H314, Skin Corr. 1 B, H411, Aquatic Chronic 2
Formula: $C_8H_{10}O$; $(CH_3)_2$-$C_6H_3$-OH
Pseudonym (de): 2,6-Xylenol
REACH Reg. No.: 01-2119552794-29-xxxx
EC No.: 209-400-1 Indice No.: 604-006-00-X
Concentration: 0,1 - <1 %
acc. CLP (GHS): The criteria for classification are not fulfilled.

Substance name: *2-propanol*
CAS No.: 67-63-0

Substance rating: H225, Flam. Liq. 2, H319, Eye Irrit. 2, H336, resp. irrit. STOT SE 3
Formula: $C_3H_8O$
Pseudonym (de): Isopropanol, IPA, Propan-2-ol
REACH Reg. No.: 01-2119457558-25-XXXX
EC No.: 200-661-7 Indice No.: 603-117-00-0
Concentration: 35 - <50 %
acc. CLP (GHS): H226, Flam. Liq. 3, H319, Eye Irrit. 2, H336, resp. irrit. STOT SE 3

**4 mL total Nitrogen TN $_b$ 22 (R0)**

Substance name: *o-phosphoric acid*
CAS No.: 7664-38-2

Substance rating: H290, Met. Corr. 1, H302, Acute Tox. 4 oral, H314, Skin Corr. 1 B
Formula: $H_3PO_4 \cdot H_2O$
Pseudonym (de): Orthophosphorsäure, E338
REACH Reg. No.: 01-2119485924-24-xxxx
EC No.: 231-633-2 Indice No.: 015-011-00-6
Concentration: 25 - <40 %
acc. CLP (GHS): H290, Met. Corr. 1, H302, Acute Tox. 4 oral, H314, Skin Corr. 1 B

Substance name: *sulfuric acid*
CAS No.: 7664-93-9

Substance rating: H314, Skin Corr. 1 B
Formula: $H_2SO_4 (\cdot H_2O)$
REACH Reg. No.: 01-2119458838-20-xxxx
EC No.: 231-639-5 Indice No.: 016-020-00-8
Specific concentration limit: Eye Irrit. 2; H319: 5 % ≤ C < 15 % - Skin Irrit. 2; H315: 5 % ≤ C < 15 % - Skin Corr 1A; H314 c ≥ 15%
Concentration: 51 - <65 %
acc. CLP (GHS): H314, Skin Corr. 1 B

**20x 14 mg NANOFIX Compensation reagent**

Substance name: *sodium sulfite*
CAS No.: 7757-83-7

Substance rating: No criteria for classification or naming of chemical not required.
Formula: $Na_2SO_3$, E221
Pseudonym (de): E221, Schwefligsaures Natrium
REACH Reg. No.: 01-2119537420-49-xxxx
EC No.: 231-821-4
Concentration: 70 - <100 %
acc. CLP (GHS): The criteria for classification are not fulfilled.

### 3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%.

List of H and P phrases: see section 16.2.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately. Ensure quiet, warmth, and provide resuscitation if necessary. If necessary contact medical advice. Remove contaminated clothing. Show product package, packing insert and this material safety data sheet to the doctor. Take to a doctor, in a raised position if there are breathing difficulties.

#### 4.1.1 After SKIN Contact

Remove contaminated clothing immediately. Rinse the affected skin or mucous membrane thoroughly for min. 15 minutes under running water. (If possible) use soap. Avoid neutralisation. Then apply a loose bandage.

**4.1.2** **After EYE Contact**
After contact with the eyes rinse thoroughly under running water with the eyelid wide open for min. 10 minutes with eye washing bottle, eye douche or running water (protect intact eye). Before (if possible) apply eye drops Proxymetacaine 0.5%, if the opening the eyelid convulsion is painful. Further treatment to be carried out by an eye specialist.

**4.1.3** **After INHALATION of vapours**
After inhalation of foam or vapour fresh air should be inhaled. Keep airways free. If vomiting and if insensible place patient in recovery position and keep airways free. Administer a Dexamethasone spray as soon as possible. Ensure quiet, warmth, and provide resuscitation if necessary. In the event of respiratory distress ensure that the patient inhales oxygen. Secure the breathing, heart and circulatory function. ---

**4.1.4** **After ORAL Intake**
After oral intake lots of water with activated charcoal supplement should be drunk after it has been ingested. Do not induce vomiting under any circumstances. Do not make any efforts to neutralise it. Contact medical advice for possible consequences.

### 4.2 Most important symptoms and effects, both acute and delayed

May cause allergy or asthma symptoms or breathing difficulties if inhaled. Chronic effects: Repeated contact, even in small amounts, can lead to sensitization. Rapid penetration and destruction of the skin. Especially in the heated form.
Causes severe skin burns and eye damage.

### 4.3 Indication of any immediate medical attention and special treatment needed

CORROSIVE DAMAGE: After SKIN CONTACT rinse with water for a long time. Efforts to neutralise the substance can frequently make matters worse. Apply glucocorticosteroides following inflammatory reactions. After EYE CONTACT rinse immediately with plenty of water for a long time. Eyelid convulsion measures. Name the corrosive chemical. Further treatment must to be carried out by an eye specialist. After INTAKE administer aluminium oxide drug suspensions. Administer a prophylaxis to counter pulmonary oedema following the INGESTION of corrosive aerosols. In the event of RESPIRATORY DISTREES ensure that the patient inhales oxygen. Inform patient respectively further measures and the possibility of long-term damages. ---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

**5.1.1** **Suitable extinguishing media**
Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

**5.1.2** **Unsuitable extinguishing media**
no data available

### 5.2 Special hazards arising from the substance or mixture

WARNING: Flammable (GHS regulation). May form explosive vapour-air mixtures. Formation of hazardous and caustic vapour-air mixtures possible.

### 5.3 Advice for firefighters

No, for listed product.Product package burns like paper or plastic. Spray any vapours released with water. Retent fire water. Use only acid-resistant safety equipment.
For great amount - if necessary - protective breathing apparatus which is independent of the ambient air (isolated equipment), and sealed protective clothing is necessary in the event of a large-scale formation of toxic substances.

### 5.4 Additional information

Danger for environment **only in the event of a large-scale leakage** or formation of hazardous substances.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe vapours. Wear suitable protective gloves (see 8.2.2). Wear eye protection, respectively face protection. Regular staff training is necessary, indicating hazards and precautions on the basis of operating instructions. Restrictions on activity must be observed.

### 6.2 Environmental precautions

Should not be released into the environment.
**PBT:** not applicable
**vPvB:** not applicable

### 6.3 Methods and material for containment and cleaning up

Bind any escaping liquid with inert absorbent. And dispose in accordance to local regulations for the disposal of hazardous chemicals.
Clean any contaminated equipment and floors with plenty of water.
Collect small amounts of leaked liquid and flush with water into drains.

### 6.4 Reference to other sections

see information in section 5.4,7,8 and 13

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product. Use only in well-ventilated working areas. Use a safety bottle when shaking test tubes.

### 7.2 Conditions for safe storage, including any incompatibilities

Safe storage is guaranteed in the original packaging from MACHEREY-NAGEL. Storage class (German chemical industry): see chapter 12.1

**Storage class (VCI):** 3
**Water hazard class (DE):** 2

#### 7.2.1 Requirements for stock rooms and containers

Keep original product packages tightly closed during handling and storage. Use inbreakable container for transport of glass bottles.

### 7.3 Specific end use(s)

Product for analytical use.

## SECTION 8: Exposure controls /personal protection

### 8.1 Control parameters

**0,18 g Decomposition tube TN $_b$ 22 (RA)**

Chemical: *sodium carbonate* CAS No.: 497-19-8
DNEL: 10 $_{inh}$ mg/m³
DNEL = Derived No-Effect Level (for workers)
TRGS 900 (DE): -
E/e respirable

Chemical: *potassium peroxydisulfate* CAS No.: 7727-21-1
DNEL: [derm] 18,2 mg/kg bw/day; [inh] 2.06 mg/m³
DNEL = Derived No-Effect Level (for workers)
TRGS 900 (DE): -
E/e respirable
NIOSH: not listed
[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period
OSHA: not listed

**4 mL total Nitrogen TN $_b$ 22 (R0)**

Chemical: *o-phosphoric acid* CAS No.: 7664-38-2
DNEL: 2.92 mg/m³
DNEL = Derived No-Effect Level (for workers)
EU value: [TWA] 1 /[STEL] 2 mg/m³
TRGS 900 (DE): [8h] 1 / [15min] 2 mg/m³
E/e respirable
Short-term exposure factor: 2 (I), Y
skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded
SUVA(CH) MAK value: 1 mg/m³
NIOSH: TWA 1 / ST 3 mg/m³
NIOSH STEL: 3 mg/m ³
[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period
OSHA: TWA 1 mg/m³

Chemical: *sulfuric acid* CAS No.: 7664-93-9
DNEL: [inh] 50 µg/m³
DNEL = Derived No-Effect Level (for workers)
PNEC (fresh water) : 2.5 µg/L
PNEC = Predicted No Effected Concentration
EU value: 0.1 e mg/m³
TRGS 900 (DE): 0.1 E mg/m³

E/e respirable

Short-term exposure factor: 1 (I), Y
skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 0,1 e mg/m³

NIOSH: NTP Report on Carcinogens (RoC) List Yes (Known to be a human carcinogen); [TWA] 1 mg/m³
[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: [TWA] 1 mg/m³

**20x 14 mg NANOFIX Compensation reagent**

Chemical: *sodium sulfite* CAS No.: 7757-83-7

DNEL: 298 $_{inh}$ mg/m³
DNEL = Derived No-Effect Level (for workers)

TRGS 900 (DE): -
E/e respirable

**11 mL NO $_3$ /N (R2)**

Chemical: *2-propanol* CAS No.: 67-63-0

DNEL: [inh] 500 mg/m³
DNEL = Derived No-Effect Level (for workers)

PNEC $_{(fresh\ water)}$ : 140.9 mg/L
PNEC = Predicted No Effected Concentration

TRGS 900 (DE): 200 ppm / 500 mg/m³
E/e respirable

Short-term exposure factor: 2 (II), Y
skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 200 ppm / 500 mg/m³

TRGS 903 (DE): [Aceton B/b, U/b] 25 mg/L
B blood, U urine, a no limitation, b end of exposition or shift

NIOSH: [TWA] 400 ppm / 980 mg/m³
NIOSH STEL: 500 ppm / 1225 mg/m³
[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: [TWA] 400 ppm / 980 mg/m³

Chemical: *2,6-dimethylphenol* CAS No.: 576-26-1

NIOSH: not listed ppm
[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: not listed ppm

## 8.2 Exposure controls

Good ventilation and extraction system in the room, floor resistant to chemicals with floor drainage and washing facilities. The highest level of cleanliness must be maintained at the workplace.

**8.2.1 Respiratory protection**
Use for open access of these substances for example a protection filter, class A/AX. No additional recommendations.

**8.2.2 Skin protection / Hand protection**
Yes, gloves according EN 374 (permeation time >30 min - level 2), consist of PVC, natural latex, Neopren, or Nitril (f.ex. from Ansell or KCL). Use for short times chemical resistant latex gloves with code EN 374-3 level 1.

**8.2.3 Eye / Face Protection**
Yes, safety glasses according EN 166 with integrated side shields or wrap-around protection or face protection.

**8.2.4 Skin protection**
Recommended to avoid clothing damage, and to avoid contamination with these hazards.

**8.2.5 Personal hygiene**
Eating, drinking, smoking, taking snuff and storage of food in work areas and at outdoor workplaces is prohibited. Avoid contact with the skin, eyes and clothing. Rinse any clothing on which the substance has been spilled, and soak it in water. Wash hands thoroughly with soap and water when stopping work and before eating, and then apply protective skin cream.

**8.2.6 Thermal hazards**
no data available

## 8.3 Limitation and monitoring of environmental exposure

Do not release product into environment.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

**0,18 g Decomposition tube TN $_b$ 22 (RA)**

| | |
|---|---|
| a) State of aggregation: | solid |
| b) Colour: | colourless |
| c) Odor: | odorless |
| d) Melting point: | no data available |
| e) Boiling point: | no data available |
| f) Flammability: | no data available |
| g) Explosive limits (lower / upper): | no data available |
| h) Flash point: | no data available |
| i) Flashing temperature: | no data available |
| j) Decomposition temperature: | no data available |
| k) pH value: | 5-7 |
| l) Kinematic viscosity: | no data available |
| m) Solubility in water: | 0-30 % |
| n) Dispersion coefficient ($K_{o/w}$): | no data available |
| o) Vapour pressure (20°C): | no data available |
| p) Specific gravity: | no data available |
| q) Relative vapour density $_{(air=1)}$: | no data available |
| r) Particle size: | no data available |

**4 mL total Nitrogen TN $_b$ 22 (R0)**

| | |
|---|---|
| a) State of aggregation: | liquid |
| b) Colour: | colourless |
| c) Odor: | odorless |
| d) Melting point: | no data available |
| e) Boiling point: | no data available |
| f) Flammability: | no data available |
| g) Explosive limits (lower / upper): | no data available |
| h) Flash point: | no data available |
| i) Flashing temperature: | no data available |
| j) Decomposition temperature: | no data available |
| k) pH value: | 0-1 |
| l) Kinematic viscosity: | no data available |
| m) Solubility in water: | 0-100 % |
| n) Dispersion coefficient ($K_{o/w}$): | no data available |
| o) Vapour pressure (20°C): | no data available |
| p) Specific gravity: | 1,79 g/cm³ |
| q) Relative vapour density $_{(air=1)}$: | no data available |
| r) Particle size: | no data available |

**20x 14 mg NANOFIX Compensation reagent**

| | |
|---|---|
| a) State of aggregation: | solid (lyophilized) |
| b) Colour: | white |
| c) Odor: | odorless |
| d) Melting point: | no data available |
| e) Boiling point: | no data available |
| f) Flammability: | no data available |
| g) Explosive limits (lower / upper): | no data available |
| h) Flash point: | no data available |
| i) Flashing temperature: | no data available |
| j) Decomposition temperature: | no data available |
| k) pH value: | no data available |
| l) Kinematic viscosity: | no data available |
| m) Solubility in water: | no data available |
| n) Dispersion coefficient ($K_{o/w}$): | no data available |
| o) Vapour pressure (20°C): | no data available |
| p) Specific gravity: | no data available |
| q) Relative vapour density $_{(air=1)}$: | no data available |
| r) Particle size: | no data available |

**11 mL $NO_3$ /N (R2)**

| | |
|---|---|
| a) State of aggregation: | liquid |
| b) Colour: | rose |
| c) Odor: | alcoholic |
| d) Melting point: | no data available |
| e) Boiling point: | no data available |
| f) Flammability: | no data available |
| g) Explosive limits (lower / upper): | no data available |
| h) Flash point: | 18,5 °C |
| i) Flashing temperature: | no data available |
| j) Decomposition temperature: | no data available |
| k) pH value: | 6-8 |
| l) Kinematic viscosity: | no data available |
| m) Solubility in water: | 0-100 % |
| n) Dispersion coefficient ($K_{o/w}$): | no data available |
| o) Vapour pressure (20°C): | no data available |
| p) Specific gravity: | 0,9 g/cm³ |
| q) Relative vapour density $_{(air=1)}$: | no data available |
| r) Particle size: | no data available |

### 9.2 Other information

**9.2.1 Information on physical hazard classes**

no data available

**9.2.2 Other safety-related parameters**

No data is available for the other parameters for the mixtures, since no registration and no chemical safety report is required.

Substances are highly corrosive.

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Strong CORROSIVE, no further data available.

### 10.2 Chemical stability

no known instability.

### 10.3 Possibility of hazardous reactions

Can react violently with organic material. No further data available.

### 10.4 Conditions to avoid

Persulfates decompose when heated by splitting off oxygen. Observe the storage temperature printed on it. No more required.

### 10.5 Incompatible materials

no additional data available

### 10.6 Hazardous decomposition products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

## SECTION 11: Toxicological information

### 11.1 Information on the hazard classes according regulation (EC) 1272/2008

**Following information is valid for pure substances.** Quantitative data on the toxicity of this product are not available.

**0,18 g Decomposition tube TN $_b$ 22 (RA)**

| | | |
|---|---|---|
| Chemical: | *sodium carbonate* | CAS No.: 497-19-8 |
| TSCA Inventory: | listed | |
| Korea Exist.Chem.Inventory: | KE-31380 | |
| LD50 $_{orl\ rat}$: | 4090 mg/kg | |
| LC_Low $_{orl\ rat}$: | 4000 mg/kg | |
| LC50 $_{ihl\ rat}$: | 2,300 mg/L/2H | |

Chemical: *potassium peroxydisulfate* CAS No.: 7727-21-1
TSCA Inventory: listed California Proposition 65 List: not listed
Australia NICNAS: Yes (PEC/18) Canada CEPA 1999: DSl Yes
Japan CSCL/PRTR: not listed, Japan PDSCL: not listed
Japan ISHL: listed ≥1,0%/≥0,1%, Article 57-2 (SDS required)
South Korea TCCA: not listed
Korea Exist.Chem.Inventory: KE-12177
LD50 orl rat : 802 mg/kg
Acute Effects: Cause after oral intake, inhalation of vapours/dust, skin contact, impairments of health when ingested in small quantities.
Chronic Effects: May cause sensitization by skin contact, also in repeated contact of small amounts. May cause allergy or asthma symptoms or breathing difficulties if inhaled.
TRGS 907 (DE): Sah

**4 mL total Nitrogen TN $_b$ 22 (R0)**
Chemical: *o-phosphoric acid* CAS No.: 7664-38-2
TSCA Inventory: listed California Proposition 65 List: not listed
ACGIH: 1 ppm
Exposure Routes: inhalation, ingestion, skin and/or eye contact
Target Organs: Eyes, skin, respiratory system
Symptoms: irritation eyes, skin, upper respiratory system; eye, skin, burns; dermatitis
Australia NICNAS: not listed Canada CEPA 1999: DSL Yes
Japan CSCL/PRTR: not listed, Japan PDSCL: not listed
Japan ISHL: listed ≥1,0%/≥1,0%, Article 57-2 (SDS required)
South Korea TCCA: not listed
Korea Exist.Chem.Inventory: KE-27427
LD50 orl rat : 1530 mg/kg
LC50 ihl rbt : 1,689 mg/L
Acute Effects: Cause after oral intake, impairments of health when ingested in small quantities.
TRGS 905 (DE): R $_F$ C

Chemical: *sulfuric acid* CAS No.: 7664-93-9
TSCA Inventory: listed California Proposition 65 List: not listed
ACGIH: 1 ppm
Exposure Routes: inhalation, ingestion, skin and/or eye contact
Target Organs: Eyes, skin, respiratory system, teeth
Symptoms: irritation eyes, skin, nose, throat; pulmonary edema, bronchitis; emphysema; conjunctivitis; stomatis; dental erosion; eye, skin burns; dermatitis
Australia NICNAS: not listed Canada CEPA 1999: DSL Yes
Japan CSCL/PRTR: not listed, Japan PDSCL: Deleterious Substance
Japan ISHL: listed ≥1,0%/≥1,0%, Article 57-2 (SDS required)
South Korea TCCA: Accident Precaution Chemical Yes
Korea Exist.Chem.Inventory: KE-32570, >10% Toxic 97-1-405, Acc. Precaution Chem.
LD50 orl rat : 2140 mg/kg
LC50 ihl mus : 0,85 mg/L/4H

TRGS 905 (DE): Kat 4

**20x 14 mg NANOFIX Compensation reagent**
Chemical: *sodium sulfite* CAS No.: 7757-83-7
TSCA Inventory: listed
Korea Exist.Chem.Inventory: KE-31612
LD50 orl rat : 2610 mg/kg
LC50 ihl rat : > 5,5 mg/L/4H

**11 mL NO $_3$ /N (R2)**
Chemical: *2-propanol* CAS No.: 67-63-0
TSCA Inventory: listed California Proposition 65 List: not listed
ACGIH: 1230 ppm
Exposure Routes: inhalation, ingestion, skin and/or eye contact
Target Organs: Eyes, skin, respiratory system
Symptoms: irritation eyes, nose, throat; drowsiness, dizziness, headache; dry cracking skin; in animals: narcosis
Australia NICNAS: Canada CEPA 1999: DSL yes
Japan CSCL/PRTR: PAC yes, Japan PDSCL: -
Japan ISHL: listed ≥1,0%/≥0,1%, Article 57-2 (SDS required)
South Korea TCCA:
Korea Exist.Chem.Inventory: KE-29363

LD50 orl rat : 5045 mg/kg
LC_Low orl hmn : 3570 mg/kg
LC50 ihl rat : 25 mg/L/4H

TRGS 905 (DE): R F C

Chemical: *2,6-dimethylphenol* CAS No.: 576-26-1
TSCA Inventory: listed California Proposition 65 List: not listed
Target Organs: Leber, Niere
Australia NICNAS: not listed Canada CEPA 1999: DSL yes
Japan CSCL/PRTR: PRTR - Class I Designated Chemical Substance Yes, Japan PDSCL: not listed
Japan ISHL: not listed
South Korea TCCA: not listed
Korea Exist.Chem.Inventory: KE-35435, >5% Toxic 97-1-274
LD50 orl rat : 296 mg/kg
LC_Low ihl rbt : 0,500 mg/L
LD50 orl mus : 450 mg/kg

### 11.2 Other hazards

**Possible endocrine disrupting effects**
no data available

**Other information**
no additional data available

## SECTION 12: Ecological information

### 12.1 Toxicity

**Following information is valid for pure substances.**

**0,18 g Decomposition tube TN b 22 (RA)**
Substance name: *sodium carbonate* CAS-Nr.: 497-19-8
LC50 fish/96h : 300 mg/L
EC50 daphnia/48h : 265 mg/L
Water hazard class (DE): 1 WGK No.: 0222
Storage class (VCI): 12-13

Substance name: *potassium peroxydisulfate* CAS-Nr.: 7727-21-1
Water hazard class (DE): 1 WGK No.: 1350
Storage class (VCI): 5.1 B

**4 mL total Nitrogen TN b 22 (R0)**
Substance name: *o-phosphoric acid* CAS-Nr.: 7664-38-2
Do not release into the environment.
LC50 fish/96h : 3-3.5 mg/L
Water hazard class (DE): 1 WGK No.: 0392
Storage class (VCI): 8 B

Substance name: *sulfuric acid* CAS-Nr.: 7664-93-9
Do not release into the environment.
PNEC (fresh water) : 2.5 µg/L
PNEC = Predicted No Effected Concentration = concentration at which no effect on the environment is expected
LC50 fish/96h : [NOEC, 65d] 25 µg/L
EC50 daphnia/48h : 100 mg/L
EC10 pseudomonas putita/16h : [72h] 100 mg/L
Water hazard class (DE): 1 WGK No.: 0182
Storage class (VCI): 8 B

**20x 14 mg NANOFIX Compensation reagent**
Substance name: *sodium sulfite* CAS-Nr.: 7757-83-7
LC50 fish/96h : 315 96h mg/L
EC10 pseudomonas putita/16h : 260 17h mg/L
Water hazard class (DE): 1 WGK No.: 0282
Storage class (VCI): 12-13

**11 mL NO 3 /N (R2)**
Substance name: *2-propanol* CAS-Nr.: 67-63-0
PNEC (fresh water) : 140.9 mg/L
PNEC = Predicted No Effected Concentration = concentration at which no effect on the environment is expected
LC50 fish/96h : 1400 mg/L
EC50 daphnia/48h : 13.3 g/L
IC50 scenedesmus quadricauda/72h : >1000 mg/L
EC10 pseudomonas putita/16h : EC5: 1050 mg/L
Water hazard class (DE): 1 WGK No.: 0135
Storage class (VCI): 3

Substance name: *2,6-dimethylphenol* CAS-Nr.: 576-26-1
LC50 pimephales promelas/96h : 22-27 mg/L
EC50 daphnia/48h : 11.2 mg/L
Water hazard class (DE): 2 WGK No.: 1689
Storage class (VCI): 6.1 C

### 12.2 Persistence and degradability

### 12.3 Bioaccumulative potential

**20x 14 mg NANOFIX Compensation reagent**
Substance name: *sodium sulfite* CAS-Nr.: 7757-83-7
Dispersion coefficient (K o/w ): -4

**11 mL NO 3 /N (R2)**
Substance name: *2-propanol* CAS-Nr.: 67-63-0
Dispersion coefficient (K o/w ): 0,05
Substance name: *2,6-dimethylphenol* CAS-Nr.: 576-26-1
Dispersion coefficient (K o/w ): 2,36

### 12.4 Mobility in soil

### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Endocrine disrupting properties

no data available

### 12.7 Other adverse effects

no additional data available

## SECTION 13: Disposal considerations

Please observe local regulations for collection and disposal of hazardous waste and contact waste disposal company, where you will obtain information on laboratory waste disposal (waste code number 16 05 06).

### 13.1 Waste treatment methods

Not necessary, see above.

## SECTION 14: Transport information

**14.1. UN number: 3316**
**14.2. UN proper shipping name: Chemical Kit**
**14.3. Class: 9**
**14.4. Packing group: II**
*Road transport ADR*
Classification code: M11 Tunnel restriction code: E
Limited Quantity: acc. ADR 3.3.1/251: see LQ in Alternative declaration for transportation
*Air transport IATA DGR*
Limited Quantity: PAX: 960 max. quantity PAX: 10 KG
CAO: 960 max. quantity CAO: 10 KG
*Maritime transport IMDG*
EmS: F-A, S-P Staukategorie: A

Or use **Alternative declaration for transportation:**
UN No.: (see below) class 5.1 III, **Excepted Quantities** (≤30 mL/∑≤1 L) = ADR/ IATA E1
UN 1993 class 3 II, class 8 II, **Excepted Quantities** (≤30 mL/∑≤500 mL) = ADR/ IATA E2
or

**14.1 UN number: 1993**
**14.2 UN proper shipping name: Flammable liquid, n.o.s. (2-propanol mixture)**
**14.3 Class: 3**
**14.4 Packing group: II**

*Road transport ADR*

| | | | |
|---|---|---|---|
| Classification code: | F1 | | |
| Limited Quantity: | 1 L | Tunnel restriction code: | D/E |
| Excepted Quantity: | E 2 | | |
| Special instructions: | 274, 601, 640D | | |

*Air transport IATA DGR*

| | | | |
|---|---|---|---|
| Limited Quantity: | PAX: 353 | max. quantity PAX: | 5 L |
| | CAO: 364 | max. quantity CAO: | 60 L |
| Excepted Quantity: | E 2 | | |

*Maritime transport IMDG*

| | | | |
|---|---|---|---|
| EmS: | F-E, S-E | Staukategorie: | B |
| Special instructions: | 274 | | |

**14.1 UN number: 3215**
**14.2 UN proper shipping name: Persulphates, inorganic, n.o.s.**
**14.3 Class: 5.1**
**14.4 Packing group: III**

*Road transport ADR*

| | | | |
|---|---|---|---|
| Classification code: | O2 | | |
| Limited Quantity: | 5 Kg | Tunnel restriction code: | E |
| Excepted Quantity: | E 1 | | |

*Air transport IATA DGR*

| | | | |
|---|---|---|---|
| Limited Quantity: | PAX: 559 | max. quantity PAX: | 25 Kg |
| | CAO: 563 | max. quantity CAO: | 100 Kg |
| Excepted Quantity: | E 1 | | |

*Maritime transport IMDG*

| | | | |
|---|---|---|---|
| EmS: | F-A, S-Q | Staukategorie: | B |

Maritime pollutant (5.2.1.6): P* (Limited Quantity (LQ) until 5 L|kg per inner package)

**14.1 UN number: 3264**
**14.2 UN proper shipping name: Corrosive liquid, acidic, inorganic, n.o.s. (o-phosphoric acid, sulfuric acid solution)**
**14.3 Class: 8**
**14.4 Packing group: II**

*Road transport ADR*

| | | | |
|---|---|---|---|
| Classification code: | C1 | | |
| Limited Quantity: | 1 L | Tunnel restriction code: | E |
| Excepted Quantity: | E 2 | | |

*Air transport IATA DGR*

| | | | |
|---|---|---|---|
| Limited Quantity: | PAX: 851 | max. quantity PAX: | 1 L |
| | CAO: 855 | max. quantity CAO: | 30 L |
| Excepted Quantity: | E 2 | | |

*Maritime transport IMDG*

| | | | |
|---|---|---|---|
| EmS: | F-A, S-B | Staukategorie: | B |
| Special instructions: | 274 | | |

### 14.5 Environmental hazards

none, contains only small quantities of hazardous substances

### 14.6 Special precautions for user

not necessary

### 14.7 Carriage in bulk by sea in accordance with IMO instruments

Not applicable.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Dangerous Substances Protection Act (DE: Chemikaliengesetz - ChemG), Aug 2013, Stand: Okt 2020
Ordinance on protection against dangerous substances (E: Gefahrstoffverordnung - GefStoffV), Nov 2010, Stand: Mrz 2017
TRGS 201, Classification and labeling of activities involving hazardous substances, Feb 2017
TRGS 220, National aspects when preparing safety data sheets, Jan 2017
TRGS 400, Risk assessment for activities involving hazardous substances, Jul 2017
TRGS 401, Skin contact hazard - identification, assessment, action, Jun 2008, status: Feb 2011
BekGS 408, Application of the GefStoffV and the TRGS with the entry into force of the CLP regulation, December 2009, status: Jan 2012
TRGS 500, Protective measures, Mai 2008
TRGS 510, Storage of hazardous substances in portable containers from March 2013, status: Oct 2015
Chapter 4, Measures when storing hazardous substances up to 50 kg (small quantity regulation)
Wasserhaushaltsgesetz - WHG, Section 3 Handling substances hazardous to water, Jul 2009, status: Aug 2016
MN leaflet/instructions for use, also at www.mn-net.com
If necessary, observe other country-specific regulations.

### 15.2 Chemical safety assessment

no data available

## SECTION 16: Other information

### 16.1 Changes compared to the last version

Between versions 2.5.3.20 and 2.2.2.2 following changes were applied: - 3 product component data corrected - 1 composition data corrected - 18 substance data corrected

### 16.2 List of H and P phrases

#### 16.2.1 List of relevant H phrases

| | |
|---|---|
| H | Between versions 2.5.3.20 and 2.2.2.2 following changes were applied: - 3 product component data corrected - 1 composition data corrected - 18 substance data corrected |
| H226 | Flammable liquid and vapour. |
| H272 | May intensify fire; oxidizer. |
| H290 | May be corrosive to metals. |
| H302 | Harmful if swallowed. |
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H319 | Causes serious eye irritation. |
| H334 | May cause allergy or asthma symptoms or breathing difficulties if inhaled. |
| H335 | May cause respiratory irritation. |
| H336 | May cause drowsiness or dizziness. |

#### 16.2.2 List of relevant P phrases

| | |
|---|---|
| P260sh | Do not breathe dust/vapours. |
| P264 | Wash hands thoroughly after handling. |
| P280sh | Wear protective gloves/eye protection. |
| P284 | [In case of inadequate ventilation] wear respiratory protection. |
| P303+361+353 | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. |
| P305+351+338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P310 | Immediately call a POISON CENTER/doctor. |
| P333+313 | If skin irritation or rash occurs: Get medical advice/attention. |
| P405 | Store locked up. |
| P501 | Dispose of contents/container to regulated waste treatment. |

### 16.3 Recommended restriction on use

Only for professional user.
Look about employee restrictions for young people (f. ex. 94/33/EC or DE § 22 JArbSchG)!
Look about employee restrictions for pregnant women and nursing women (f.ex. 92/85/EEC or for DE §§ 11-13 MuSchG 2017)!
An individual package of this product or test kit has a moderate hazardous potential.

### 16.4 Sources of key data

KÜHN, BIRETT, Leaflets on hazardous materials, 2021
Directive 1999/92/EG Minimum requirements to improve the safety and health protection of workers at risk from potentially explosive atmospheres
SUVA .CH, limit values in the air at work 2009, revised on 01/2009
Regulation 790/2009/EU, adaptation of Regulation 1272/2008/EU to technical and scientific progress (1st ATP)
Regulation 453/2010/EU, adaptation of the REACH regulation 1907/2006/EG
TRGS 907, German technical rules for listing substances and causes of sensitization, updated November 2011 Regulation 487/2013/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (4th ATP)
Regulation 1221/2015/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (7th ATP)
Regulation 776/2017/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (10th ATP)

Regulation 669/2018/EU, adaptation of Regulation 1272/2008/EC to technical and scientific progressText (11th ATP)
Regulation 1480/2018/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (13th ATP)
Regulation 521/2019/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (12th ATP)
TRGS 900, German rules of technology on limit values in the air at work, as of 03/2019
Regulation 217/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (14th ATP)
Regulation 878/2020/EU, adaptation of Annex II of the REACH regulation 1907/2006/EG
Regulation 1182/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (15th ATP)
Regulation 643/2021/EU, adaptation of Annex VI, Part 1, of Regulation 1272/2008/EC to technical and scientific progress (16th ATP)
Regulation 849/2021/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (17th ATP)
Regulation 692/2022/EU, adaptation of Annex VI, Part 1, of Regulation 1272/2008/EC to technical and scientific progress (18th ATP)

**revisions/updates**

*Reason for revision:* *2014-02 Corrected structure of the sections according to Regulation 453/2010/EU, if necessary*
*2014-04 adjustment according Regulation 487/2013/EU*
*2016-03 adjustment according Regulation 1221/2015/EU*

*2017-11 adjustment according the ECHA registration dossier*
*2022-11 adjustment according Regulation 878/2020/EU*

### 16.5 Further information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.
MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

### 16.6 Legend / Abbreviations

| | |
|---|---|
| acc: | according |
| ADR: | Convention concerning the International Carriage of Dangerous Goods by Road |
| Act: | acute |
| BAT: | biological workplace tolerance value |
| CAO: | Cargo Aircraft Only |
| Carc: | carcinogen |
| CAS: | Chemical Abstracts Service |
| CLP: | Classification, Labelling and Packaging regulation |
| CMR: | carcinogen, mutagen, reproduction toxic |
| Corr: | corrosive |
| COD: | chemical oxigen demand |
| CSCL: | Chemical Substance Control Law (Jp) |
| Dam: | damage |
| DNEL: | Derived No-Effect Level (for workers) |
| derm: | dermal |
| dog: | dog |
| EC10: | Concentration causing a toxic effect in 10% of the test organisms |
| EC: | European Community |
| EC-Nr: | Substance number of the EC substance inventory |
| EmS: | Guide to accident management measures on ships |
| EU: | European Union |
| fish: | fish (not spezified) |
| GHS: | Global Harmonized System of Classification and Labeling of Chemicals |
| gpg: | guinea pig |
| ICAO: | International Civil Aviation Organization |
| ihl: | inhaled |
| IMDG: | International Maritime Dangerous Goods Code |

| | |
|---|---|
| intrav: | intravenous |
| ipt: | intraperitonaeal |
| ISHL: | Industrial Safety and Health Law (Jp) |
| LC50: | letale concentration 50% |
| LD50: | letale dosis 50% |
| leuciscus idus: | fisch, ide, orfe |
| MAK: | maximum workplace concentration |
| Met: | Metall |
| mus: | mouse |
| Muta: | mutagen |
| NIOSH: | National Institute for Occupational Safety and Health (US) |
| NRD: | Non-rapidly degradable |
| onchorhynchus mykiss: | fish, rainbow trout |
| orl: | oral |
| OSHA: | Occupational Safety and Health Administration |
| PAX: | transport on passenger planes allowed |
| PBT: | persistent, bioaccumulating, toxic substance |
| pH: | pH value |
| pimephales promelas: | fish, fathead minnow |
| PNEC: | Predicted No Effected Concentration |
| PROC 15: | Process category 'for laboratory use' |
| PRTR: | Law for PRTR and Promotion of Chemical Management (Jp) |
| PVC: | polyvinyl chloride |
| quail: | bird, quail |
| rat: | rat |
| rbt: | rabbit |
| RD: | rapidly degradable |
| RE: | repeated |
| REACh: | Registration, Evaluation, Authorisation and Restriction of Chemicals |
| REF: | item number, reference number |
| Reg.No.: | rRegistration number |
| Repr: | harmful to reproduction |
| Resp: | respiratory |
| RIP: | REACH Implementations Projects |
| scu: | sub cutan |
| SDS: | safety data sheet |
| Sens: | sensitisation |
| STEL: | short term exposure limit |
| STOT: | Specific Target Organ Toxicity |
| SVHC: | Substance of Very High Concern |
| t/a: | tons per year |
| TCCA: | Toxic Chemicals Control Act (S. Korea) |
| Tox: | toxic |
| TSCA: | The Toxic Substances Control Act (US) |
| TWA: | time weighted average |
| TRGS: | technical regulations (DE) |
| vPvB: | very persistent, very bioaccumulating substance |

### 16.7 Training advice

Regular safety training. Multiple safety training of staffs about danger and protection by using hazards in working area. Additionally training and introduction of staffs for using these products.