PHAGO'SPRAY DM

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
Review date: 11/04/2023 Supersedes version of: 19/01/2023 Version: 10.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : PHAGO'SPRAY DM

UFI : F51M-WC15-S00T-9017

Product code : 1300

Type of product : Biocidal products (e.g. Disinfectants, pest control)

Product group : Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use

Use of the substance/mixture : Alcoholic disinfectant cleaner

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Manufacturer

Christeyns France
31 rue de la Maladrie
44120 VERTOU
France
T +33 (0)240 80 27 27 - F +33 (0)240 03 09 73
health-security@christeyns.fr - www.christeyns.com

Distributor

Casoria Company Ltd. Ltd
1 Farnham Street
IE– H12 A9K0 Cavan – Co. Cavan
Ireland
T 00353 49 4361869 - F 00353 49 436 1869
sds@casoria.ie - www.casoria.ie

Distributor

Christeyns UK Ltd.
Rutland Street
GB– Bradford BD4 7EA
United Kingdom
T +44 (0)1274 39 32 86 - F +44 (0)1274 30 91 43
info@christeyns.be - www.christeyns.com

Distributor

Christeyns Technologies Ltd.
Mazars, Block 3, Harcout Centre, Harcourt Road
IE– 2 Dublin
Ireland
T +353 1 8146022

Distributor

Christeyns Food Hygiene Ltd. Ltd
2, Cameron Court, Winwick Quay
GB– WA2 8RE Warrington – Cheshire
United Kingdom
T +44 (0)1925 23 46 96 - F +44 (0)1925 23 46 93
UK-foodinfo@christeyns.com - www.christeyns.com

1.4. Emergency telephone number

Country	Official advisory body	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals-24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 3	H226
Serious eye damage/eye irritation, Category 2	H319
Hazardous to the aquatic environment – Chronic Hazard, Category 3	H412

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Flammable liquid and vapour. Causes serious eye irritation. Harmful to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS02 GHS07

CLP Signal word : Warning

Hazard statements (CLP) : H226 - Flammable liquid and vapour.
H319 - Causes serious eye irritation.
H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P280 - Wear eye protection, face protection.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 - If eye irritation persists: Get medical advice/attention.

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

Component	
Propan-2-ol (67-63-0)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Ethanol substance with national workplace exposure limit(s) (AT, BE, BG, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, LT, LV, NL, PL, PT, RO, SE, SI, SK, IS, NO, CH)	CAS-no: 64-17-5 Einecs nr: 200-578-6 EG annex nr: 603-002-00-5 REACH-no: 01-2119457610-43	10 – 30	Flam. Liq. 2, H225 Eye Irrit. 2, H319
Propan-2-ol substance with national workplace exposure limit(s) (AT, BE, BG, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, LT, LV, PL, PT, RO, SE, SI, SK, NO, CH); substance with a Community workplace exposure limit	CAS-no: 67-63-0 Einecs nr: 200-661-7 EG annex nr: 603-117-00-0 REACH-no: 01-2119457558-25	≥ 1 – < 3	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	CAS-no: 2372-82-9 Einecs nr: 219-145-8 REACH-no: 01-2119980592-29	< 1	Acute Tox. 3 (Oral), H301 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT RE 2, H373 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=1)
Didecyldimethylammonium Chloride	CAS-no: 7173-51-5 Einecs nr: 230-525-2 EG annex nr: 612-131-00-6 REACH-no: 01-2119945987-15	< 1	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 2, H411

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice : In all cases of doubt, or when symptoms persist, seek medical attention.

Inhalation	: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
Skin contact	: Take off contaminated clothing and wash it before reuse. Wash skin with plenty of water and soap.
Eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion	: Rinse mouth with water, do not induce vomiting, call a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Acute effects inhalation	: No data available.
Acute effects skin	: No data available.
Acute effects eyes	: Causes eye irritation.
Acute effects oral route	: No data available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media	: Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard	: Flammable liquid and vapour.
Hazardous decomposition products in case of fire	: Combustion products may include the following: carbon oxides (CO, CO2) (carbon monoxide, carbon dioxide) nitrogen oxides (NO, NO_2 etc.).

5.3. Advice for firefighters

Firefighting instructions	: Fight fire with normal precautions from a reasonable distance. Prevent fire fighting water from entering the environment.
Protection during firefighting	: Use a self-contained breathing apparatus and also a protective suit.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Protective equipment	: Concerning personal protective equipment to use, see section 8.
Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene. Avoid contact with skin and eyes. Ventilate spillage area. No open flames, no sparks, and no smoking. Do not breathe vapours. Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment	: Do not attempt to take action without suitable protective equipment.
Emergency procedures	: Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous. Stop leak if safe to do so.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment	: Absorb spilled material with sand or earth.
Methods for cleaning up	: Clear up rapidly by scoop or vacuum. Wash away remainder with plenty of water.
Other information	: Dispose of in accordance with relevant local regulations.

6.4. Reference to other sections

For further information refer to section 13. For further information refer to section 8: "Exposure controls/personal protection".

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling	: Ensure good ventilation of the work station. Emergency eye showers should be available nearby. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. Use explosion-proof equipment. Wear personal protective equipment. Avoid contact with skin and eyes. Use only non-sparking tools.
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures	: Ground/bond container and receiving equipment.
Storage conditions	: Store in original container. Protect from heat and direct sunlight. Store at ambient temperature.

Storage temperature : 5 – 30 °C

Material(s) to avoid : metals.

Storage area : Store in a well-ventilated place.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Ethanol (64-17-5)	
United Kingdom - Occupational Exposure Limits	
Local name	Ethanol
WEL TWA (OEL TWA) [1]	1920 mg/m³
WEL TWA (OEL TWA) [2]	1000 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

Propan-2-ol (67-63-0)	
EU - Indicative Occupational Exposure Limit (IOEL)	
IOEL STEL	980 mg/m³
IOEL STEL [ppm]	400 ppm
Ireland - Occupational Exposure Limits	
Local name	Isopropyl alcohol [Propan-2-ol]
OEL TWA [2]	200 ppm
OEL STEL [ppm]	400 ppm
Remark	Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body)
Regulatory reference	Chemical Agents Code of Practice 2021
United Kingdom - Occupational Exposure Limits	
Local name	Propan-2-ol
WEL TWA (OEL TWA) [1]	999 mg/m³
WEL TWA (OEL TWA) [2]	400 ppm
WEL STEL (OEL STEL)	1250 mg/m³
WEL STEL (OEL STEL) [ppm]	500 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

8.2.2.1. Eye and face protection

Eye protection:

Safety glasses. ISO 16321-1

8.2.2.2. Skin protection

Protective equipment:

Protective clothing not absolutely necessary

Hand protection:

Chemical resistant PVC gloves (to European standard EN 374 or equivalent). Time of penetration is to be checked with the glove producer. Nitrile-rubber protective gloves

8.2.2.3. Respiratory protection

Respiratory protection:

No personal breathing protective equipment is normally required. In case of insufficient ventilation, wear suitable respiratory equipment. Breathing apparatus with combined vapor/particle filter (EN 141). Extra personal protection: A/P2 filter respirator for organic vapour and harmful dust

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Colourless.
Physical state/form	: Liquid.
Odour	: perfumed.
Odour threshold	: Not available
Melting point/range	: Not determined as it is not relevant for the characterization of the product
Freezing point	: Not determined as it is not relevant for the characterization of the product
Softening point	: Not determined as it is not relevant for the characterization of the product
Boiling point/Boiling range	: 80.9 °C
Flammability	: Not applicable (aqueous liquid)
Explosive properties	: Constituents do not contain chemical groups associated with explosivity.
Oxidising properties	: Non oxidizing.
Explosive limits	: Not available
Lower explosion limit	: Not determined as it is not relevant for the characterization of the product
Upper explosion limit	: Not determined as it is not relevant for the characterization of the product
Flash point	: 34 °C
Autoignition temperature	: Not determined as it is not relevant for the characterization of the product
Decomposition temperature	: Not determined as it is not relevant for the characterization of the product
pH	: 9.5 – 11
pH solution concentration	: 100 %
Viscosity, kinematic	: Not available
Solubility	: Water: 100 %
Partition coefficient n-octanol/water (Log Kow)	: Not available
Log Pow	: Not applicable for preparations
Vapour pressure	: 58 hPa Ethanol
Vapour pressure at 50°C	: Not available
Density	: 0.961 g/cm³
Relative density	: 0.956 – 0.966
Relative vapour density at 20°C	: 1.6 Ethanol
Particle characteristics	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

Relative evaporation rate (butylacetate=1) : >

VOC content : 24 %

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable liquid and vapour.

10.2. Chemical stability

The product is stable at normal handling and storage conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Extremely high or low temperatures. Avoid contact with hot surfaces. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

Oxidizing agent.

10.6. Hazardous decomposition products

Hazardous decomposition products may be released during prolonged heating like smokes, carbon monoxide and dioxide. Nitrogen oxides.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified

Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Not classified

N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine (2372-82-9)	
LD50 oral rat	261 mg/kg (OECD 401)
LD50 dermal	> 600 mg/kg bodyweight (OECD 402)
ATE CLP (oral)	261 mg/kg bodyweight

Didecyldimethylammonium Chloride (7173-51-5)	
ATE CLP (oral)	500 mg/kg bodyweight

Ethanol (64-17-5)	
LC50 Inhalation - Rat (Vapours)	51 mg/l/4h

Propan-2-ol (67-63-0)	
LD50 oral rat	5840 mg/kg
LD50 dermal rabbit	13900 mg/kg
LC50 Inhalation - Rat	> 25 mg/l/4h
ATE CLP (oral)	5840 mg/kg bodyweight
ATE CLP (dermal)	13100 mg/kg bodyweight

Skin corrosion/irritation : Not classified

pH: 9.5 – 11

N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine (2372-82-9)	
pH	10

Didecyldimethylammonium Chloride (7173-51-5)	
pH	6.5 – 8

Serious eye damage/irritation : Causes serious eye irritation.

pH: 9.5 – 11

N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine (2372-82-9)	
pH	10

Didecyldimethylammonium Chloride (7173-51-5)	
pH	6.5 – 8

Respiratory or skin sensitisation : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Propan-2-ol (67-63-0)	
IARC group	3 - Not classifiable

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

Ethanol (64-17-5)	
NOAEL (oral, rat)	1730 mg/kg bodyweight (90d, female)

Propan-2-ol (67-63-0)	
STOT-single exposure	May cause drowsiness or dizziness.

STOT-repeated exposure : Not classified

N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine (2372-82-9)	
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard : Not classified

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Harmful to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short–term (acute) : Not classified

Hazardous to the aquatic environment, long–term (chronic) : Harmful to aquatic life with long lasting effects.

N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine (2372-82-9)	
LC50 - Fish [1]	0.68 mg/l Oncorhynchus mykiss (rainbow trout)
LC50 - Fish [2]	0.45 mg/l Lepomis macrochirus (Bluegill sunfish)
EC50 - Crustacea [1]	0.073 mg/l
ErC50 algae	0.054 mg/l Pseudokirchneriella (green algae)
NOEC chronic crustacea	0.032 mg/l
NOEC chronic algae	0.0069 mg/l

Didecyldimethylammonium Chloride (7173-51-5)	
EC50 - Crustacea [1]	0.03 mg/l
EC50 96h - Algae [1]	0.06 mg/l

Propan-2-ol (67-63-0)	
LC50 - Fish [1]	9640 mg/l
EC50 - Crustacea [1]	9714 mg/l
EC50 72h - Algae [1]	> 100 mg/l (Scenedesmus subspicatus)

12.2. Persistence and degradability

PHAGO'SPRAY DM	
Persistence and degradability	The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine (2372-82-9)	
Biodegradation	96 % (OECD Test Guideline 303 A)

Ethanol (64-17-5)	
Persistence and degradability	Biodegradable.

Propan-2-ol (67-63-0)	
Persistence and degradability	Biodegradable.

12.3. Bioaccumulative potential

PHAGO'SPRAY DM	
Log Pow	Not applicable for preparations

12.4. Mobility in soil
No additional information available

12.5. Results of PBT and vPvB assessment

Component	
Propan-2-ol (67-63-0)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Endocrine disrupting properties
No additional information available

12.7. Other adverse effects
No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of in accordance with relevant local regulations.

Product/Packaging disposal recommendations : a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste. Refer to manufacturer/supplier for information on recovery/recycling.

Waste / unused products : Collect all waste in suitable and labelled containers and dispose according to local legislation. Do not discharge into drains or the environment.

European List of Waste (LoW) code : 20 01 29* - detergents containing dangerous substances

HP Code : HP3 - “Flammable:”
– flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and ≤ 75 °C;
– flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air;
– flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction;
– flammable gaseous waste: gaseous waste which is flammable in air at 20 °C and a standard pressure of 101.3 kPa;
– water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;
– other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.
HP14 - “Ecotoxic:” waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA

ADR	IMDG	IATA
14.1. UN number or ID number		
UN 1993	UN 1993	UN 1993
14.2. UN proper shipping name		
FLAMMABLE LIQUID, N.O.S. (Ethanol)	FLAMMABLE LIQUID, N.O.S. (Ethanol)	Flammable liquid, n.o.s. (Ethanol)
Transport document description		
UN 1993 FLAMMABLE LIQUID, N.O.S. (Ethanol), 3, III, (D/E)	UN 1993 FLAMMABLE LIQUID, N.O.S. (Ethanol), 3, III	UN 1993 Flammable liquid, n.o.s. (Ethanol), 3, III

ADR	IMDG	IATA
14.3. Transport hazard class(es)		
3	3	3
		
14.4. Packing group		
III	III	III
14.5. Environmental hazards		
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No
No supplementary information available		

14.6. Special precautions for user

Overland transport

Classification code (ADR) : F1

Special provisions (ADR) : 274, 601

Limited quantities (ADR) : 5l

Packing instructions (ADR) : P001, IBC03, LP01, R001

Mixed packing provisions (ADR) : MP19

Portable tank and bulk container instructions (ADR) : T4

Portable tank and bulk container special provisions (ADR) : TP1, TP29

Tank code (ADR) : LGBF

Vehicle for tank carriage : FL


Transport category (ADR) : 3

Special provisions for carriage - Packages (ADR) : V12

Special provisions for carriage - Operation (ADR) : S2

Hazard identification number (Kemler No.) : 30

Orange plates :



Tunnel code : D/E

EAC code : •3YE

Transport by sea

Special provisions (IMDG) : 223, 274, 955

Limited quantities (IMDG) : 5 L

Packing instructions (IMDG) : LP01, P001

IBC packing instructions (IMDG) : IBC03

Air transport

PCA Limited quantities (IATA) : Y344

PCA limited quantity max net quantity (IATA) : 10L

PCA packing instructions (IATA) : 355

PCA max net quantity (IATA) : 60L

CAO packing instructions (IATA) : 366

CAO max net quantity (IATA) : 220L

Special provisions (IATA) : A3

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

CESIO recommendations : The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Other information, restriction and prohibition regulations : Not affected by the conditions of restriction _ ANNEXE XVII.

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals):
Didecyldimethylammonium chloride (7173-51-5)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

VOC Directive (2004/42)

VOC content : 24 %

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes			
Section	**Changed item**	**Change**	**Comments**
3.2	Composition/information on ingredients	Modified	

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number

Abbreviations and acronyms:	
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Other information : It is recommended to pass the information of this safety data sheet, eventually in an appropriated form, to the users. Such information is actually to be best of our knowledge and believes accurate as reliable. This information relates to the specific material designated and may not be valid in combination with other product(s). EC Regulation 1272/2008 and its amendments.

Full text of H- and EUH-statements:	
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.

Full text of H- and EUH-statements:	
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
Flam. Liq. 3	H226	On basis of test data
Eye Irrit. 2	H319	Calculation method
Aquatic Chronic 3	H412	Calculation method

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.