

# UNITED POLY ENGINEERING PVT. LTD.

D-13/3, OKHLA INDUSTRIAL AREA

PHASE – II, NEW DELHI, INDIA

[www.unitedpoly.com](http://www.unitedpoly.com)



## WASH BASIN, STAINLESS STEEL (AISI 304)



### AUSTENITIC STAINLESS STEEL

<u>CODE</u>	<u>DIM (MM)</u>
UPL-125B	350 x H 155

### Technical Specification:

Wash Basin Size: Diameter 350 mm x Height 155 mm

Capacity: 6 Liters

Material: Austenitic Stainless Steel (AISI 304)

Composition: 8-10% Nickel, 18-20% Chromium

Thickness: 0.6 mm

Sterilization: Can be sterilized in a steam sterilizer (autoclave) for sterile purposes

Size Tolerance: Approximately  $\pm 3$  mm

### Features & Benefits:

Constructed from high-quality Austenitic Stainless Steel for durability and resistance to corrosion.

Smooth surface finish for easy cleaning and maintenance.

Ideal for healthcare facilities, laboratories, and other environments requiring sterile conditions.

The 6-liter capacity provides ample space for various washing needs.

Compatible with steam sterilization processes, ensuring proper sterilization for hygiene-sensitive applications.

Size tolerance of approximately  $\pm 3$  mm allows for flexibility in installation requirements.

### Usage Recommendations:

Prior to use, ensure the wash basin is properly cleaned and sterilized according to standard procedures.

Follow manufacturer guidelines for autoclave sterilization to maintain product integrity.

Regularly inspect the wash basin for any signs of wear or damage that may affect its performance.

Adhere to size tolerance specifications during installation to ensure a proper fit and function.