

## Woven Wire Mesh Sieves - ø 200 mm / 203 mm

### General Information

The well-proven RETSCH woven wire mesh sieves consist of a solid stainless steel sieve frame of high stability for reliable sieving results. Paying close attention to mesh-specific requirements, the sieve fabric is precisely joined into the frame and tautened. The individual laser engraving of each RETSCH test sieve provides a clear and accurate labeling with full traceability.

The mesh sieves can be easily combined with all other sieve brands. Each sieve that leaves our company comes with a test report or, at your request, with a special inspection certificate in conformity with national and international standards (PDF). RETSCH calibration certificates confirm a great number of precision measurements, thus ensuring an even higher statistical reliability for your quality control.

RETSCH test sieves are available in many different diameters, mesh sizes and varieties, primarily in the four frame sizes most widely used in laboratory analytics: 200 x 50 mm, 200 x 25 mm 8"x 2" (203 x 50 mm), 8"x 1" (203 x 25 mm)

### Application Examples

cement clinker, chemicals, coffee, construction materials, fertilizers, fillers, flours, grains, metals powders, minerals, nuts, plastics, sand, seeds, soils, washing powder, ...

### Product Advantages

- stainless steel sieve frame with high form stability
- high degree of corrosion resistance and easy cleaning thanks to high-alloy stainless steel
- sieve mesh sizes from 20 µm to 125 mm
- permanently tight sieve fabric
- excellent product quality due to extensive optical inspection
- maximum stability and optimum sealing when used in sieve stacks thanks to the o-ring which is placed in the recess designed for this purpose
- clear and precise labeling of the sieves with full traceability based on individualized laser engraving

### Features

Applications

separation, fractioning, particle size determination

Field of application

agriculture, biology, chemistry / plastics, construction materials, engineering / electronics, environment / recycling, food, geology / metallurgy, glass / ceramics, medicine / pharmaceuticals



## Woven Wire Mesh Sieves - ø 200 mm / 203 mm

Feed material	powders, bulk materials, suspensions
Frame diameter	ø 200 mm / 203 mm
Surface type	wire gauze
Mesh sizes	125 mm - 20 µm
Standards	ISO 3310-1 / ASTM E11

### Order Data

### Test Sieves

#### Accessories for test sieves (pans, rings, lids)

69.720.0050	Collecting pan, stainless steel, 200 mm Ø, height 50 mm
69.220.0050	Intermediate pan, stainless steel, 200 mm Ø, height 50 mm
69.121.0050	Intermediate ring, stainless steel, 200 mm Ø, height 50 mm
69.520.0051	Sieve lid, stainless steel, 200 mm Ø
69.420.0050	Collecting pan with outlet, stainless steel, 200 mm Ø, height 50 mm
69.221.0025	Venting ring for wet sieving, stainless steel, 200 mm Ø, height 25 mm
05.114.0077	O-ring for test sieves, 200 mm Ø

#### For test sieves 200 mm Ø, height 25 mm

69.720.0025	Collecting pan, stainless steel, 200 mm Ø, height 25 mm
69.220.0025	Intermediate pan, stainless steel, 200 mm Ø, height 25 mm
69.121.0025	Intermediate ring, stainless steel, 200 mm Ø, height 25 mm
69.520.0051	Sieve lid, stainless steel, 200 mm Ø
69.420.0050	Collecting pan with outlet, stainless steel, 200 mm Ø, height 50 mm
69.221.0025	Venting ring for wet sieving, stainless steel, 200 mm Ø, height 25 mm
05.114.0077	O-ring for test sieves, 200 mm Ø

#### For test sieves 203 mm Ø / 8" Ø, height 2"

69.720.3050	Collecting pan, stainless steel, 8" Ø, height 2"
69.220.3050	Intermediate pan, stainless steel, 8" Ø, height 2"
69.121.3050	Intermediate ring, stainless steel, 8" Ø, height 2"
69.520.3051	Sieve lid, stainless steel, 8" Ø
69.420.3050	Collecting pan with outlet, stainless steel, 8" Ø, height 2"

## Woven Wire Mesh Sieves - ø 200 mm / 203 mm

69.221.3025	Venting ring for wet sieving, stainless steel, 8" Ø, height 1"
05.114.0077	O-ring for test sieves, 8" Ø
<b>For test sieves 203 mm Ø / 8" Ø, height 1"</b>	
69.720.3025	Collecting pan, stainless steel, 8" Ø, height 1"
69.220.3025	Intermediate pan, stainless steel, 8" Ø, height 1"
69.121.3025	Intermediate ring, stainless steel, 8" Ø, height 1"
69.520.3051	Sieve lid, stainless steel, 8" Ø
69.420.3050	Collecting pan with outlet, stainless steel, 8" Ø, height 2"
69.221.3025	Venting ring for wet sieving, stainless steel, 8" Ø, height 1"
05.114.0077	O-ring for test sieves, 8" Ø
<b>Test Sieve Rack</b>	
32.012.0001	Test Sieve Rack for 10 Test Sieves Ø 200 mm/8", height 50 mm/25 mm
32.012.0001	Test Sieve Rack for 10 Test Sieves Ø 200 mm/8", height 50 mm/25 mm

## Test Sieves ø 200 mm - 50 mm height - ISO 3310/1 - stainless steel / wire gauze

### # mm, # mesh no., ø, height, standard

60.131.000020	20 µm, -, 200 mm, 50 mm, ISO 3310/1
60.131.000025	25 µm, -, 200 mm, 50 mm, ISO 3310/1
60.131.000032	32 µm, -, 200 mm, 50 mm, ISO 3310/1
60.131.000036	36 µm, -, 200 mm, 50 mm, ISO 3310/1
60.131.000038	38 µm, -, 200 mm, 50 mm, ISO 3310/1
60.131.000040	40 µm, -, 200 mm, 50 mm, ISO 3310/1
60.131.000045	45 µm, -, 200 mm, 50 mm, ISO 3310/1
60.131.000050	50 µm, -, 200 mm, 50 mm, ISO 3310/1
60.131.000053	53 µm, -, 200 mm, 50 mm, ISO 3310/1
60.131.000056	56 µm, -, 200 mm, 50 mm, ISO 3310/1
60.131.000063	63 µm, -, 200 mm, 50 mm, ISO 3310/1
60.131.000071	71 µm, -, 200 mm, 50 mm, ISO 3310/1
60.131.000075	75 µm, -, 200 mm, 50 mm, ISO 3310/1
60.131.000080	80 µm, -, 200 mm, 50 mm, ISO 3310/1
60.131.000090	90 µm, -, 200 mm, 50 mm, ISO 3310/1
60.131.000100	100 µm, -, 200 mm, 50 mm, ISO 3310/1
60.131.000106	106 µm, -, 200 mm, 50 mm, ISO 3310/1
60.131.000112	112 µm, -, 200 mm, 50 mm, ISO 3310/1
60.131.000125	125 µm, -, 200 mm, 50 mm, ISO 3310/1
60.131.000140	140 µm, -, 200 mm, 50 mm, ISO 3310/1
60.131.000150	150 µm, -, 200 mm, 50 mm, ISO 3310/1

## Woven Wire Mesh Sieves - ø 200 mm / 203 mm

60.131.000160	160 µm, -, 200 mm, 50 mm, ISO 3310/1
60.131.000180	180 µm, -, 200 mm, 50 mm, ISO 3310/1
60.131.000200	200 µm, -, 200 mm, 50 mm, ISO 3310/1
60.131.000212	212 µm, -, 200 mm, 50 mm, ISO 3310/1
60.131.000224	224 µm, -, 200 mm, 50 mm, ISO 3310/1
60.131.000250	250 µm, -, 200 mm, 50 mm, ISO 3310/1
60.131.000280	280 µm, -, 200 mm, 50 mm, ISO 3310/1
60.131.000300	300 µm, -, 200 mm, 50 mm, ISO 3310/1
60.131.000315	315 µm, -, 200 mm, 50 mm, ISO 3310/1
60.131.000355	355 µm, -, 200 mm, 50 mm, ISO 3310/1
60.131.000400	400 µm, -, 200 mm, 50 mm, ISO 3310/1
60.131.000425	425 µm, -, 200 mm, 50 mm, ISO 3310/1
60.131.000450	450 µm, -, 200 mm, 50 mm, ISO 3310/1
60.131.000500	500 µm, -, 200 mm, 50 mm, ISO 3310/1
60.131.000560	560 µm, -, 200 mm, 50 mm, ISO 3310/1
60.131.000600	600 µm, -, 200 mm, 50 mm, ISO 3310/1
60.131.000630	630 µm, -, 200 mm, 50 mm, ISO 3310/1
60.131.000710	710 µm, -, 200 mm, 50 mm, ISO 3310/1
60.131.000800	800 µm, -, 200 mm, 50 mm, ISO 3310/1
60.131.000850	850 µm, -, 200 mm, 50 mm, ISO 3310/1
60.131.000900	900 µm, -, 200 mm, 50 mm, ISO 3310/1
60.131.001000	1.00 mm, -, 200 mm, 50 mm, ISO 3310/1
60.131.001120	1.12 mm, -, 200 mm, 50 mm, ISO 3310/1
60.131.001180	1.18 mm, -, 200 mm, 50 mm, ISO 3310/1
60.131.001250	1.25 mm, -, 200 mm, 50 mm, ISO 3310/1
60.131.001400	1.40 mm, -, 200 mm, 50 mm, ISO 3310/1
60.131.001600	1.60 mm, -, 200 mm, 50 mm, ISO 3310/1
60.131.001700	1.70 mm, -, 200 mm, 50 mm, ISO 3310/1
60.131.001800	1.80 mm, -, 200 mm, 50 mm, ISO 3310/1
60.131.002000	2.00 mm, -, 200 mm, 50 mm, ISO 3310/1
60.131.002240	2.24 mm, -, 200 mm, 50 mm, ISO 3310/1
60.131.002360	2.36 mm, -, 200 mm, 50 mm, ISO 3310/1
60.131.002500	2.50 mm, -, 200 mm, 50 mm, ISO 3310/1
60.131.002800	2.80 mm, -, 200 mm, 50 mm, ISO 3310/1
60.131.003150	3.15 mm, -, 200 mm, 50 mm, ISO 3310/1
60.131.003350	3.35 mm, -, 200 mm, 50 mm, ISO 3310/1
60.131.003550	3.55 mm, -, 200 mm, 50 mm, ISO 3310/1
60.131.004000	4.00 mm, -, 200 mm, 50 mm, ISO 3310/1
60.131.004500	4.50 mm, -, 200 mm, 50 mm, ISO 3310/1
60.131.004750	4.75 mm, -, 200 mm, 50 mm, ISO 3310/1
60.131.005000	5.00 mm, -, 200 mm, 50 mm, ISO 3310/1
60.131.005600	5.60 mm, -, 200 mm, 50 mm, ISO 3310/1

## Woven Wire Mesh Sieves - ø 200 mm / 203 mm

60.131.006300	6.30 mm, -, 200 mm, 50 mm, ISO 3310/1
60.131.006700	6.70 mm, -, 200 mm, 50 mm, ISO 3310/1
60.131.007100	7.10 mm, -, 200 mm, 50 mm, ISO 3310/1
60.131.008000	8.00 mm, -, 200 mm, 50 mm, ISO 3310/1
60.131.009000	9.00 mm, -, 200 mm, 50 mm, ISO 3310/1
60.131.009500	9.50 mm, -, 200 mm, 50 mm, ISO 3310/1
60.131.010000	10.00 mm, -, 200 mm, 50 mm, ISO 3310/1
60.131.011200	11.20 mm, -, 200 mm, 50 mm, ISO 3310/1
60.131.012500	12.50 mm, -, 200 mm, 50 mm, ISO 3310/1
60.131.013200	13.20 mm, -, 200 mm, 50 mm, ISO 3310/1
60.131.014000	14.00 mm, -, 200 mm, 50 mm, ISO 3310/1
60.131.016000	16.00 mm, -, 200 mm, 50 mm, ISO 3310/1
60.131.018000	18.00 mm, -, 200 mm, 50 mm, ISO 3310/1
60.131.019000	19.00 mm, -, 200 mm, 50 mm, ISO 3310/1
60.131.020000	20.00 mm, -, 200 mm, 50 mm, ISO 3310/1
60.131.022400	22.40 mm, -, 200 mm, 50 mm, ISO 3310/1
60.131.025000	25.00 mm, -, 200 mm, 50 mm, ISO 3310/1
60.131.026500	26.50 mm, -, 200 mm, 50 mm, ISO 3310/1
60.131.028000	28.00 mm, -, 200 mm, 50 mm, ISO 3310/1
60.131.031500	31.50 mm, -, 200 mm, 50 mm, ISO 3310/1
60.131.035500	35.50 mm, -, 200 mm, 50 mm, ISO 3310/1
60.131.037500	37.50 mm, -, 200 mm, 50 mm, ISO 3310/1
60.131.040000	40.00 mm, -, 200 mm, 50 mm, ISO 3310/1
60.131.045000	45.00 mm, -, 200 mm, 50 mm, ISO 3310/1
60.131.050000	50.00 mm, -, 200 mm, 50 mm, ISO 3310/1
60.131.053000	53.00 mm, -, 200 mm, 50 mm, ISO 3310/1
60.131.056000	56.00 mm, -, 200 mm, 50 mm, ISO 3310/1
60.131.063000	63.00 mm, -, 200 mm, 50 mm, ISO 3310/1
60.131.071000	71.00 mm, -, 200 mm, 50 mm, ISO 3310/1
60.131.075000	75.00 mm, -, 200 mm, 50 mm, ISO 3310/1
60.131.080000	80.00 mm, -, 200 mm, 50 mm, ISO 3310/1
60.131.090000	90.00 mm, -, 200 mm, 50 mm, ISO 3310/1
60.131.100000	100.00 mm, -, 200 mm, 50 mm, ISO 3310/1
60.131.106000	106.00 mm, -, 200 mm, 50 mm, ISO 3310/1
60.131.112000	112.00 mm, -, 200 mm, 50 mm, ISO 3310/1
60.131.125000	125.00 mm, -, 200 mm, 50 mm, ISO 3310/1

### Test Sieves ø 200 mm - 25 mm height - ISO 3310/1 - stainless steel /wire gauze

#### # mm, # mesh no., ø, height, standard

60.122.000020	20 µm, -, 200 mm, 25 mm, ISO 3310/1
60.122.000025	25 µm, -, 200 mm, 25 mm, ISO 3310/1

## Woven Wire Mesh Sieves - ø 200 mm / 203 mm

60.122.000032	32 µm, -, 200 mm, 25 mm, ISO 3310/1
60.122.000036	36 µm, -, 200 mm, 25 mm, ISO 3310/1
60.122.000038	38 µm, -, 200 mm, 25 mm, ISO 3310/1
60.122.000040	40 µm, -, 200 mm, 25 mm, ISO 3310/1
60.122.000045	45 µm, -, 200 mm, 25 mm, ISO 3310/1
60.122.000050	50 µm, -, 200 mm, 25 mm, ISO 3310/1
60.122.000053	53 µm, -, 200 mm, 25 mm, ISO 3310/1
60.122.000056	56 µm, -, 200 mm, 25 mm, ISO 3310/1
60.122.000063	63 µm, -, 200 mm, 25 mm, ISO 3310/1
60.122.000071	71 µm, -, 200 mm, 25 mm, ISO 3310/1
60.122.000075	75 µm, -, 200 mm, 25 mm, ISO 3310/1
60.122.000080	80 µm, -, 200 mm, 25 mm, ISO 3310/1
60.122.000090	90 µm, -, 200 mm, 25 mm, ISO 3310/1
60.122.000100	100 µm, -, 200 mm, 25 mm, ISO 3310/1
60.122.000106	106 µm, -, 200 mm, 25 mm, ISO 3310/1
60.122.000112	112 µm, -, 200 mm, 25 mm, ISO 3310/1
60.122.000125	125 µm, -, 200 mm, 25 mm, ISO 3310/1
60.122.000140	140 µm, -, 200 mm, 25 mm, ISO 3310/1
60.122.000150	150 µm, -, 200 mm, 25 mm, ISO 3310/1
60.122.000160	160 µm, -, 200 mm, 25 mm, ISO 3310/1
60.122.000180	180 µm, -, 200 mm, 25 mm, ISO 3310/1
60.122.000200	200 µm, -, 200 mm, 25 mm, ISO 3310/1
60.122.000212	212 µm, -, 200 mm, 25 mm, ISO 3310/1
60.122.000224	224 µm, -, 200 mm, 25 mm, ISO 3310/1
60.122.000250	250 µm, -, 200 mm, 25 mm, ISO 3310/1
60.122.000280	280 µm, -, 200 mm, 25 mm, ISO 3310/1
60.122.000300	300 µm, -, 200 mm, 25 mm, ISO 3310/1
60.122.000315	315 µm, -, 200 mm, 25 mm, ISO 3310/1
60.122.000355	355 µm, -, 200 mm, 25 mm, ISO 3310/1
60.122.000400	400 µm, -, 200 mm, 25 mm, ISO 3310/1
60.122.000425	425 µm, -, 200 mm, 25 mm, ISO 3310/1
60.122.000450	450 µm, -, 200 mm, 25 mm, ISO 3310/1
60.122.000500	500 µm, -, 200 mm, 25 mm, ISO 3310/1
60.122.000560	560 µm, -, 200 mm, 25 mm, ISO 3310/1
60.122.000600	600 µm, -, 200 mm, 25 mm, ISO 3310/1
60.122.000630	630 µm, -, 200 mm, 25 mm, ISO 3310/1
60.122.000710	710 µm, -, 200 mm, 25 mm, ISO 3310/1
60.122.000800	800 µm, -, 200 mm, 25 mm, ISO 3310/1
60.122.000850	850 µm, -, 200 mm, 25 mm, ISO 3310/1
60.122.000900	900 µm, -, 200 mm, 25 mm, ISO 3310/1
60.122.001000	1.00 mm, -, 200 mm, 25 mm, ISO 3310/1
60.122.001120	1.12 mm, -, 200 mm, 25 mm, ISO 3310/1

## Woven Wire Mesh Sieves - ø 200 mm / 203 mm

60.122.001180	1.18 mm, -, 200 mm, 25 mm, ISO 3310/1
60.122.001250	1.25 mm, -, 200 mm, 25 mm, ISO 3310/1
60.122.001400	1.40 mm, -, 200 mm, 25 mm, ISO 3310/1
60.122.001600	1.60 mm, -, 200 mm, 25 mm, ISO 3310/1
60.122.001700	1.70 mm, -, 200 mm, 25 mm, ISO 3310/1
60.122.001800	1.80 mm, -, 200 mm, 25 mm, ISO 3310/1
60.122.002000	2.00 mm, -, 200 mm, 25 mm, ISO 3310/1
60.122.002240	2.24 mm, -, 200 mm, 25 mm, ISO 3310/1
60.122.002360	2.36 mm, -, 200 mm, 25 mm, ISO 3310/1
60.122.002500	2.50 mm, -, 200 mm, 25 mm, ISO 3310/1
60.122.002800	2.80 mm, -, 200 mm, 25 mm, ISO 3310/1
60.122.003150	3.15 mm, -, 200 mm, 25 mm, ISO 3310/1
60.122.003350	3.35 mm, -, 200 mm, 25 mm, ISO 3310/1
60.122.003550	3.55 mm, -, 200 mm, 25 mm, ISO 3310/1
60.122.004000	4.00 mm, -, 200 mm, 25 mm, ISO 3310/1
60.122.004500	4.50 mm, -, 200 mm, 25 mm, ISO 3310/1
60.122.004750	4.75 mm, -, 200 mm, 25 mm, ISO 3310/1
60.122.005000	5.00 mm, -, 200 mm, 25 mm, ISO 3310/1
60.122.005600	5.60 mm, -, 200 mm, 25 mm, ISO 3310/1
60.122.006300	6.30 mm, -, 200 mm, 25 mm, ISO 3310/1
60.122.006700	6.70 mm, -, 200 mm, 25 mm, ISO 3310/1
60.122.007100	7.10 mm, -, 200 mm, 25 mm, ISO 3310/1
60.122.008000	8.00 mm, -, 200 mm, 25 mm, ISO 3310/1
60.122.009000	9.00 mm, -, 200 mm, 25 mm, ISO 3310/1
60.122.009500	9.50 mm, -, 200 mm, 25 mm, ISO 3310/1
60.122.010000	10.00 mm, -, 200 mm, 25 mm, ISO 3310/1
60.122.011200	11.20 mm, -, 200 mm, 25 mm, ISO 3310/1
60.122.012500	12.50 mm, -, 200 mm, 25 mm, ISO 3310/1
60.122.013200	13.20 mm, -, 200 mm, 25 mm, ISO 3310/1
60.122.014000	14.00 mm, -, 200 mm, 25 mm, ISO 3310/1
60.122.016000	16.00 mm, -, 200 mm, 25 mm, ISO 3310/1
60.122.018000	18.00 mm, -, 200 mm, 25 mm, ISO 3310/1
60.122.019000	19.00 mm, -, 200 mm, 25 mm, ISO 3310/1
60.122.020000	20.00 mm, -, 200 mm, 25 mm, ISO 3310/1
60.122.022400	22.40 mm, -, 200 mm, 25 mm, ISO 3310/1
60.122.025000	25.00 mm, -, 200 mm, 25 mm, ISO 3310/1
60.122.026500	26.50 mm, -, 200 mm, 25 mm, ISO 3310/1
60.122.028000	28.00 mm, -, 200 mm, 25 mm, ISO 3310/1
60.122.031500	31.50 mm, -, 200 mm, 25 mm, ISO 3310/1
60.122.035500	35.50 mm, -, 200 mm, 25 mm, ISO 3310/1
60.122.037500	37.50 mm, -, 200 mm, 25 mm, ISO 3310/1
60.122.040000	40.00 mm, -, 200 mm, 25 mm, ISO 3310/1

## Woven Wire Mesh Sieves - ø 200 mm / 203 mm

60.122.045000	45.00 mm, -, 200 mm, 25 mm, ISO 3310/1
60.122.050000	50.00 mm, -, 200 mm, 25 mm, ISO 3310/1
60.122.053000	53.00 mm, -, 200 mm, 25 mm, ISO 3310/1
60.122.056000	56.00 mm, -, 200 mm, 25 mm, ISO 3310/1
60.122.063000	63.00 mm, -, 200 mm, 25 mm, ISO 3310/1
60.122.071000	71.00 mm, -, 200 mm, 25 mm, ISO 3310/1
60.122.075000	75.00 mm, -, 200 mm, 25 mm, ISO 3310/1
60.122.080000	80.00 mm, -, 200 mm, 25 mm, ISO 3310/1
60.122.090000	90.00 mm, -, 200 mm, 25 mm, ISO 3310/1
60.122.100000	100.00 mm, -, 200 mm, 25 mm, ISO 3310/1
60.122.106000	106.00 mm, -, 200 mm, 25 mm, ISO 3310/1
60.122.112000	112.00 mm, -, 200 mm, 25 mm, ISO 3310/1
60.122.125000	125.00 mm, -, 200 mm, 25 mm, ISO 3310/1

## Test Sieves ø 8" - 2" height - ISO 3310/1 - stainless steel / wire gauze

### # mm, # mesh no., ø, height, standard

60.149.000020	20 µm, -, 8", 2", ISO 3310/1
60.149.000025	25 µm, -, 8", 2", ISO 3310/1
60.149.000032	32 µm, -, 8", 2", ISO 3310/1
60.149.000036	36 µm, -, 8", 2", ISO 3310/1
60.149.000038	38 µm, -, 8", 2", ISO 3310/1
60.149.000040	40 µm, -, 8", 2", ISO 3310/1
60.149.000045	45 µm, -, 8", 2", ISO 3310/1
60.149.000050	50 µm, -, 8", 2", ISO 3310/1
60.149.000053	53 µm, -, 8", 2", ISO 3310/1
60.149.000056	56 µm, -, 8", 2", ISO 3310/1
60.149.000063	63 µm, -, 8", 2", ISO 3310/1
60.149.000071	71 µm, -, 8", 2", ISO 3310/1
60.149.000075	75 µm, -, 8", 2", ISO 3310/1
60.149.000080	80 µm, -, 8", 2", ISO 3310/1
60.149.000090	90 µm, -, 8", 2", ISO 3310/1
60.149.000100	100 µm, -, 8", 2", ISO 3310/1
60.149.000106	106 µm, -, 8", 2", ISO 3310/1
60.149.000112	112 µm, -, 8", 2", ISO 3310/1
60.149.000125	125 µm, -, 8", 2", ISO 3310/1
60.149.000140	140 µm, -, 8", 2", ISO 3310/1
60.149.000150	150 µm, -, 8", 2", ISO 3310/1
60.149.000160	160 µm, -, 8", 2", ISO 3310/1
60.149.000180	180 µm, -, 8", 2", ISO 3310/1
60.149.000200	200 µm, -, 8", 2", ISO 3310/1
60.149.000212	212 µm, -, 8", 2", ISO 3310/1



## Woven Wire Mesh Sieves - ø 200 mm / 203 mm

60.149.000224	224 µm, -, 8", 2", ISO 3310/1
60.149.000250	250 µm, -, 8", 2", ISO 3310/1
60.149.000280	280 µm, -, 8", 2", ISO 3310/1
60.149.000300	300 µm, -, 8", 2", ISO 3310/1
60.149.000315	315 µm, -, 8", 2", ISO 3310/1
60.149.000355	355 µm, -, 8", 2", ISO 3310/1
60.149.000400	400 µm, -, 8", 2", ISO 3310/1
60.149.000425	425 µm, -, 8", 2", ISO 3310/1
60.149.000450	450 µm, -, 8", 2", ISO 3310/1
60.149.000500	500 µm, -, 8", 2", ISO 3310/1
60.149.000560	560 µm, -, 8", 2", ISO 3310/1
60.149.000600	600 µm, -, 8", 2", ISO 3310/1
60.149.000630	630 µm, -, 8", 2", ISO 3310/1
60.149.000710	710 µm, -, 8", 2", ISO 3310/1
60.149.000800	800 µm, -, 8", 2", ISO 3310/1
60.149.000850	850 µm, -, 8", 2", ISO 3310/1
60.149.000900	900 µm, -, 8", 2", ISO 3310/1
60.149.001000	1.00 mm, -, 8", 2", ISO 3310/1
60.149.001120	1.12 mm, -, 8", 2", ISO 3310/1
60.149.001180	1.18 mm, -, 8", 2", ISO 3310/1
60.149.001250	1.25 mm, -, 8", 2", ISO 3310/1
60.149.001400	1.40 mm, -, 8", 2", ISO 3310/1
60.149.001600	1.60 mm, -, 8", 2", ISO 3310/1
60.149.001700	1.70 mm, -, 8", 2", ISO 3310/1
60.149.001800	1.80 mm, -, 8", 2", ISO 3310/1
60.149.002000	2.00 mm, -, 8", 2", ISO 3310/1
60.149.002240	2.24 mm, -, 8", 2", ISO 3310/1
60.149.002360	2.36 mm, -, 8", 2", ISO 3310/1
60.149.002500	2.50 mm, -, 8", 2", ISO 3310/1
60.149.002800	2.80 mm, -, 8", 2", ISO 3310/1
60.149.003150	3.15 mm, -, 8", 2", ISO 3310/1
60.149.003350	3.35 mm, -, 8", 2", ISO 3310/1
60.149.003550	3.55 mm, -, 8", 2", ISO 3310/1
60.149.004000	4.00 mm, -, 8", 2", ISO 3310/1
60.149.004500	4.50 mm, -, 8", 2", ISO 3310/1
60.149.004750	4.75 mm, -, 8", 2", ISO 3310/1
60.149.005000	5.00 mm, -, 8", 2", ISO 3310/1
60.149.005600	5.60 mm, -, 8", 2", ISO 3310/1
60.149.006300	6.30 mm, -, 8", 2", ISO 3310/1
60.149.006700	6.70 mm, -, 8", 2", ISO 3310/1
60.149.007100	7.10 mm, -, 8", 2", ISO 3310/1
60.149.008000	8.00 mm, -, 8", 2", ISO 3310/1

## Woven Wire Mesh Sieves - ø 200 mm / 203 mm

60.149.009000	9.00 mm, -, 8", 2", ISO 3310/1
60.149.009500	9.50 mm, -, 8", 2", ISO 3310/1
60.149.010000	10.00 mm, -, 8", 2", ISO 3310/1
60.149.011200	11.20 mm, -, 8", 2", ISO 3310/1
60.149.012500	12.50 mm, -, 8", 2", ISO 3310/1
60.149.013200	13.20 mm, -, 8", 2", ISO 3310/1
60.149.014000	14.00 mm, -, 8", 2", ISO 3310/1
60.149.016000	16.00 mm, -, 8", 2", ISO 3310/1
60.149.018000	18.00 mm, -, 8", 2", ISO 3310/1
60.149.019000	19.00 mm, -, 8", 2", ISO 3310/1
60.149.020000	20.00 mm, -, 8", 2", ISO 3310/1
60.149.022400	22.40 mm, -, 8", 2", ISO 3310/1
60.149.025000	25.00 mm, -, 8", 2", ISO 3310/1
60.149.026500	26.50 mm, -, 8", 2", ISO 3310/1
60.149.028000	28.00 mm, -, 8", 2", ISO 3310/1
60.149.031500	31.50 mm, -, 8", 2", ISO 3310/1
60.149.035500	35.50 mm, -, 8", 2", ISO 3310/1
60.149.037500	37.50 mm, -, 8", 2", ISO 3310/1
60.149.040000	40.00 mm, -, 8", 2", ISO 3310/1
60.149.045000	45.00 mm, -, 8", 2", ISO 3310/1
60.149.050000	50.00 mm, -, 8", 2", ISO 3310/1
60.149.053000	53.00 mm, -, 8", 2", ISO 3310/1
60.149.056000	56.00 mm, -, 8", 2", ISO 3310/1
60.149.063000	63.00 mm, -, 8", 2", ISO 3310/1
60.149.071000	71.00 mm, -, 8", 2", ISO 3310/1
60.149.075000	75.00 mm, -, 8", 2", ISO 3310/1
60.149.080000	80.00 mm, -, 8", 2", ISO 3310/1
60.149.090000	90.00 mm, -, 8", 2", ISO 3310/1
60.149.100000	100.00 mm, -, 8", 2", ISO 3310/1
60.149.106000	106.00 mm, -, 8", 2", ISO 3310/1
60.149.112000	112.00 mm, -, 8", 2", ISO 3310/1
60.149.125000	125.00 mm, -, 8", 2", ISO 3310/1

### Test Sieves ø 8" - 1" height - ISO 3310/1 - stainless steel / wire gauze

#### # mm, # mesh no., ø, height, standard

60.140.000020	20 µm, -, 8", 1", ISO 3310/1
60.140.000025	25 µm, -, 8", 1", ISO 3310/1
60.140.000032	32 µm, -, 8", 1", ISO 3310/1
60.140.000036	36 µm, -, 8", 1", ISO 3310/1
60.140.000038	38 µm, -, 8", 1", ISO 3310/1
60.140.000040	40 µm, -, 8", 1", ISO 3310/1

## Woven Wire Mesh Sieves - ø 200 mm / 203 mm

60.140.000045	45 µm, -, 8", 1", ISO 3310/1
60.140.000050	50 µm, -, 8", 1", ISO 3310/1
60.140.000053	53 µm, -, 8", 1", ISO 3310/1
60.140.000056	56 µm, -, 8", 1", ISO 3310/1
60.140.000063	63 µm, -, 8", 1", ISO 3310/1
60.140.000071	71 µm, -, 8", 1", ISO 3310/1
60.140.000075	75 µm, -, 8", 1", ISO 3310/1
60.140.000080	80 µm, -, 8", 1", ISO 3310/1
60.140.000090	90 µm, -, 8", 1", ISO 3310/1
60.140.000100	100 µm, -, 8", 1", ISO 3310/1
60.140.000106	106 µm, -, 8", 1", ISO 3310/1
60.140.000112	112 µm, -, 8", 1", ISO 3310/1
60.140.000125	125 µm, -, 8", 1", ISO 3310/1
60.140.000140	140 µm, -, 8", 1", ISO 3310/1
60.140.000150	150 µm, -, 8", 1", ISO 3310/1
60.140.000160	160 µm, -, 8", 1", ISO 3310/1
60.140.000180	180 µm, -, 8", 1", ISO 3310/1
60.140.000200	200 µm, -, 8", 1", ISO 3310/1
60.140.000212	212 µm, -, 8", 1", ISO 3310/1
60.140.000224	224 µm, -, 8", 1", ISO 3310/1
60.140.000250	250 µm, -, 8", 1", ISO 3310/1
60.140.000280	280 µm, -, 8", 1", ISO 3310/1
60.140.000300	300 µm, -, 8", 1", ISO 3310/1
60.140.000315	315 µm, -, 8", 1", ISO 3310/1
60.140.000355	355 µm, -, 8", 1", ISO 3310/1
60.140.000400	400 µm, -, 8", 1", ISO 3310/1
60.140.000425	425 µm, -, 8", 1", ISO 3310/1
60.140.000450	450 µm, -, 8", 1", ISO 3310/1
60.140.000500	500 µm, -, 8", 1", ISO 3310/1
60.140.000560	560 µm, -, 8", 1", ISO 3310/1
60.140.000600	600 µm, -, 8", 1", ISO 3310/1
60.140.000630	630 µm, -, 8", 1", ISO 3310/1
60.140.000710	710 µm, -, 8", 1", ISO 3310/1
60.140.000800	800 µm, -, 8", 1", ISO 3310/1
60.140.000850	850 µm, -, 8", 1", ISO 3310/1
60.140.000900	900 µm, -, 8", 1", ISO 3310/1
60.140.001000	1.00 mm, -, 8", 1", ISO 3310/1
60.140.001120	1.12 mm, -, 8", 1", ISO 3310/1
60.140.001180	1.18 mm, -, 8", 1", ISO 3310/1
60.140.001250	1.25 mm, -, 8", 1", ISO 3310/1
60.140.001400	1.40 mm, -, 8", 1", ISO 3310/1
60.140.001600	1.60 mm, -, 8", 1", ISO 3310/1

## Woven Wire Mesh Sieves - ø 200 mm / 203 mm

60.140.001700	1.70 mm, -, 8", 1", ISO 3310/1
60.140.001800	1.80 mm, -, 8", 1", ISO 3310/1
60.140.002000	2.00 mm, -, 8", 1", ISO 3310/1
60.140.002240	2.24 mm, -, 8", 1", ISO 3310/1
60.140.002360	2.36 mm, -, 8", 1", ISO 3310/1
60.140.002500	2.50 mm, -, 8", 1", ISO 3310/1
60.140.002800	2.80 mm, -, 8", 1", ISO 3310/1
60.140.003150	3.15 mm, -, 8", 1", ISO 3310/1
60.140.003350	3.35 mm, -, 8", 1", ISO 3310/1
60.140.003550	3.55 mm, -, 8", 1", ISO 3310/1
60.140.004000	4.00 mm, -, 8", 1", ISO 3310/1
60.140.004500	4.50 mm, -, 8", 1", ISO 3310/1
60.140.004750	4.75 mm, -, 8", 1", ISO 3310/1
60.140.005000	5.00 mm, -, 8", 1", ISO 3310/1
60.140.005600	5.60 mm, -, 8", 1", ISO 3310/1
60.140.006300	6.30 mm, -, 8", 1", ISO 3310/1
60.140.006700	6.70 mm, -, 8", 1", ISO 3310/1
60.140.007100	7.10 mm, -, 8", 1", ISO 3310/1
60.140.008000	8.00 mm, -, 8", 1", ISO 3310/1
60.140.009000	9.00 mm, -, 8", 1", ISO 3310/1
60.140.009500	9.50 mm, -, 8", 1", ISO 3310/1
60.140.010000	10.00 mm, -, 8", 1", ISO 3310/1
60140011200	11.20 mm, -, 8", 1", ISO 3310/1
60.140.012500	12.50 mm, -, 8", 1", ISO 3310/1
60.140.013200	13.20 mm, -, 8", 1", ISO 3310/1
60.140.014000	14.00 mm, -, 8", 1", ISO 3310/1
60.140.016000	16.00 mm, -, 8", 1", ISO 3310/1
60.140.018000	18.00 mm, -, 8", 1", ISO 3310/1
60.140.019000	19.00 mm, -, 8", 1", ISO 3310/1
60.140.020000	20.00 mm, -, 8", 1", ISO 3310/1
60.140.022400	22.40 mm, -, 8", 1", ISO 3310/1
60.140.025000	25.00 mm, -, 8", 1", ISO 3310/1
60.140.026500	26.50 mm, -, 8", 1", ISO 3310/1
60.140.028000	28.00 mm, -, 8", 1", ISO 3310/1
60.140.031500	31.50 mm, -, 8", 1", ISO 3310/1
60.140.035500	35.50 mm, -, 8", 1", ISO 3310/1
60.140.037500	37.50 mm, -, 8", 1", ISO 3310/1
60.140.040000	40.00 mm, -, 8", 1", ISO 3310/1
60.140.045000	45.00 mm, -, 8", 1", ISO 3310/1
60.140.050000	50.00 mm, -, 8", 1", ISO 3310/1
60.140.053000	53.00 mm, -, 8", 1", ISO 3310/1
60.140.056000	56.00 mm, -, 8", 1", ISO 3310/1

## Woven Wire Mesh Sieves - ø 200 mm / 203 mm

60.140.063000	63.00 mm, -, 8", 1", ISO 3310/1
60.140.071000	71.00 mm, -, 8", 1", ISO 3310/1
60.140.075000	75.00 mm, -, 8", 1", ISO 3310/1
60.140.080000	80.00 mm, -, 8", 1", ISO 3310/1
60.140.090000	90.00 mm, -, 8", 1", ISO 3310/1
60.140.100000	100.00 mm, -, 8", 1", ISO 3310/1
60.140.106000	106.00 mm, -, 8", 1", ISO 3310/1
60.140.112000	112.00 mm, -, 8", 1", ISO 3310/1
60.140.125000	125.00 mm, -, 8", 1", ISO 3310/1

## Test Sieves ø 200 mm - 50 mm height - ASTM E11 - stainless steel / wire gauze

### # mm, # mesh no., ø, height, standard

60.132.000020	20 µm, 635 Mesh, 200 mm, 50 mm, ASTM E11
60.132.000025	25 µm, 500 Mesh, 200 mm, 50 mm, ASTM E11
60.132.000032	32 µm, 450 Mesh, 200 mm, 50 mm, ASTM E11
60.132.000038	38 µm, 400 Mesh, 200 mm, 50 mm, ASTM E11
60.132.000045	45 µm, 325 Mesh, 200 mm, 50 mm, ASTM E11
60.132.000053	53 µm, 270 Mesh, 200 mm, 50 mm, ASTM E11
60.132.000063	63 µm, 230 Mesh, 200 mm, 50 mm, ASTM E11
60.132.000075	75 µm, 200 Mesh, 200 mm, 50 mm, ASTM E11
60.132.000090	90 µm, 170 Mesh, 200 mm, 50 mm, ASTM E11
60.132.000106	106 µm, 140 Mesh, 200 mm, 50 mm, ASTM E11
60.132.000125	125 µm, 120 Mesh, 200 mm, 50 mm, ASTM E11
60.132.000150	150 µm, 100 Mesh, 200 mm, 50 mm, ASTM E11
60.132.000180	180 µm, 80 Mesh, 200 mm, 50 mm, ASTM E11
60.132.000212	212 µm, 70 Mesh, 200 mm, 50 mm, ASTM E11
60.132.000250	250 µm, 60 Mesh, 200 mm, 50 mm, ASTM E11
60.132.000300	300 µm, 50 Mesh, 200 mm, 50 mm, ASTM E11
60.132.000355	355 µm, 45 Mesh, 200 mm, 50 mm, ASTM E11
60.132.000425	425 µm, 40 Mesh, 200 mm, 50 mm, ASTM E11
60.132.000500	500 µm, 35 Mesh, 200 mm, 50 mm, ASTM E11
60.132.000600	600 µm, 30 Mesh, 200 mm, 50 mm, ASTM E11
60.132.000710	710 µm, 25 Mesh, 200 mm, 50 mm, ASTM E11
60.132.000850	850 µm, 20 Mesh, 200 mm, 50 mm, ASTM E11
60.132.001000	1.00 mm, 18 Mesh, 200 mm, 50 mm, ASTM E11
60.132.001180	1.18 mm, 16 Mesh, 200 mm, 50 mm, ASTM E11
60.132.001400	1.40 mm, 14 Mesh, 200 mm, 50 mm, ASTM E11
60.132.001700	1.70 mm, 12 Mesh, 200 mm, 50 mm, ASTM E11
60.132.002000	2.00 mm, 10 Mesh, 200 mm, 50 mm, ASTM E11
60.132.002360	2.36 mm, 8 Mesh, 200 mm, 50 mm, ASTM E11
60.132.002800	2.80 mm, 7 Mesh, 200 mm, 50 mm, ASTM E11

## Woven Wire Mesh Sieves - ø 200 mm / 203 mm

60.132.003350	3.35 mm, 6 Mesh, 200 mm, 50 mm, ASTM E11
60.132.004000	4.00 mm, 5 Mesh, 200 mm, 50 mm, ASTM E11
60.132.004750	4.75 mm, 4 Mesh, 200 mm, 50 mm, ASTM E11
60.132.005600	5.60 mm, 3.5 Mesh, 200 mm, 50 mm, ASTM E11
60.132.006300	6.30 mm, 1/4", 200 mm, 50 mm, ASTM E11
60.132.006700	6.70 mm, 0.265", 200 mm, 50 mm, ASTM E11
60.132.008000	8.00 mm, 5/16", 200 mm, 50 mm, ASTM E11
60.132.009500	9.50 mm, 3/8", 200 mm, 50 mm, ASTM E11
60.132.011200	11.20 mm, 7/16", 200 mm, 50 mm, ASTM E11
60.132.012500	12.50 mm, 1/2", 200 mm, 50 mm, ASTM E11
60.132.013200	13.20 mm, 0.530", 200 mm, 50 mm, ASTM E11
60.132.016000	16.00 mm, 5/8", 200 mm, 50 mm, ASTM E11
60.132.019000	19.00 mm, 3/4", 200 mm, 50 mm, ASTM E11
60.132.022400	22.40 mm, 7/8", 200 mm, 50 mm, ASTM E11
60.132.025000	25.00 mm, 1", 200 mm, 50 mm, ASTM E11
60.132.026500	26.50 mm, 1.06", 200 mm, 50 mm, ASTM E11
60.132.031500	31.50 mm, 1 1/4", 200 mm, 50 mm, ASTM E11
60.132.037500	37.50 mm, 1 1/2", 200 mm, 50 mm, ASTM E11
60.132.045000	45.00 mm, 1 3/4", 200 mm, 50 mm, ASTM E11
60.132.050000	50.00 mm, 2", 200 mm, 50 mm, ASTM E11
60.132.053000	53.00 mm, 2.12", 200 mm, 50 mm, ASTM E11
60.132.063000	63.00 mm, 2 1/2", 200 mm, 50 mm, ASTM E11
60.132.075000	75.00 mm, 3", 200 mm, 50 mm, ASTM E11
60.132.090000	90.00 mm, 3 1/2", 200 mm, 50 mm, ASTM E11
60.132.100000	100.00 mm, 4", 200 mm, 50 mm, ASTM E11
60.132.106000	106.00 mm, 4.24", 200 mm, 50 mm, ASTM E11
60.132.125000	125.00 mm, 5", 200 mm, 50 mm, ASTM E11

## Test Sieves ø 200 mm - 25 mm height - ASTM E11 - stainless steel / wire gauze

### # mm, # mesh no., ø, height, standard

60.123.000020	20 µm, 635 Mesh, 200 mm, 25 mm, ASTM E11
60.123.000025	25 µm, 500 Mesh, 200 mm, 25 mm, ASTM E11
60.123.000032	32 µm, 450 Mesh, 200 mm, 25 mm, ASTM E11
60.123.000038	38 µm, 400 Mesh, 200 mm, 25 mm, ASTM E11
60.123.000045	45 µm, 325 Mesh, 200 mm, 25 mm, ASTM E11
60.123.000053	53 µm, 270 Mesh, 200 mm, 25 mm, ASTM E11
60.123.000063	63 µm, 230 Mesh, 200 mm, 25 mm, ASTM E11
60.123.000075	75 µm, 200 Mesh, 200 mm, 25 mm, ASTM E11
60.123.000090	90 µm, 170 Mesh, 200 mm, 25 mm, ASTM E11
60.123.000106	106 µm, 140 Mesh, 200 mm, 25 mm, ASTM E11
60.123.000125	125 µm, 120 Mesh, 200 mm, 25 mm, ASTM E11

## Woven Wire Mesh Sieves - ø 200 mm / 203 mm

60.123.000150	150 µm, 100 Mesh, 200 mm, 25 mm, ASTM E11
60.123.000180	180 µm, 80 Mesh, 200 mm, 25 mm, ASTM E11
60.123.000212	212 µm, 70 Mesh, 200 mm, 25 mm, ASTM E11
60.123.000250	250 µm, 60 Mesh, 200 mm, 25 mm, ASTM E11
60.123.000300	300 µm, 50 Mesh, 200 mm, 25 mm, ASTM E11
60.123.000355	355 µm, 45 Mesh, 200 mm, 25 mm, ASTM E11
60.123.000425	425 µm, 40 Mesh, 200 mm, 25 mm, ASTM E11
60.123.000500	500 µm, 35 Mesh, 200 mm, 25 mm, ASTM E11
60.123.000600	600 µm, 30 Mesh, 200 mm, 25 mm, ASTM E11
60.123.000710	710 µm, 25 Mesh, 200 mm, 25 mm, ASTM E11
60.123.000850	850 µm, 20 Mesh, 200 mm, 25 mm, ASTM E11
60.123.001000	1.00 mm, 18 Mesh, 200 mm, 25 mm, ASTM E11
60.123.001180	1.18 mm, 16 Mesh, 200 mm, 25 mm, ASTM E11
60.123.001400	1.40 mm, 14 Mesh, 200 mm, 25 mm, ASTM E11
60.123.001700	1.70 mm, 12 Mesh, 200 mm, 25 mm, ASTM E11
60.123.002000	2.00 mm, 10 Mesh, 200 mm, 25 mm, ASTM E11
60.123.002360	2.36 mm, 8 Mesh, 200 mm, 25 mm, ASTM E11
60.123.002800	2.80 mm, 7 Mesh, 200 mm, 25 mm, ASTM E11
60.123.003350	3.35 mm, 6 Mesh, 200 mm, 25 mm, ASTM E11
60.123.004000	4.00 mm, 5 Mesh, 200 mm, 25 mm, ASTM E11
60.123.004750	4.75 mm, 4 Mesh, 200 mm, 25 mm, ASTM E11
60.123.005600	5.60 mm, 3.5 Mesh, 200 mm, 25 mm, ASTM E11
60.123.006300	6.30 mm, 1/4", 200 mm, 25 mm, ASTM E11
60.123.006700	6.70 mm, 0.265", 200 mm, 25 mm, ASTM E11
60.123.008000	8.00 mm, 5/16", 200 mm, 25 mm, ASTM E11
60.123.009500	9.50 mm, 3/8", 200 mm, 25 mm, ASTM E11
60.123.011200	11.20 mm, 7/16", 200 mm, 25 mm, ASTM E11
60.123.012500	12.50 mm, 1/2", 200 mm, 25 mm, ASTM E11
60.123.013200	13.20 mm, 0.530", 200 mm, 25 mm, ASTM E11
60.123.016000	16.00 mm, 5/8", 200 mm, 25 mm, ASTM E11
60.123.019000	19.00 mm, 3/4", 200 mm, 25 mm, ASTM E11
60.123.022400	22.40 mm, 7/8", 200 mm, 25 mm, ASTM E11
60.123.025000	25.00 mm, 1", 200 mm, 25 mm, ASTM E11
60.123.026500	26.50 mm, 1.06", 200 mm, 25 mm, ASTM E11
60.123.031500	31.50 mm, 1 1/4", 200 mm, 25 mm, ASTM E11
60.123.037500	37.50 mm, 1 1/2", 200 mm, 25 mm, ASTM E11
60.123.045000	45.00 mm, 1 3/4", 200 mm, 25 mm, ASTM E11
60.123.050000	50.00 mm, 2", 200 mm, 25 mm, ASTM E11
60.123.053000	53.00 mm, 2.12", 200 mm, 25 mm, ASTM E11
60.123.063000	63.00 mm, 2 1/2", 200 mm, 25 mm, ASTM E11
60.123.075000	75.00 mm, 3", 200 mm, 25 mm, ASTM E11
60.123.090000	90.00 mm, 3 1/2", 200 mm, 25 mm, ASTM E11

## Woven Wire Mesh Sieves - ø 200 mm / 203 mm

60.123.100000	100.00 mm, 4", 200 mm, 25 mm, ASTM E11
60.123.106000	106.00 mm, 4.24", 200 mm, 25 mm, ASTM E11
60.123.125000	125.00 mm, 5", 200 mm, 25 mm, ASTM E11

### Test Sieves ø 8" - 2" height - ASTM E11 - stainless steel / wire gauze

#### # mm, # mesh no., ø, height, standard

60.150.000020	20 µm, 635 Mesh, 8", 2", ASTM E11
60.150.000025	25 µm, 500 Mesh, 8", 2", ASTM E11
60.150.000032	32 µm, 450 Mesh, 8", 2", ASTM E11
60.150.000038	38 µm, 400 Mesh, 8", 2", ASTM E11
60.150.000045	45 µm, 325 Mesh, 8", 2", ASTM E11
60.150.000053	53 µm, 270 Mesh, 8", 2", ASTM E11
60.150.000063	63 µm, 230 Mesh, 8", 2", ASTM E11
60.150.000075	75 µm, 200 Mesh, 8", 2", ASTM E11
60.150.000090	90 µm, 170 Mesh, 8", 2", ASTM E11
60.150.000106	106 µm, 140 Mesh, 8", 2", ASTM E11
60.150.000125	125 µm, 120 Mesh, 8", 2", ASTM E11
60.150.000150	150 µm, 100 Mesh, 8", 2", ASTM E11
60.150.000180	180 µm, 80 Mesh, 8", 2", ASTM E11
60.150.000212	212 µm, 70 Mesh, 8", 2", ASTM E11
60.150.000250	250 µm, 60 Mesh, 8", 2", ASTM E11
60.150.000300	300 µm, 50 Mesh, 8", 2", ASTM E11
60.150.000355	355 µm, 45 Mesh, 8", 2", ASTM E11
60.150.000425	425 µm, 40 Mesh, 8", 2", ASTM E11
60.150.000500	500 µm, 35 Mesh, 8", 2", ASTM E11
60.150.000600	600 µm, 30 Mesh, 8", 2", ASTM E11
60.150.000710	710 µm, 25 Mesh, 8", 2", ASTM E11
60.150.000850	850 µm, 20 Mesh, 8", 2", ASTM E11
60.150.001000	1.00 mm, 18 Mesh, 8", 2", ASTM E11
60.150.001180	1.18 mm, 16 Mesh, 8", 2", ASTM E11
60.150.001400	1.40 mm, 14 Mesh, 8", 2", ASTM E11
60.150.001700	1.70 mm, 12 Mesh, 8", 2", ASTM E11
60.150.002000	2.00 mm, 10 Mesh, 8", 2", ASTM E11
60.150.002360	2.36 mm, 8 Mesh, 8", 2", ASTM E11
60.150.002800	2.80 mm, 7 Mesh, 8", 2", ASTM E11
60.150.003350	3.35 mm, 6 Mesh, 8", 2", ASTM E11
60.150.004000	4.00 mm, 5 Mesh, 8", 2", ASTM E11
60.150.004750	4.75 mm, 4 Mesh, 8", 2", ASTM E11
60.150.005600	5.60 mm, 3.5 Mesh, 8", 2", ASTM E11
60.150.006300	6.30 mm, 1/4", 8", 2", ASTM E11
60.150.006700	6.70 mm, 0.265", 8", 2", ASTM E11



## Woven Wire Mesh Sieves - ø 200 mm / 203 mm

60.150.008000	8.00 mm, 5/16", 8", 2", ASTM E11
60.150.009500	9.50 mm, 3/8", 8", 2", ASTM E11
60.150.011200	11.20 mm, 7/16", 8", 2", ASTM E11
60.150.012500	12.50 mm, 1/2", 8", 2", ASTM E11
60.150.013200	13.20 mm, 0.530", 8", 2", ASTM E11
60.150.016000	16.00 mm, 5/8", 8", 2", ASTM E11
60.150.019000	19.00 mm, 3/4", 8", 2", ASTM E11
60.150.022400	22.40 mm, 7/8", 8", 2", ASTM E11
60.150.025000	25.00 mm, 1", 8", 2", ASTM E11
60.150.026500	26.50 mm, 1.06", 8", 2", ASTM E11
60.150.031500	31.50 mm, 1 1/4", 8", 2", ASTM E11
60.150.037500	37.50 mm, 1 1/2", 8", 2", ASTM E11
60.150.045000	45.00 mm, 1 3/4", 8", 2", ASTM E11
60.150.050000	50.00 mm, 2", 8", 2", ASTM E11
60.150.053000	53.00 mm, 2.12", 8", 2", ASTM E11
60.150.063000	63.00 mm, 2 1/2", 8", 2", ASTM E11
60.150.075000	75.00 mm, 3", 8", 2", ASTM E11
60.150.090000	90.00 mm, 3 1/2", 8", 2", ASTM E11
60.150.100000	100.00 mm, 4", 8", 2", ASTM E11
60.150.106000	106.00 mm, 4.24", 8", 2", ASTM E11
60.150.125000	125.00 mm, 5", 8", 2", ASTM E11

## Test Sieves ø 8" - 1" height - ASTM E11 - stainless steel / wire gauze

### # mm, # mesh no., ø, height, standard

60.141.000020	20 µm, 635 Mesh, 8", 1", ASTM E11
60.141.000025	25 µm, 500 Mesh, 8", 1", ASTM E11
60.141.000032	32 µm, 450 Mesh, 8", 1", ASTM E11
60.141.000038	38 µm, 400 Mesh, 8", 1", ASTM E11
60.141.000045	45 µm, 325 Mesh, 8", 1", ASTM E11
60.141.000053	53 µm, 270 Mesh, 8", 1", ASTM E11
60.141.000063	63 µm, 230 Mesh, 8", 1", ASTM E11
60.141.000075	75 µm, 200 Mesh, 8", 1", ASTM E11
60.141.000090	90 µm, 170 Mesh, 8", 1", ASTM E11
60.141.000106	106 µm, 140 Mesh, 8", 1", ASTM E11
60.141.000125	125 µm, 120 Mesh, 8", 1", ASTM E11
60.141.000150	150 µm, 100 Mesh, 8", 1", ASTM E11
60.141.000180	180 µm, 80 Mesh, 8", 1", ASTM E11
60.141.000212	212 µm, 70 Mesh, 8", 1", ASTM E11
60.141.000250	250 µm, 60 Mesh, 8", 1", ASTM E11
60.141.000300	300 µm, 50 Mesh, 8", 1", ASTM E11
60.141.000355	355 µm, 45 Mesh, 8", 1", ASTM E11

## Woven Wire Mesh Sieves - ø 200 mm / 203 mm

60.141.000425	425 µm, 40 Mesh, 8", 1", ASTM E11
60.141.000500	500 µm, 35 Mesh, 8", 1", ASTM E11
60.141.000600	600 µm, 30 Mesh, 8", 1", ASTM E11
60.141.000710	710 µm, 25 Mesh, 8", 1", ASTM E11
60.141.000850	850 µm, 20 Mesh, 8", 1", ASTM E11
60.141.001000	1.00 mm, 18 Mesh, 8", 1", ASTM E11
60.141.001180	1.18 mm, 16 Mesh, 8", 1", ASTM E11
60.141.001400	1.40 mm, 14 Mesh, 8", 1", ASTM E11
60.141.001700	1.70 mm, 12 Mesh, 8", 1", ASTM E11
60.141.002000	2.00 mm, 10 Mesh, 8", 1", ASTM E11
60.141.002360	2.36 mm, 8 Mesh, 8", 1", ASTM E11
60.141.002800	2.80 mm, 7 Mesh, 8", 1", ASTM E11
60.141.003350	3.35 mm, 6 Mesh, 8", 1", ASTM E11
60.141.004000	4.00 mm, 5 Mesh, 8", 1", ASTM E11
60.141.004750	4.75 mm, 4 Mesh, 8", 1", ASTM E11
60.141.005600	5.60 mm, 3.5 Mesh, 8", 1", ASTM E11
60.141.006300	6.30 mm, 1/4", 8", 1", ASTM E11
60.141.006700	6.70 mm, 0.265", 8", 1", ASTM E11
60.141.008000	8.00 mm, 5/16", 8", 1", ASTM E11
60.141.009500	9.50 mm, 3/8", 8", 1", ASTM E11
60.141.011200	11.20 mm, 7/16", 8", 1", ASTM E11
60.141.012500	12.50 mm, 1/2", 8", 1", ASTM E11
60.141.013200	13.20 mm, 0.530", 8", 1", ASTM E11
60.141.016000	16.00 mm, 5/8", 8", 1", ASTM E11
60.141.019000	19.00 mm, 3/4", 8", 1", ASTM E11
60.141.022400	22.40 mm, 7/8", 8", 1", ASTM E11
60.141.025000	25.00 mm, 1", 8", 1", ASTM E11
60.141.026500	26.50 mm, 1.06", 8", 1", ASTM E11
60.141.031500	31.50 mm, 1 1/4", 8", 1", ASTM E11
60.141.037500	37.50 mm, 1 1/2", 8", 1", ASTM E11
60.141.045000	45.00 mm, 1 3/4", 8", 1", ASTM E11
60.141.050000	50.00 mm, 2", 8", 1", ASTM E11
60.141.053000	53.00 mm, 2.12", 8", 1", ASTM E11
60.141.063000	63.00 mm, 2 1/2", 8", 1", ASTM E11
60.141.075000	75.00 mm, 3", 8", 1", ASTM E11
60.141.090000	90.00 mm, 3 1/2", 8", 1", ASTM E11
60.141.100000	100.00 mm, 4", 8", 1", ASTM E11
60.141.106000	106.00 mm, 4.24", 8", 1", ASTM E11
60.141.125000	125.00 mm, 5", 8", 1", ASTM E11