

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 10/02/2021

Reviewed on 10/02/2021

## 1 Identification

- **Product identifier**
- **Product Name:** 1000 µg/mL Chromate
- **Part Name:**  
AS-CRO49-2Y  
AS-CRO49-2X
- **Application of the substance / the mixture** *Certified Reference Material*
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
SPEX CertiPrep, LLC.  
203 Norcross Ave, Metuchen,  
NJ 08840 USA
- **Information department:** *product safety department*
- **Emergency telephone number:**  
*Emergency Phone Number (24 hours)*  
CHEMTREC (800-424-9300)  
*Outside US:* 703-527-3887

## 2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS08 Health hazard


*Muta. 1B H340 May cause genetic defects.**Carc. 1B H350 May cause cancer.*

- **Label elements**
- **GHS label elements** *The product is classified and labeled according to the Globally Harmonized System (GHS).*
- **Hazard pictograms**



GHS08

- **Signal word** *Danger*
- **Hazard-determining components of labeling:**  
*potassium chromate*
- **Hazard statements**  
*H340 May cause genetic defects.*  
*H350 May cause cancer.*
- **Precautionary statements**  
P201 *Obtain special instructions before use.*  
P202 *Do not handle until all safety precautions have been read and understood.*  
P280 *Wear protective gloves/protective clothing/eye protection/face protection.*  
P308+P313 *IF exposed or concerned: Get medical advice/attention.*  
P405 *Store locked up.*  
P501 *Dispose of contents/container in accordance with local/regional/national/international regulations.*
- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



Health = 0  
Fire = 0  
Reactivity = 0

- **HMIS-ratings (scale 0 - 4)**



HEALTH 0 Health = \*0  
FIRE 0 Fire = 0  
REACTIVITY 0 Reactivity = 0

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** *Not applicable.*

(Contd. on page 2)

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 10/02/2021

Reviewed on 10/02/2021

**Product Name: 1000 µg/mL Chromate**

(Contd. of page 1)

· **vPvB:** Not applicable.

### 3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Dangerous components:**

7789-00-6	potassium chromate	0.17%
-----------	--------------------	-------

· **Chemical identification of the substance/preparation**

7732-18-5	water, distilled, conductivity or of similar purity	99.83%
-----------	---	--------

### 4 First-aid measures

- **Description of first aid measures**
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** Do not give anything to eat or drink - Do not induce vomiting
- **Information for Doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** Dilute with plenty of water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose contaminated material as waste according to item 13.  
Ensure adequate ventilation.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

· **PAC-1:**

7789-00-6	potassium chromate	0.56 mg/m <sup>3</sup>
-----------	--------------------	------------------------

· **PAC-2:**

7789-00-6	potassium chromate	9.7 mg/m <sup>3</sup>
-----------	--------------------	-----------------------

· **PAC-3:**

7789-00-6	potassium chromate	58 mg/m <sup>3</sup>
-----------	--------------------	----------------------

### 7 Handling and storage

- **Handling:**
- **Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.  
Open and handle receptacle with care.
- **Information about protection against explosions and fires:** Keep respiratory protective device available.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.

(Contd. on page 3)

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 10/02/2021

Reviewed on 10/02/2021

**Product Name: 1000 µg/mL Chromate**

(Contd. of page 2)

- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

### 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

- **Components with limit values that require monitoring at the workplace:**

#### 7789-00-6 potassium chromate

PEL	Long-term value: 0.005* mg/m <sup>3</sup> Ceiling limit value: 0.1** mg/m <sup>3</sup> *as Cr(VI) **as CrO <sub>3</sub> ; see 29 CFR 1910.1026
REL	Long-term value: 0.0002 mg/m <sup>3</sup> as Cr; See Pocket Guide Apps. A and C
TLV	Short-term value: 0.0005 mg/m <sup>3</sup> Long-term value: 0.0002 mg/m <sup>3</sup> as Cr(VI); inhalable, Skin; BEI, DSEN, RSEN

- **Ingredients with biological limit values:**

#### 7789-00-6 potassium chromate

BEI	25 µg/L Medium: urine Time: end of shift at end of workweek Parameter: Total chromium (fume)
	10 µg/L Medium: urine Time: increase during shift Parameter: Total chromium (fume)

- **Additional information:** The lists that were valid during the creation were used as basis.

- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
Keep away from foodstuffs, beverages and feed.  
Wash hands before breaks and at the end of work.  
Store protective clothing separately.
- **Respiratory protection:**  
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:**



Tightly sealed goggles

US

(Contd. on page 4)

Product Name: 1000 µg/mL Chromate

(Contd. of page 3)

**9 Physical and chemical properties**

## · Information on basic physical and chemical properties

## · General Information

## · Appearance:

Form: Liquid  
Color: According to product specification

· Odor: Characteristic

· Odour Threshold: Not applicable.

· pH-value: Not applicable.

## · Change in condition

Melting point/Melting range: Undetermined.  
Boiling point/Boiling range: 100 °C (212 °F)

· Flash point: Not applicable.

· Flammability (solid, gaseous): Not applicable.

· Decomposition temperature: Not applicable.

· Auto igniting: Product is not selfigniting.

· Danger of explosion: Product does not present an explosion hazard.

## · Explosion limits:

Lower: Not applicable.  
Upper: Not applicable.

· Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg)

· Density at 20 °C (68 °F): 1.00294 g/cm<sup>3</sup> (8.36953 lbs/gal)

· Relative density: Not applicable.

· Vapor density: Not applicable.

· Evaporation rate: Not applicable.

## · Solubility in / Miscibility with

Water: Fully miscible.

· Partition coefficient (n-octanol/water): Not applicable.

## · Viscosity:

Dynamic: Not applicable.  
Kinematic: Not applicable.

## · Solvent content:

Water: 99.8 %

VOC content: 0.00 %

Solids content: 0.2 %

· Other information: No further relevant information available.

**10 Stability and reactivity**

· Reactivity: No further relevant information available.

## · Chemical stability

· Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· Possibility of hazardous reactions: No dangerous reactions known.

· Conditions to avoid: No further relevant information available.

· Incompatible materials: No further relevant information available.

· Hazardous decomposition products: No dangerous decomposition products known.

**11 Toxicological information**

## · Information on toxicological effects

## · Acute toxicity:

## · LD/LC50 values that are relevant for classification:

7789-00-6 potassium chromate

Oral LD50 180 mg/kg (mouse)

## · Primary irritant effect:

· on the eye: No irritating effect.

· Sensitization: No sensitizing effects known.

(Contd. on page 5)

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 10/02/2021

Reviewed on 10/02/2021

**Product Name: 1000 µg/mL Chromate**

(Contd. of page 4)

· **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:  
The product can cause inheritable damage.

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

7789-00-6	potassium chromate	I
-----------	--------------------	---

· **NTP (National Toxicology Program)**

7789-00-6	potassium chromate	K
-----------	--------------------	---

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

## 12 Ecological information

· **Toxicity**

· **Aquatic toxicity:** No further relevant information available.

· **Persistence and degradability:** No further relevant information available.

· **Behavior in environmental systems:**

· **Bioaccumulative potential:** No further relevant information available.

· **Mobility in soil:** No further relevant information available.

· **Additional ecological information:**

· **General notes:** Not hazardous for water.

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **Other adverse effects:** No further relevant information available.

## 13 Disposal considerations

· **Waste treatment methods**

· **Recommendation:** Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· **Uncleaned packagings:**

· **Recommendation:** Disposal must be made according to official regulations.

· **Recommended cleansing agent:** Water, if necessary with cleansing agents.

## 14 Transport information

· **UN-Number**

· **DOT, ADR, IMDG, IATA** Not Regulated

· **UN proper shipping name**

· **DOT, ADR, IMDG, IATA** Not Regulated

· **Transport hazard class(es)**

· **DOT, ADR, ADN, IMDG, IATA**

· **Class** Not Regulated

· **Packing group**

· **DOT, ADR, IMDG, IATA** Not Regulated

· **Environmental hazards:**

Not applicable.

· **Special precautions for user**

Not applicable.

· **Transport in bulk according to Annex II of MARPOL73/78 and the IBC**

· **Code** Not applicable.

· **UN "Model Regulation":**

Not Regulated

## 15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Sara**

· **Section 313 (Specific toxic chemical listings):**

7789-00-6	potassium chromate
-----------	--------------------

(Contd. on page 6)

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 10/02/2021

Reviewed on 10/02/2021

**Product Name: 1000 µg/mL Chromate**

(Contd. of page 5)

· <b>TSCA (Toxic Substances Control Act):</b>	
All components have the value ACTIVE.	
· <b>Hazardous Air Pollutants</b>	
7789-00-6	potassium chromate
· <b>Proposition 65</b>	
· <b>Chemicals known to cause cancer:</b>	
7789-00-6	potassium chromate
· <b>Chemicals known to cause reproductive toxicity for females:</b>	
7789-00-6	potassium chromate
· <b>Chemicals known to cause reproductive toxicity for males:</b>	
7789-00-6	potassium chromate
· <b>Chemicals known to cause developmental toxicity:</b>	
7789-00-6	potassium chromate
· <b>Carcinogenic categories</b>	
· <b>EPA (Environmental Protection Agency)</b>	
7789-00-6	potassium chromate
A(inh), D(oral), K/L(inh), CBD(oral)	
· <b>TLV (Threshold Limit Value)</b>	
7789-00-6	potassium chromate
AI	
· <b>NIOSH-Ca (National Institute for Occupational Safety and Health)</b>	
7789-00-6	potassium chromate

- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS08

- **Signal word** Danger
- **Hazard-determining components of labeling:**  
potassium chromate
- **Hazard statements**  
H340 May cause genetic defects.  
H350 May cause cancer.
- **Precautionary statements**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P308+P313 IF exposed or concerned: Get medical advice/attention.  
P405 Store locked up.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- **National regulations:**
- **Information about limitation of use:**  
Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department issuing SDS:** product safety department
- **Contact:**  
SPEX CertiPrep, LLC.  
1-732-549-7144
- **Date of preparation / last revision** 10/02/2021 / -
- **Abbreviations and acronyms:**  
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
DOT: US Department of Transportation  
IATA: International Air Transport Association  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances

(Contd. on page 7)

**Safety Data Sheet**  
**acc. to OSHA HCS**

Printing date 10/02/2021

Reviewed on 10/02/2021

**Product Name: 1000 µg/mL Chromate**

(Contd. of page 6)

CAS: Chemical Abstracts Service (division of the American Chemical Society)  
NFPA: National Fire Protection Association (USA)  
HMIS: Hazardous Materials Identification System (USA)  
VOC: Volatile Organic Compounds (USA, EU)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
NIOSH: National Institute for Occupational Safety  
OSHA: Occupational Safety & Health  
TLV: Threshold Limit Value  
PEL: Permissible Exposure Limit  
REL: Recommended Exposure Limit  
BEL: Biological Exposure Limit  
Muta. 1B: Germ cell mutagenicity – Category 1B  
Carc. 1B: Carcinogenicity – Category 1B

US