# Safety data sheet
## according to Regulation (EC) No 1907/2006, Article 31

Printing date 05.05.2026 Version number 4 (replaces version 3) Revision: 05.05.2026

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

· **1.1 Product identifier**

· **Trade name: Uranium U - 1.000 g/l in diluted HNO3 for ICP (C064.2NP)**
· **Registration number**
A registration number is not available for this substance as the substance or its uses are exempted for registration, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.
· **1.2 Relevant identified uses of the substance or mixture and uses advised against**
For Laboratory and R&D use only!
· **Application of the substance / the mixture** Laboratory Reagent

· **1.3 Details of the supplier of the safety data sheet**
· **Manufacturer/Supplier:**
CPAchem Ltd.
2 Ivanka Terzieva Str.
Bogomilovo 6065
Stara Zagora, BULGARIA
info@cpachem.com
+359 42952901

· **Further information obtainable from:** Product safety department
· **1.4 Emergency telephone number:**
EMERGENCY HEALTH INFORMATION:
Austria +43 1 31304 5620, Belgium +32022649636, Bulgaria +359 2 9154 409, Croatia +38514686910, Cyprus +3572240561, Czech Republic +420267082257, Denmark +45 72 54 40 00, Estonia +3726943384, Finland +358 5052 000, France +33 3 85 21 92, Germany +49-30-18412-0, Greece +302106479250, Hungary +34 (1) 476 1136, Ireland +35318092566, Italy +390649906140, Latvia +371 67032600, Lithuania +370 70662008, Luxembourg +352 24785551, Netherland +31 88 75 585 61,
Norway +47 21 07 70 00, Poland +48 42 2530 400, Portugal +351 800250250, Romania +40213183606, Slovakia +421 2 5465 2307, Slovenia +38614006039, Spain +34 917689800, Sweden +46104566750, United Kingdom (England or Wales) 0845 46 47 or Scotland 08454 24 24 24 (UK only).

## SECTION 2: Hazards identification

· **2.1 Classification of the substance or mixture**
· **Classification according to Regulation (EC) No 1272/2008**



GHS07

Skin Irrit. 2 H315 Causes skin irritation.
Eye Irrit. 2 H319 Causes serious eye irritation.

· **2.2 Label elements**
· **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the CLP regulation.
· **Hazard pictograms**



GHS07

· **Signal word** Warning

(Contd. on page 2)

# Safety data sheet
## according to Regulation (EC) No 1907/2006, Article 31

*Printing date 05.05.2026* *Version number 4 (replaces version 3)* *Revision: 05.05.2026*

**Trade name: Uranium U - 1.000 g/l in diluted HNO3 for ICP (C064.2NP)**

(Contd. of page 1)

· **Hazard statements**
H315 Causes skin irritation.
H319 Causes serious eye irritation.
· **Precautionary statements**
P264 Wash thoroughly after handling.
P280 Wear protective gloves / eye protection / face protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P332+P313 If skin irritation occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.
P337+P313 If eye irritation persists: Get medical advice/attention.
· **Additional information:**
Product contains: Reportable explosives precursors. Making available, introduction, possession and use according to Regulation (EU) 2019/1148, Article 9.
· **Labelling of packages where the contents do not exceed 125 ml**
· **Hazard pictograms**



GHS07

· **Signal word** Warning
· **Hazard statements** Void
· **Precautionary statements**
P280 Wear protective gloves / eye protection / face protection.
· **2.3 Other hazards**
· **Results of PBT and vPvB assessment**
· **PBT:** Not applicable
· **vPvB:** Not applicable

## SECTION 3: Composition/information on ingredients

· **3.2 Mixtures**
· **Description:** Mixture: consisting of the following components.

| · **Dangerous components:** | | |
|---|---|---|
| CAS: 7697-37-2<br>EINECS: 231-714-2<br>Index number: 007-030-00-3<br>Reg.nr.: 01-2119487297-23 | nitric acid<br>Ox. Liq. 3, H272; Acute Tox. 3, H331; Skin Corr. 1A, H314; Eye Dam. 1, H318, EUH071<br>ATE: LC50/4 h inhalative: > 20 mg/l<br>Specific concentration limits: Skin Corr. 1A; H314: C ≥ 20 %<br>Skin Corr. 1B; H314: 5 % ≤ C < 20 %<br>Ox. Liq. 3; H272: C ≥ 65 % | 2.0% |
| CAS: 6159-44-0<br>EINECS: 208-767-5<br>Index number: 092-002-00-3 | uranyl acetate dihydrate<br>Acute Tox. 2, H300; Acute Tox. 2, H330; STOT RE 2, H373; Aquatic Chronic 2, H411 | 0.178% |

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

## SECTION 4: First aid measures

· **4.1 Description of first aid measures**
· **General information:**
Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

(Contd. on page 3)

# Safety data sheet
## according to Regulation (EC) No 1907/2006, Article 31

Printing date 05.05.2026 Version number 4 (replaces version 3) Revision: 05.05.2026

**Trade name: Uranium U - 1.000 g/l in diluted HNO3 for ICP (C064.2NP)**

(Contd. of page 2)

· **After inhalation:**
Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.
In case of unconsciousness place patient stably in side position for transportation.
· **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
· **After eye contact:** Rinse opened eye for several minutes under running water.
· **After swallowing:** Call for a doctor immediately.
· **4.2 Most important symptoms and effects, both acute and delayed**
The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
· **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

## SECTION 5: Firefighting measures

· **5.1 Extinguishing media**
· **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.
· **For safety reasons unsuitable extinguishing agents:**
For this substance/mixture no limitations of extinguishing agents are given.
· **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
· **5.3 Advice for firefighters**
· **Protective equipment:** Mouth respiratory protective device.

## SECTION 6: Accidental release measures

· **6.1 Personal precautions, protective equipment and emergency procedures** Not required
· **6.2 Environmental precautions:**
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
· **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to section 13.
Ensure adequate ventilation.
· **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

## SECTION 7: Handling and storage

· **7.1 Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
· **Information about fire - and explosion protection:** No special measures required.

· **7.2 Conditions for safe storage, including any incompatibilities**
· **Storage:**
· **Requirements to be met by storerooms and receptacles:** No special requirements.
· **Information about storage in one common storage facility:** Not required
· **Further information about storage conditions:** Keep container tightly sealed.
· **7.3 Specific end use(s)** No further relevant information available.



(Contd. on page 4)

# Safety data sheet
## according to Regulation (EC) No 1907/2006, Article 31

*Printing date 05.05.2026* *Version number 4 (replaces version 3)* *Revision: 05.05.2026*

**Trade name: Uranium U - 1.000 g/l in diluted HNO3 for ICP (C064.2NP)**

(Contd. of page 3)

## SECTION 8: Exposure controls/personal protection

· **8.1 Control parameters**

| · **Ingredients with limit values that require monitoring at the workplace:** | |
|---|---|
| **7697-37-2 nitric acid** | |
| IOELV | Short-term value: 2.6 mg/m³, 1 ppm |

· **Additional information:** The lists valid during the making were used as basis.

· **8.2 Exposure controls**
· **Appropriate engineering controls** No further data; see section 7.
· **Individual protection measures, such as personal protective equipment**
· **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Wash hands before breaks and at the end of work.
· **Respiratory protection:**
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
· **Hand protection**
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
· **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
· **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
· **Eye/face protection** Goggles recommended during refilling

## SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**
· **General Information**

| | |
|---|---|
| · **Physical state** | Liquid |
| · **Colour:** | According to product specification |
| · **Odour:** | Characteristic |
| · **Odour threshold:** | Not determined |
| · **Melting point/freezing point:** | 0 °C |
| · **Boiling point or initial boiling point and boiling range** | 100 °C (7732-18-5 water, distilled, conductivity or of similar purity) |
| · **Flammability** | Not applicable |
| · **Lower and upper explosion limit** | |
| · **Lower:** | Not determined |
| · **Upper:** | Not determined |
| · **Flash point:** | Not applicable |
| · **Decomposition temperature:** | Not determined |
| · **pH** | Not determined |
| · **Viscosity:** | |
| · **Kinematic viscosity** | Not determined |
| · **Dynamic at 20 °C:** | 0.952 mPas |

(Contd. on page 5)

# Safety data sheet
## according to Regulation (EC) No 1907/2006, Article 31

Printing date 05.05.2026 Version number 4 (replaces version 3) Revision: 05.05.2026

**Trade name: Uranium U - 1.000 g/l in diluted HNO3 for ICP (C064.2NP)**

(Contd. of page 4)

| | |
|---|---|
| · **Solubility** | |
| · **water:** | Fully miscible. |
| · **Partition coefficient n-octanol/water (log value)** | Not determined |
| · **Vapour pressure at 20 °C:** | 23 hPa (7732-18-5 water, distilled, conductivity or of similar purity) |
| · **Density and/or relative density** | |
| · **Density at 20 °C:** | ~ 1.01163 g/cm³ |
| · **Relative density** | Not determined |
| · **Vapour density** | Not determined |

| | |
|---|---|
| · **9.2 Other information** | |
| · **Appearance:** | |
| · **Form:** | Fluid |
| · **Important information on protection of health and environment, and on safety.** | |
| · **Ignition temperature:** | Product is not selfigniting. |
| · **Explosive properties:** | Product does not present an explosion hazard. |
| · **Solvent content:** | |
| · **Solids content:** | 0.2 % |
| · **Molecular weight** | 18.02 g/mol |
| · **Change in condition** | |
| · **Evaporation rate** | Not determined |

| | |
|---|---|
| · **Information with regard to physical hazard classes** | |
| · **Explosives** | Void |
| · **Flammable gases** | Void |
| · **Aerosols** | Void |
| · **Oxidising gases** | Void |
| · **Gases under pressure** | Void |
| · **Flammable liquids** | Void |
| · **Flammable solids** | Void |
| · **Self-reactive substances and mixtures** | Void |
| · **Pyrophoric liquids** | Void |
| · **Pyrophoric solids** | Void |
| · **Self-heating substances and mixtures** | Void |
| · **Substances and mixtures, which emit flammable gases in contact with water** | Void |
| · **Oxidising liquids** | Void |
| · **Oxidising solids** | Void |
| · **Organic peroxides** | Void |
| · **Corrosive to metals** | Void |
| · **Desensitised explosives** | Void |

## SECTION 10: Stability and reactivity

· **10.1 Reactivity** No further relevant information available.
· **10.2 Chemical stability**
· **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
· **10.3 Possibility of hazardous reactions** No dangerous reactions known.
· **10.4 Conditions to avoid** No further relevant information available.
· **10.5 Incompatible materials:** No further relevant information available.
· **10.6 Hazardous decomposition products:** No dangerous decomposition products known.



(Contd. on page 6)

# Safety data sheet
## according to Regulation (EC) No 1907/2006, Article 31



(Contd. of page 5)

## SECTION 11: Toxicological information

· **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
· **Acute toxicity** Based on available data, the classification criteria are not met.

| · **LD/LC50 values relevant for classification:** | | |
|---|---|---|
| **ATE (Acute Toxicity Estimates)** | | |
| Oral | LD50 | 114,607 mg/kg (rat) |
| Inhalative | LC50/4 h | 28.1 mg/l |

· **Primary irritant effect:**
· **Skin corrosion/irritation** Causes skin irritation.
· **Serious eye damage/irritation** Causes serious eye irritation.
· **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
· **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
· **Carcinogenicity** Based on available data, the classification criteria are not met.
· **Reproductive toxicity** Based on available data, the classification criteria are not met.
· **STOT-single exposure** Based on available data, the classification criteria are not met.
· **STOT-repeated exposure** Based on available data, the classification criteria are not met.
· **Aspiration hazard** Based on available data, the classification criteria are not met.
· **11.2 Information on other hazards**

| · **Endocrine disrupting properties** |
|---|
| None of the ingredients is listed. |

## SECTION 12: Ecological information

· **12.1 Toxicity**
· **Aquatic toxicity:** No further relevant information available.
· **12.2 Persistence and degradability** No further relevant information available.
· **12.3 Bioaccumulative potential** No further relevant information available.
· **12.4 Mobility in soil** No further relevant information available.
· **12.5 Results of PBT and vPvB assessment**
· **PBT:** Not applicable
· **vPvB:** Not applicable
· **12.6 Endocrine disrupting properties**
The product does not contain substances with endocrine disrupting properties.
· **12.7 Other adverse effects**
· **Additional ecological information:**
· **General notes:**
Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water
Do not allow product to reach ground water, water course or sewage system.
Danger to drinking water if even small quantities leak into the ground.

## SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**
· **Recommendation**
Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· **Uncleaned packaging:**
· **Recommendation:** Disposal must be made according to official regulations.
· **Recommended cleansing agents:** Water, if necessary together with cleansing agents.



(Contd. on page 7)

# Safety data sheet
## according to Regulation (EC) No 1907/2006, Article 31

*Printing date 05.05.2026* *Version number 4 (replaces version 3)* *Revision: 05.05.2026*

**Trade name: Uranium U - 1.000 g/l in diluted HNO3 for ICP (C064.2NP)**

(Contd. of page 6)

## SECTION 14: Transport information

| | |
|---|---|
| · **14.1 UN number or ID number** | |
| · **ADR, IMDG, IATA** | UN1760 |
| · **14.2 UN proper shipping name** | |
| · **ADR** | 1760 CORROSIVE LIQUID, N.O.S. (NITRIC ACID) |
| · **IMDG, IATA** | CORROSIVE LIQUID, N.O.S. (NITRIC ACID) |
| · **14.3 Transport hazard class(es)** | |
| · **ADR, IMDG, IATA** |  |
| · **Class** | 8 Corrosive substances. |
| · **Label** | 8 |
| · **14.4 Packing group** | |
| · **ADR, IMDG, IATA** | III |
| · **14.5 Environmental hazards:** | |
| · **Marine pollutant:** | No |
| · **14.6 Special precautions for user** | Warning: Corrosive substances. |
| · **Hazard identification number (Kemler code):** | 80 |
| · **EMS Number:** | F-A,S-B |
| · **Segregation groups** | (SGG1) Acids |
| · **Stowage Category** | A |
| · **Stowage Code** | SW2 Clear of living quarters. |
| · **14.7 Maritime transport in bulk according to IMO instruments** | Not applicable |
| · **Transport/Additional information:** | |
| · **ADR** | |
| · **Limited quantities (LQ)** | 5L |
| · **Excepted quantities (EQ)** | Code: E1<br>Maximum net quantity per inner packaging: 30 ml<br>Maximum net quantity per outer packaging: 1000 ml |
| · **Transport category** | 3 |
| · **Tunnel restriction code** | E |
| · **IMDG** | |
| · **Limited quantities (LQ)** | 5L |
| · **Excepted quantities (EQ)** | Code: E1<br>Maximum net quantity per inner packaging: 30 ml<br>Maximum net quantity per outer packaging: 1000 ml |
| · **UN "Model Regulation":** | UN 1760 CORROSIVE LIQUID, N.O.S. (NITRIC ACID), 8, III |

## SECTION 15: Regulatory information

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
· **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the CLP regulation.

(Contd. on page 8)

# Safety data sheet
## according to Regulation (EC) No 1907/2006, Article 31

*Printing date 05.05.2026* *Version number 4 (replaces version 3)* *Revision: 05.05.2026*

***Trade name: Uranium U - 1.000 g/l in diluted HNO3 for ICP (C064.2NP)***

(Contd. of page 7)

· ***Hazard pictograms***



GHS07

· ***Signal word*** *Warning*
· ***Hazard statements***
*H315 Causes skin irritation.*
*H319 Causes serious eye irritation.*
· ***Precautionary statements***
*P264 Wash thoroughly after handling.*
*P280 Wear protective gloves / eye protection / face protection.*
*P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.*
*P332+P313 If skin irritation occurs: Get medical advice/attention.*
*P362+P364 Take off contaminated clothing and wash it before reuse.*
*P337+P313 If eye irritation persists: Get medical advice/attention.*

· ***Directive 2012/18/EU***
· ***Named dangerous substances - ANNEX I*** *None of the ingredients is listed.*

· ***LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)***
*None of the ingredients is listed.*

· ***REGULATION (EC) No 1907/2006 ANNEX XVII*** *Conditions of restriction: 3*

· ***DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II***
*None of the ingredients is listed.*

· ***REGULATION (EU) 2019/1148***

· ***Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))***
*None of the ingredients is listed.*

· ***Annex II - REPORTABLE EXPLOSIVES PRECURSORS***
*None of the ingredients is listed.*

· ***Regulation (EC) No 273/2004 on drug precursors***
*None of the ingredients is listed.*

· ***Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors***
*None of the ingredients is listed.*

· ***National regulations:***

· ***Other regulations, limitations and prohibitive regulations***

· ***Substances of very high concern (SVHC) according to REACH, Article 57***
*None of the ingredients is listed.*

· ***15.2 Chemical safety assessment:*** *A Chemical Safety Assessment has not been carried out.*

## *SECTION 16: Other information*

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*
*This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.*

· ***Relevant phrases***
*H272 May intensify fire; oxidiser.*

(Contd. on page 9)

# Safety data sheet
## according to Regulation (EC) No 1907/2006, Article 31

*Printing date 05.05.2026* *Version number 4 (replaces version 3)* *Revision: 05.05.2026*

***Trade name: Uranium U - 1.000 g/l in diluted HNO3 for ICP (C064.2NP)***

(Contd. of page 8)

*H300 Fatal if swallowed.*
*H314 Causes severe skin burns and eye damage.*
*H318 Causes serious eye damage.*
*H330 Fatal if inhaled.*
*H331 Toxic if inhaled.*
*H373 May cause damage to organs through prolonged or repeated exposure.*
*H411 Toxic to aquatic life with long lasting effects.*
*EUH071 Corrosive to the respiratory tract.*

· ***Department issuing SDS:*** *Product safety department*
· ***Contact:*** *Mrs. Taralova*
· ***Date of previous version:*** *07.10.2022*
· ***Version number of previous version:*** *3*
· ***Abbreviations and acronyms:***
*RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)*
*ICAO: International Civil Aviation Organisation*
*ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)*
*IMDG: International Maritime Code for Dangerous Goods*
*IATA: International Air Transport Association*
*GHS: Globally Harmonised System of Classification and Labelling of Chemicals*
*EINECS: European Inventory of Existing Commercial Chemical Substances*
*ELINCS: European List of Notified Chemical Substances*
*CAS: Chemical Abstracts Service (division of the American Chemical Society)*
*LC50: Lethal concentration, 50 percent*
*LD50: Lethal dose, 50 percent*
*PBT: Persistent, Bioaccumulative and Toxic*
*SVHC: Substances of Very High Concern*
*vPvB: very Persistent and very Bioaccumulative*
*ATE: Acute toxicity estimate values*
*Ox. Liq. 3: Oxidizing liquids – Category 3*
*Acute Tox. 2: Acute toxicity – Category 2*
*Acute Tox. 3: Acute toxicity – Category 3*
*Skin Corr. 1A: Skin corrosion/irritation – Category 1A*
*Skin Irrit. 2: Skin corrosion/irritation – Category 2*
*Eye Dam. 1: Serious eye damage/eye irritation – Category 1*
*Eye Irrit. 2: Serious eye damage/eye irritation – Category 2*
*STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2*
*Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2*