

Page 1/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.11.2023

Version number 3 (replaces version 2)

Revision: 06.11.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- Trade name: Yttrium Y 1 g/l in diluted HNO3 for ICP (C067.2NP)
- · Registration number

A registration number is not available for this substance as the substance or its uses are exempted for registration, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- Application of the substance / the mixture Laboratory Reagent Laboratory Reagent
- \cdot 1.3 Details of the supplier of the safety data sheet

• Manufacturer/Supplier: CPAchem Ltd. 2 Ivanka Terzieva Str. Bogomilovo 6065 Stara Zagora, BULGARIA info@cpachem.com +359 42952901

· Further information obtainable from: Product safety department

· 1.4 Emergency telephone number:

EMERGENCY HEALTH INFORMATION:

Austria +43 1 31304 5620, Belgium +32022649636, Bulgaria +359 2 9154 409, Croatia +38514686910, Cyprus +3572240561, Czech Republic +420267082257, Denmark +45 72 54 40 00, Estonia +3726943384, Finland +358 5052 000, France +33 3 85 21 92, Germany +49-30-18412-0, Greece +302106479250, Hungary +34 (1) 476 1136, Ireland +35318092566, Italy +390649906140, Latvia +371 67032600, Lithuania +370 70662008, Luxembourg +352 24785551, Netherland +31 88 75 585 61,

Norway +47 21 07 70 00, Poland +48 42 2530 400, Portugal +351213303271, Romania +40213183606, Slovakia +421 2 5465 2307, Slovenia +38614006039, Spain +34 917689800, Sweden +46104566750, United Kingdom (England or Wales) 0845 46 47 or Scotland 08454 24 24 24 (UK only).

SECTION 2: Hazards identification

• 2.1 Classification of the substance or mixture • Classification according to Regulation (EC) No 1272/2008



Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation. Hazard pictograms



(Contd. on page 2)

EU

Printing date 06.11.2023

Version number 3 (replaces version 2)

Revision: 06.11.2023

Trade name: Yttrium Y - 1 g/l in diluted HNO3 for ICP (C067.2NP)

	(Contd. of page
Signal word Wo	
Hazard stateme	nts
H315 Causes sk	in irritation.
H319 Causes se	rious eye irritation.
Precautionary s	statements
P264	Wash thoroughly after handling.
P280	Wear eye protection / face protection.
<i>P305+P351+P</i> .	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, present and easy to do. Continue rinsing.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P337+P313	If eye irritation persists: Get medical advice/attention.
2.3 Other hazar	rds
Results of PBT	and vPvB assessment
PBT: Not appli	cable.

· **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

• Description: Mixture: consisting of the following components.

· Dangerous components:

Dungerous components.		
CAS: 7697-37-2	nitric acid	2.0%
EINECS: 231-714-2	🕲 Ox. Liq. 3, H272; 🛞 Acute Tox. 3, H331; 谷 Skin Corr. 1A, H314;	
Index number: 007-030-00-3	Eye Dam. 1, H318, EUH071	
Reg.nr.: 01-2119487297-23	ATE: $LC50/4$ h inhalative: > 20 mg/l	
-	Specific concentration limits: Skin Corr. 1A; H314: $C \ge 20 \%$	
	<i>Skin Corr. 1B; H314: 5 % ≤ C < 20 %</i>	
	Ox. Liq. 3; H272: C ≥ 65 %	

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- *After skin contact: Generally the product does not irritate the skin.*
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures Not required.

· 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

(Contd. on page 3)

EU

Printing date 06.11.2023

Version number 3 (replaces version 2)

Revision: 06.11.2023

Trade name: Yttrium Y - 1 g/l in diluted HNO3 for ICP (C067.2NP)

• 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling No special precautions are necessary if used correctly.

· Information about fire - and explosion protection: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: No special requirements.

· Information about storage in one common storage facility: Not required.

• Further information about storage conditions: None.

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

7697-37-2 nitric acid

IOELV Short-term value: 2.6 mg/m³, 1 ppm

• Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

• Appropriate engineering controls No further data; see section 7.

· Individual protection measures, such as personal protective equipment

General protective and hygienic measures: Wash hands before breaks and at the end of work.

· Respiratory protection: Not required.

· Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection Goggles recommended during refilling

SECTION 9: Physical and	chemical properties	
• 9.1 Information on basic physica • General Information	l and chemical properties	
· Physical state	Fluid	
· Colour:	According to product specification	
· Odour:	Characteristic	
	(Contd. on page	e 4)

(Contd. of page 2)

Printing date 06.11.2023

Version number 3 (replaces version 2)

Revision: 06.11.2023

Trade name: Yttrium Y - 1 g/l in diluted HNO3 for ICP (C067.2NP)

	(Contd. of page
Odour threshold:	Not determined.
Melting point/freezing point:	0 °C
Boiling point or initial boiling point and boiling	
range	Undetermined.
Flammability	Not applicable.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	Not applicable.
Decomposition temperature:	Not determined.
рН	Not determined.
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	
water:	Not miscible or difficult to mix.
<i>Water</i> . Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure at 20 °C:	23 hPa
Vapour pressure at 20 °C: Density and/or relative density	25 ni u
	1 - /3
Density at 20 °C:	$l g/cm^3$
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of health and	d
environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Solvent content:	
Solids content:	0.1 %
Molecular weight	18.02 g/mol
Change in condition	10.02 g/moi
Evaporation rate	Not determined.
	Not determined.
Information with regard to physical hazard classe	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable	, 010
gases in contact with water	Void
Oxidising liquids	Void
5 1	Vola Void
Oxidising solids	
Organic peroxides	Void
Corrosive to metals Desensitised explosives	Void Void

(Contd. on page 5)

Printing date 06.11.2023

Version number 3 (replaces version 2)

Revision: 06.11.2023

Trade name: Yttrium Y - 1 g/l in diluted HNO3 for ICP (C067.2NP)

(Contd. of page 4)

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.
- · Skin corrosion/irritation Causes skin irritation.
- Serious eye damage/irritation Causes serious eye irritation.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- *Reproductive toxicity Based on available data, the classification criteria are not met.*
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

- Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- · 12.7 Other adverse effects
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 6)

Printing date 06.11.2023

Version number 3 (replaces version 2)

Revision: 06.11.2023

(Contd. of page 5)

Trade name: Yttrium Y - 1 g/l in diluted HNO3 for ICP (C067.2NP)

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

14.1 UN number or ID number	
ADR, IMDG, IATA	UN1760
14.2 UN proper shipping name	
ADR	1760 CORROSIVE LIQUID, N.O.S. (NITRIC ACID)
IMDG, IATA	CORROSIVE LIQUID, N.O.S. (NITRIC ACID)
14.3 Transport hazard class(es)	
ADR, IMDG, IATA	
Class	8 Corrosive substances.
Label	8
14.4 Packing group	
ADR, IMDG, IATA	111
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user	Warning: Corrosive substances.
Hazard identification number (Kemler code):	80
EMS Number:	F-A,S-B
Segregation groups	(SGG1) Acids
Stowage Category	A SW2 Class of living sugget
Stowage Code	SW2 Clear of living quarters.
14.7 Maritime transport in bulk according to IM	
instruments	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: El
	Maximum net quantity per inner packaging: 30 ml
Turner out a star own	Maximum net quantity per outer packaging: 1000 ml
Transport category Tunnel restriction code	3 E
	E
IMDG	51
Limited quantities (LQ)	5L Code: E1
Excepted quantities (EQ)	
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 1760 CORROSIVE LIQUID, N.O.S. (NITRIC ACIE
Cit insouch negatiation .	8, III

(Contd. on page 7)

Printing date 06.11.2023

Version number 3 (replaces version 2)

Revision: 06.11.2023

Trade name: Yttrium Y - 1 g/l in diluted HNO3 for ICP (C067.2NP)

(Contd. of page 6)

SECTION 15.	: Regulatory information
· 15.1 Safety, heal	th and environmental regulations/legislation specific for the substance or mixture
	ling to Regulation (EC) No 1272/2008
	assified and labelled according to the CLP regulation.
· Hazard pictogram	ms
~	
GHS07	
• Signal word War	ning
· Hazard statemen	
H315 Causes ski	
	ious eye irritation.
· Precautionary st	
P264	Wash thoroughly after handling.
P280	Wear eye protection / face protection.
P305+P351+P3.	38 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,
	present and easy to do. Continue rinsing.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P337+P313	If eye irritation persists: Get medical advice/attention.
-	us substances - ANNEX I None of the ingredients is listed. TANCES SUBJECT TO AUTHORISATION (ANNEX XIV)
None of the ingre	edients is listed.
• •	(EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
	11/65/EU on the restriction of the use of certain hazardous substances in electrical an
electronic equip	
None of the ingre	
· REGULATION	
	TRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensin
under Article 5(3	
None of the ingre	
	ORTABLE EXPLOSIVES PRECURSORS
None of the ingre	
	No 273/2004 on drug precursors
None of the ingre	edients is listed.
) No 111/2005 laying down rules for the monitoring of trade between the Community an n drug precursors
None of the ingre	edients is listed.
· National regulat	ions:
-	s, limitations and prohibitive regulations
· Substances of ve	ry high concern (SVHC) according to REACH, Article 57
None of the ingre	edients is listed.
• 15.2 Chemical so	afety assessment: A Chemical Safety Assessment has not been carried out.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 8)

EU

Printing date 06.11.2023

Version number 3 (replaces version 2)

Revision: 06.11.2023

Trade name: Yttrium Y - 1 g/l in diluted HNO3 for ICP (C067.2NP)

(Contd. of page 7)

This information is based on our present knowledge. However, this shall not constitute a guarantee for specific product features and shall not establish a legally valid contractual relationship. This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended Regulation (EU) 2020/878. • Relevant phrases H272 May intensify fire; oxidiser. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H318 Causes serious eye damage. H318 Causes serious eye damage. H311 Toxic if inhaled. EUH071 Corrosive to the respiratory tract. • Department issuing SDS: Product safety department • Contact: Mrs. Taralova • Date of previous version: 19.09.2022 • Version number of previous version: 2 • Abbreviations and acronyms: RD: Règlemmi international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning International Transport of Dangerous Goods by Rail) ICAO: International Air transport Josciation ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning International Air transport Association GHX1: International Air transport Association GHX2: Globally Harmonised System of Classification and Labelling of Chemicals <th></th> <th>ON 16: Other information</th>		ON 16: Other information
 H272 May intensify fire; oxidiser. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H331 Toxic if inhaled. EUH071 Corrosive to the respiratory tract. Department issuing SDS: Product safety department Contact: Mrs. Taralova Date of previous version: 19.09.2022 Version number of previous version: 2 Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EIINCS: European Inventory of Existing Commercial Chemical Substances ELINCS: European Inventory of Existing Commercial Chemical Society) PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative OX. Liq. 3: Oxidizing liquids - Category 3 	specific p This Saf	product features and shall not establish a legally valid contractual relationship. ety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended
 Contact: Mrs. Taralova Date of previous version: 19.09.2022 Version number of previous version: 2 Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Ox. Lig. 3: Oxidizing liguids – Category 3 Acute Tox. 3: Acute toxicity – Category 3	H272 H314 H318 H331	May intensify fire; oxidiser. Causes severe skin burns and eye damage. Causes serious eye damage. Toxic if inhaled.
Skin Corr. 1A. Skin corrosion/irritation – Category 1A Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1	• Date of p • Version • Abbrevia RID: Règla Internation	previous version: 19.09.2022 number of previous version: 2 tions and acronyms: ment international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning a