1 Identification

- · Product identifier
- · Product Name: Multi-element Solution 5
- · Part Name: CLMS-5
- · Application of the substance / the mixture Certified Reference Material
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier: SPEX CertiPrep, LLC. 203 Norcross Ave, Metuchen, NJ 08840 USA
- · Information department: product safety department
- Emergency telephone number: Emergency Phone Number (24 hours) CHEMTREC (800-424-9300) Outside US: 703-527-3887

2 Hazard(s) identification

· Classification of the substance or mixture



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



GHS07

- · Signal word Warning
- · Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

· Precautionary statements

P264 Wash thoroughly after handling.

P280 Wear protective gloves / eye protection / face protection.

P302+P352 If on skin: Wash with plenty of water. P321 Specific treatment (see on this label).

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.
P337+P313 If eye irritation persists: Get medical advice/attention.

· Classification system: · NFPA ratings (scale 0 - 4)



· HMIS-ratings (scale 0 - 4)



- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

Product Name: Multi-element Solution 5

(Contd. of page 1)

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:					
7697-37-2	nitric acid	2.0%			
· Chemical i	· Chemical identification of the substance/preparation				
7732-18-5	water, distilled, conductivity or of similar purity	97.991%			
7439-92-1	lead	0.001%			
7439-95-4	magnesium	0.001%			
7440-02-0	nickel	0.001%			
7440-41-7	beryllium	0.001%			
7440-45-1	cerium	0.001%			
7440-48-4	cobalt	0.001%			
7440-61-1	uranium	0.001%			
7440-69-9	bismuth	0.001%			
7440-74-6	indium	0.001%			

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: Do not give anything to eat or drink Do not induce vomitting
- · Information for Doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- $\cdot \textit{Special hazards arising from the substance or \textit{mixture}} \ \textit{No further relevant information available}.$
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

PAC-1:		
7697-37-2 nitric a	rid	0.16 ppm
7439-92-1 lead		0.15 mg/m^3
7439-95-4 magnes	um	18 mg/m³
7440-02-0 nickel		4.5 mg/m^3
7440-41-7 berylliı	m	0.0023 mg/m ³
7440-45-1 cerium		30 mg/m ³
7440-48-4 cobalt		0.18 mg/m^3
7440-61-1 uraniur	ı	0.6 mg/m^3

(Contd. on page 3)

Product Name: Multi-element Solution 5

7440-69-9 bismuth	(Contd. of page 15 mg/m³
7440-74-6 indium	0.3 mg/m^3
PAC-2:	
7697-37-2 nitric acid	24 ppm
7439-92-1 lead	120 mg/m³
7439-95-4 magnesium	200 mg/m³
7440-02-0 nickel	50 mg/m^3
7440-41-7 beryllium	0.025 mg/m
7440-45-1 cerium	330 mg/m³
7440-48-4 cobalt	$2 mg/m^3$
7440-61-1 uranium	5 mg/m^3
7440-69-9 bismuth	170 mg/m³
7440-74-6 indium	3.3 mg/m³
PAC-3:	
7697-37-2 nitric acid	92 ppm
7439-92-1 lead	700 mg/m^3
7439-95-4 magnesium	1,200 mg/m
7440-02-0 nickel	99 mg/m³
7440-41-7 beryllium	0.1 mg/m^3
7440-45-1 cerium	2,000 mg/m
7440-48-4 cobalt	20 mg/m^3
7440-61-1 uranium	30 mg/m^3
7440-69-9 bismuth	990 mg/m³
7440-74-6 indium	20 mg/m^3

7 Handling and storage

- · Handling:
- · Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

· Components with limit values that require monitoring at the workplace:

7697-37-2 nitric acid

PEL Long-term value: 5 mg/m³, 2 ppm REL Short-term value: 10 mg/m³, 4 ppm Long-term value: 5 mg/m³, 2 ppm

TLV Short-term value: 10 mg/m³, 4 ppm Long-term value: 5.2 mg/m³, 2 ppm

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

- Avoid contact with the eyes.
- Avoid contact with the eyes and skin.
- $\cdot \textit{Respiratory protection:} \ \textit{Not required}.$

(Contd. on page 4)

Product Name: Multi-element Solution 5

· Protection of hands:

(Contd. of page 3)



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9 Physical and chemical propertie	rs					
Information on basic physical and of	chemical properties					
General Information						
· Appearance: Form:	Liquid					
Color:	According to product specification					
· Odor:	Characteristic					
· Odour Threshold:	Not applicable.					
· pH-value:	Not applicable.					
· Change in condition						
Melting point/Melting range:	Undetermined.					
Boiling point/Boiling range:	100 °C (212 °F)					
· Flash point:	Not applicable.					
· Flammability (solid, gaseous):	Not applicable.					
· Decomposition temperature:	Not applicable.					
· Auto igniting:	Product is not selfigniting.					
· Danger of explosion:	Product does not present an explosion hazard.					
· Explosion limits:						
Lower:	Not applicable.					
Upper:	Not applicable.					
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)					
· Density at 20 °C (68 °F)	1.01068 g/cm³ (8.43412 lbs/gal)					
· Relative density	Not applicable.					
· Vapor density	Not applicable.					
· Evaporation rate	Not applicable.					
· Solubility in / Miscibility with						
Water:	Fully miscible.					
· Partition coefficient (n-octanol/wate	er): Not applicable.					
· Viscosity:						
Dynamic:	Not applicable.					
Kinematic:	Not applicable.					
· Solvent content:						
Water:	98.0 %					
VOC content:	0.00 %					
Solids content:	0.0 %					
	(Contd. on moon \$5					

(Contd. on page 5)

Safety Data Sheet acc. to OSHA HCS

Printing date 02/01/2021 Reviewed on 02/01/2021

Product Name: Multi-element Solution 5

(Contd. of page 4)

· Other information

No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- $\cdot \textit{Additional toxicological information:}$

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

Curcinogenic cutegories			
· IARC (International Agency for Research on Cancer)			
7439-92-1	lead	2 <i>B</i>	
7440-02-0	nickel	2 <i>B</i>	
7440-41-7	beryllium	1	
7440-48-4	cobalt	2 <i>B</i>	
· NTP (Natio	· NTP (National Toxicology Program)		
7439-92-1	lead	R	
7440-02-0	nickel	R	
7440-41-7	beryllium	K	
7440-48-4	cobalt	R	
· OSHA-Ca	OSHA-Ca (Occupational Safety & Health Administration)		
None of the ingredients is listed.			

12 Ecological information

- · Toxicity
- $\cdot \textbf{\textit{Aquatic toxicity:}} \ \textit{No further relevant information available}.$
- $\cdot \textit{Persistence and degradability} \ \textit{No further relevant information available}.$
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 6)

Product Name: Multi-element Solution 5

(Contd. of page 5)

- Uncleaned packagings:
 Recommendation: Disposal must be made according to official regulations.
- $\cdot \textbf{Recommended cleansing agent:} \ Water, if necessary with cleansing agents.$

4 Transport information	
· UN-Number	UNICOCA
· DOT, ADR, IMDG, IATA	UN3264
· UN proper shipping name	
· DOT	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid solution)
$\cdot ADR$	3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID SOLUTION)
· IMDG, IATA	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID
	SOLUTION)
· Transport hazard class(es)	
$\cdot DOT$	
\$1.50 M	
CORROSIVE	
· Class	8 Corrosive substances
· Label	8
· ADR, IMDG, IATA	
· Class · Label	8 Corrosive substances 8
· Packing group	
· DOT, ADR, IMDG, IATA	III
· Environmental hazards:	Not applicable.
· Special precautions for user	Warning: Corrosive substances
· Hazard identification number (Kemler code):	80
· EMS Number:	F- A , S - B
· Segregation groups	Acids
· Stowage Category · Stowage Code	A SW2 Clear of living quarters.
· Transport in bulk according to Annex II of MARPOL73/78 and the I	· · · · · · · · · · · · · · · · · · ·
Code	Not applicable.
· Transport/Additional information:	
· ADR	
· Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· IMDG	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID SOLUTION), 8, III

15 Regulatory information

 $\cdot \textbf{\textit{Safety, health and environmental regulations/legislation specific for the substance or \textit{mixture}} \ No \ further \ relevant \ information \ available.$

 $(Contd.\ on\ page\ 7)$

Product Name: Multi-element Solution 5

(Contd. of page 6) · Sara · Section 313 (Specific toxic chemical listings): 7697-37-2 nitric acid 7439-92-1 lead 7440-02-0 nickel 7440-41-7 beryllium 7440-48-4 cobalt · TSCA (Toxic Substances Control Act): All components have the value ACTIVE. · Hazardous Air Pollutants 7439-92-1 lead 7440-48-4 cobalt Proposition 65 · Chemicals known to cause cancer: 7439-92-1 lead 7440-02-0 nickel 7440-41-7 beryllium 7440-48-4 cobalt · Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. · Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. · Chemicals known to cause developmental toxicity: None of the ingredients is listed. · Carcinogenic categories · EPA (Environmental Protection Agency) 7439-92-1 lead 7440-41-7 beryllium B1, K/L(inh), CBD(oral) · TLV (Threshold Limit Value established by ACGIH) 7439-92-1 lead *A3* 7440-02-0 nickel A5 7440-48-4 cobalt *A3* 7440-61-1 uranium *A1* · NIOSH-Ca (National Institute for Occupational Safety and Health) 7440-02-0 nickel

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms

7440-61-1 uranium



· Signal word Warning

· Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

· Precautionary statements

P264 Wash thoroughly after handling.

P280 Wear protective gloves / eye protection / face protection.

P302+P352 If on skin: Wash with plenty of water. P321 Specific treatment (see on this label).

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.
P337+P313 If eye irritation persists: Get medical advice/attention.

(Contd. on page 8)

Safety Data Sheet acc. to OSHA HCS

Printing date 02/01/2021 Reviewed on 02/01/2021

Product Name: Multi-element Solution 5

(Contd. of page 7)

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: product safety department
- · Contact:

SPEX CertiPrep, LLC.

1-732-549-7144

- · Date of preparation / last revision 02/01/2021 / -
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health TLV: Threshold Limit Value

PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A