Printing date 04/05/2021

## Reviewed on 04/05/2021

# **1 Identification**• Product identifier

- · Product Name: <u>1000 µg/mL Lead</u>
- · Part Name:
- CLPB2-2Y
- CLPB2-2M
- · Application of the substance / the mixture Certified Reference Material
- Details of the supplier of the safety data sheet
  Manufacturer/Supplier:
  SPEX CertiPrep, LLC.
  203 Norcross Ave, Metuchen,
  NJ 08840 USA
- · Information department: product safety department
- · Emergency telephone number:
- Emergency Phone Number (24 hours)
- CHEMTREC (800-424-9300)
- Outside US: 703-527-3887

## 2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

Carc. 2

H351 Suspected of causing cancer. H360 May damage fertility or the unborn child.

Repr. 1A

GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

· Label elements

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Danger

- · Hazard-determining components of labeling:
- lead
- · Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H351 Suspected of causing cancer.

H360 May damage fertility or the unborn child.

## · Precautionary statements

1.0000000000000000000000000000000000000	
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P264	Wash thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352	If on skin: Wash with plenty of water.
P305+P351+P338	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P321	Specific treatment (see on this label).
P362+P364	Take off contaminated clothing and wash it before reuse.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

Printing date 04/05/2021

Reviewed on 04/05/2021

Product Name: 1000 μg/mL Lead	
· Classification system: · NFPA ratings (scale 0 - 4)	(Contd. of page 1)
$\begin{array}{c} 1 \\ 2 \\ 0 \\ 0 \end{array} \begin{array}{l} Health = 2 \\ Fire = 0 \\ Reactivity = 0 \end{array}$	
· HMIS-ratings (scale 0 - 4)	
HEALTH2FIRE $0$ Fire = 0REACTIVITYReactivity = 0	
· Other hazards	
• Results of PBT and vPvB assessment • PBT: Not applicable. • vPvB: Not applicable.	
3 Composition/information on ingredients	
• Chemical characterization: Mixtures • Description: Mixture of the substances listed below with nonhazardous additions.	
· Dangerous components:	

Dungerous components.	
7697-37-2 nitric acid	2.0%
7439-92-1 lead	0.1%
· Chemical identification of the substance/preparation	
7732-18-5 water, distilled, conductivity or of similar purity	97.9%

## 4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: Do not give anything to eat or drink Do not induce vomitting
- · Information for Doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

#### **5** Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

#### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions:
- Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

(Contd. on page 3)

Printing date 04/05/2021

Reviewed on 04/05/2021

### Product Name: 1000 µg/mL Lead

· Protective Action Criteria for Chemicals	(Contd. of page 2)
• PAC-1:	
7697-37-2 nitric acid	0.16 ppm
7439-92-1 lead	0.15 mg/m <sup>3</sup>
· PAC-2:	
7697-37-2 nitric acid	24 ppm
7439-92-1 lead	120 mg/m <sup>3</sup>
• PAC-3:	
7697-37-2 nitric acid	92 ppm
7439-92-1 lead	700 mg/m <sup>3</sup>

# 7 Handling and storage

· Handling:

- · Precautions for safe handling Open and handle receptacle with care.
- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required. • Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

omponents with limit values that require monitoring at the workplace:	
597-37-2 nitric acid	
EL Long-term value: 5 mg/m <sup>3</sup> , 2 ppm	
EL Short-term value: 10 mg/m <sup>3</sup> , 4 ppm Long-term value: 5 mg/m <sup>3</sup> , 2 ppm	
LV Short-term value: 10 mg/m <sup>3</sup> , 4 ppm Long-term value: 5.2 mg/m <sup>3</sup> , 2 ppm	
139-92-1 lead	
EL Long-term value: 0.05* mg/m <sup>3</sup> *see 29 CFR 1910.1025	
EL Long-term value: 0.05* mg/m <sup>3</sup> *8-hr TWA ;See PocketGuide App.C	
LV Long-term value: 0.05* mg/m <sup>3</sup> *and inorganic compounds, as Pb; BEI	
gredients with biological limit values:	
139-92-1 lead	
EI 30 µg/100 ml Medium: blood Time: not critical Parameter: Lead	
10 μg/100 ml Medium: blood Time: not critical Parameter: Lead (women of child bearing potential)	
dditional information: The lists that were valid during the creation were used as basis.	
xposure controls ersonal protective equipment: eneral protective and hygienic measures: eep away from foodstuffs, beverages and feed. umediately remove all soiled and contaminated clothing.	
ash hands before breaks and at the end of work. ore protective clothing separately.	
see protective cloning separately.	(Contd. on page 4)

Printing date 04/05/2021

#### Product Name: 1000 µg/mL Lead

Avoid contact with the eyes.

- Avoid contact with the eyes and skin.
- · Respiratory protection: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

- Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
- Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- · Penetration time of glove material
- The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- · Eye protection:

Tightly sealed goggles

## 9 Physical and chemical properties

· Information on basic physical and c	chemical properties
· General Information	
· Appearance:	
Form:	Liquid
Color: • Odor:	According to product specification Characteristic
· Odor: · Odour Threshold:	Not applicable.
	**
· pH-value:	Not applicable.
· Change in condition	
Melting point/Melting range:	Undetermined.
<b>Boiling point/Boiling range:</b>	100 °C (212 °F)
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not applicable.
Decomposition temperature:	Not applicable.
• Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not applicable.
Upper:	Not applicable.
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
· Density at 20 °C (68 °F)	1.01859 g/cm <sup>3</sup> (8.50013 lbs/gal)
· Relative density	Not applicable.
· Vapor density	Not applicable.
• Evaporation rate	Not applicable.
· Solubility in / Miscibility with	
Water:	Fully miscible.
· Partition coefficient (n-octanol/wate	er): Not applicable.
· Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
· Solvent content:	
Water:	97.9 %
VOC content:	0.00 %
	(Contd. on page

(Contd. of page 3)

Reviewed on 04/05/2021

Printing date 04/05/2021

Product Name: 1000 µg/mL Lead

(Contd. of page 4)

Reviewed on 04/05/2021

Solids content: • Other information

No further relevant information available.

## **10 Stability and reactivity**

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- $\cdot$  Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known.

0.1 %

#### **11** Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:
- The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

Product is suspected to cause damage to fertility. Product is suspected to cause birth defects.

#### · Carcinogenic categories

· IARC (International Agency for Research on Cancer)	
7439-92-1 lead	2B
· NTP (National Toxicology Program)	
7439-92-1 lead	R
· OSHA-Ca (Occupational Safety & Health Administration)	
None of the ingredients is listed.	

#### **12 Ecological information**

#### · Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

#### 13 Disposal considerations

- · Waste treatment methods
- Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

(Contd. on page 6)

Printing date 04/05/2021

Reviewed on 04/05/2021

Product Name: 1000 µg/mL Lead

 $\cdot \textit{Recommended cleansing agent: Water, if necessary with cleansing agents.}$ 

(Contd. of page 5)

UN-Number	
DOT, ADR, IMDG, IATA	UN3264
UN proper shipping name	
DOT ADR	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid solution) 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC AC
IMDG, IATA	SOLUTION) CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC AC SOLUTION)
Transport hazard class(es)	
DOT	
CORROSVE 8	
Class	8 Corrosive substances
Label	8
ADR, IMDG, IATA	
Class Label	8 Corrosive substances 8
Packing group DOT, ADR, IMDG, IATA	111
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Corrosive substances
Hazard identification number (Kemler code): EMS Number:	80 F-A,S-B
Segregation groups	Acids
Stowage Category	A
Stowage Code	SW2 Clear of living quarters.
• Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.	
Transport/Additional information:	
ADR	
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
IMDG Limited quantities (LO)	51
Limited quantities (LQ) Excepted quantities (EQ)	5L Code: E1
Excepten quantines (EQ)	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITR ACID SOLUTION), 8, III

# 15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available. • Sara

· Section 313 (Specific toxic chemical listings):

7697-37-2 nitric acid

(Contd. on page 7)

Printing date 04/05/2021

Reviewed on 04/05/2021

## Product Name: 1000 µg/mL Lead

Product Name: 1000	µg/mL Leda	
	(Cantil of m	(a)
7439-92-1 lead	(Contd. of pa	age 0)
	bstances Control Act):	
· · · · ·	ave the value ACTIVE.	
· Hazardous Air Po		
	ollutants	
7439-92-1 lead		
	. 4	
· Chemicals known 7439-92-1 lead	n to cause cancer:	
	n to cause reproductive toxicity for females:	
None of the ingred		
	n to cause reproductive toxicity for males:	
None of the ingrea	dients is listed.	
· Chemicals known	n to cause developmental toxicity:	
None of the ingred	dients is listed.	
· Carcinogenic cate	egories	
	estimates and a second s	
7439-92-1 lead		B2
	Limit Value established by ACGIH)	
7439-92-1 lead	Limit Value establishea by ACGIH)	A3
		115
	onal Institute for Occupational Safety and Health)	
None of the ingred		
· GHS label elemen · Hazard pictogram	nts The product is classified and labeled according to the Globally Harmonized System (GHS).	
GHS07 GH	HS08	
• Signal word Dang		
	ing components of labeling:	
lead • <b>Hazard statement</b>	te de la constante de la const	
H315 Causes skin		
H319 Causes serie		
H351 Suspected o	of causing cancer.	
	e fertility or the unborn child.	
• Precautionary sta P201	Obtain special instructions before use.	
P202	Do not handle until all safety precautions have been read and understood.	
P264	Wash thoroughly after handling.	
P280	Wear protective gloves/protective clothing/eye protection/face protection.	
P302+P352 P305+P351+P33	If on skin: Wash with plenty of water. 88 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P308+P313	IF exposed or concerned: Get medical advice/attention.	
P321	Specific treatment (see on this label).	
P362+P364	Take off contaminated clothing and wash it before reuse.	
P332+P313 P337+P313	If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention.	
P405	Store locked up.	
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.	
· Chemical safety a	assessment: A Chemical Safety Assessment has not been carried out.	

# **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: product safety department

- · Contact:
- SPEX CertiPrep, LLC.
- 1-732-549-7144

· Date of preparation / last revision 04/05/2021 / -

Printing date 04/05/2021

## Product Name: 1000 µg/mL Lead

Reviewed on 04/05/2021

	(Contd. of page 7)
· Abbreviations and acronyms:	
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation	
IATA: International Air Transport Association	
ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
BEI: Biological Exposure Limit	
Skin Irrit. 2: Skin corrosion/irritation – Category 2	
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A	
Carc. 2: Carcinogenicity – Category 2	
Repr. 1A: Reproductive toxicity – Category 1A	
	US