SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Issue Date 03-14-2007 **Revision Date** 23-Mar-2026 **Print Date** 23-Mar-2026 **Version** 3.2

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Code(s) BCK044

Product Name STABLCAL® STANDARD 1 NTU without RFID Tag

Unique Formula Identifier (UFI) 1C21-6KAG-W50W-S7NR

Molecular weight Not applicable

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory Use. Standard solution.

Uses advised against Consumer use

1.3. Details of the supplier of the safety data sheet

Supplier
HACH LANGE GmbH
Willstätterstr. 11
D-40549 Düsseldorf
Tel: +49 (0)211 5288-383
sds@hach.com

Responsible country contact:

HACH UK
Laser House
Ground Floor, Suite B
Waterfront Quay, Salford Quays
GB - Manchester, M50 3XW
Tel. +44 (0) 161 872 1487
info-uk@hach.com

HACH Ireland
Unit 34 GB Business Park
Little Island
IRL-Co. Cork
T45 H681
Tel. +353 (0)146 02 522
info-ie@hach.com

1.4. Emergency telephone number

UK: Chemtrec: +44 20 3807 3798
IE: National Poisons Information Centre (NPIC) 01 809 2566 (24/7)

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Respiratory sensitisation	Category 1 - (H334)
Skin sensitisation	Category 1 - (H317)

2.2. Label elements

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Contains Methenamine



Signal word
Danger

Hazard statements
H317 - May cause an allergic skin reaction
H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

EUH208 - Contains Formaldehyde May produce an allergic reaction.

Precautionary statements
P261 - Avoid breathing dust/fume/gas/mist/vapours/spray
P280 - Wear protective gloves
P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing
P342 + P311 - If experiencing respiratory symptoms: Call a POISON CENTER or doctor
P501 - Dispose of contents/ container to an approved waste disposal plant

2.3. Other hazards
No information available.

PBT & vPvB
This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT)
This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB)

Endocrine Disruptor Information
This product does not contain any known or suspected endocrine disruptors.

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	CAS No. EC No. Index No.	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
Methenamine	100-97-0 202-905-8 612-101-00-2	<10%	Flam. Sol. 2 - H228 Skin Sens. 1 - H317 Resp. Sens. 1 - H334		-	-
Formaldehyde	50-00-0 200-001-8 605-001-00-5	<0.1%	Acute Tox. 4 - H302 Acute Tox. 3 - H311 Skin Corr. 1B - H314 Skin Sens. 1A - H317 Acute Tox. 2 - H330 Muta. 2 - H341 Carc. 1B - H350 STOT SE 3 - H335	STOT SE 3 :H335: C>=5% Skin Corr. 1B :H314: C>=25% Skin Irrit. 2 :H315: 5%<=C<25% Eye Irrit. 2 :H319: 5%<=C<25%	-	-

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapour - mg/L	Inhalation LC50 - 4 hour - gas - ppm
Formaldehyde 50-00-0	None reported	270 mg/kg	None reported	None reported	None reported

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance.

Inhalation May cause allergic respiratory reaction. If breathing has stopped, give artificial respiration. Get medical attention immediately. Remove to fresh air. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Get immediate medical attention.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a doctor.

Skin contact Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a doctor.

Ingestion May produce an allergic reaction. Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. Get immediate medical attention.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Use personal protective equipment as required. See section 8 for more information.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms May cause allergy or asthma symptoms or breathing difficulties if inhaled. Coughing and/ or wheezing. Itching. Rashes. Hives.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors May cause sensitisation in susceptible persons. Treat symptomatically.

Section 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media No information available.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical Product is or contains a sensitiser. May cause sensitisation by inhalation. May cause sensitisation by skin contact.

Hazardous combustion products This material will not burn. Ammonia. Carbon monoxide. Formaldehyde. Nitrogen oxides (NOx).

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protective equipment.

Additional information Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash it before reuse.

General hygiene considerations Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep at temperatures between 5 and 25 °C.

7.3. Specific end use(s)

Specific use(s) Standard solution.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure Limits

Chemical name	European Union	United Kingdom	Ireland
Formaldehyde 50-00-0	TWA: 0.37 mg/m³; TWA: 0.62 mg/m³; TWA: 0.3 ppm; TWA: 0.5 ppm; STEL: 0.74 mg/m³; STEL: 0.6 ppm; DS	TWA: 2 ppm TWA: 2.5 mg/m³ STEL: 2 ppm STEL: 2.5 mg/m³	TWA: 0.3 ppm TWA: 0.5 ppm TWA: 0.37 mg/m³ TWA: 0.62 mg/m³ STEL: 0.6 ppm STEL: 0.738 mg/m³ STEL: 1.86 mg/m³ STEL: 1.5 ppm Sens+

Derived No Effect Level (DNEL) - Workers No information available

Chemical name	Oral	Dermal	Inhalation
Methenamine 100-97-0	-	6.4 mg/kg bw/day [4] [6]	5.6 mg/m³ [4] [6]
Sodium sulfate 7757-82-6	-	-	20 mg/m³ [4] [6] 20 mg/m³ [5] [6]
Formaldehyde 50-00-0	-	240 mg/kg bw/day [4] [6] 37 µg/cm2 [5] [6]	9 mg/m³ [4] [6] 0.375 mg/m³ [5] [6]

Chemical name	Oral	Dermal	Inhalation
			0.75 mg/m³ [5] [7]
Diammonium sulfate 7783-20-2	-	42.667 mg/kg bw/day [4] [6]	11.167 mg/m³ [4] [6]

Predicted No Effect Concentration (PNEC) No information available.

Chemical name	Freshwater	Freshwater (intermittent release)	Marine water	Marine water (intermittent release)	Air
Methenamine 100-97-0	3 mg/L	30 mg/L	0.3 mg/L	30 mg/L	-
Sodium sulfate 7757-82-6	11.09 mg/L	17.66 mg/L	1.109 mg/L	-	-
Diammonium sulfate 7783-20-2	0.312 mg/L	0.53 mg/L	0.0312 mg/L	-	-

Chemical name	Freshwater sediment	Marine sediment	Sewage treatment	Soil	Food chain
Methenamine 100-97-0	10.2 mg/kg sediment dw	1.02 mg/kg sediment dw	100 mg/L	0.28 mg/kg soil dw	-
Sodium sulfate 7757-82-6	40.2 mg/kg sediment dw	4.02 mg/kg sediment dw	800 mg/L	1.54 mg/kg soil dw	-
Diammonium sulfate 7783-20-2	0.063 mg/kg sediment dw	-	16.18 mg/L	62.6 mg/kg soil dw	-

8.2. Exposure controls

Engineering controls Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Hand protection Barrier creams may help to protect the exposed areas of skin. Gloves must be inspected prior to use. The selected protective gloves have to satisfy the specifications of EU Directive 2016/425 and the standard EN 374-1:2016 derived from it. Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374-1:2016. Wear suitable gloves.

Gloves			
Duration of contact	PPE - Glove material	Glove thickness	Break through time
Long term (repeated)	Wear protective Viton™ gloves	0,70 mm	>480 minutes
Short term	Wear protective nitrile rubber gloves	0,20 mm	>30 minutes

Skin and body protection Avoid contact with eyes, skin and clothing. Wash contaminated clothing before reuse. Wear suitable protective clothing.

Respiratory protection Ensure adequate ventilation. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

Recommended filter type: ABEK-P3.

General hygiene considerations Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use.

Environmental exposure controls Do not allow into any sewer, on the ground or into any body of water.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state Liquid
Colour Milky white
Odour Odourless.

Property	Values	Remarks • Method
Melting point / freezing point	0 °C	
Initial boiling point and boiling range	100 °C	
Flammability	No data available	
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Flash point	No data available	
Autoignition temperature	No data available	
Decomposition temperature	No data available - °C	
pH	7.85	@ 20 °C
Kinematic viscosity	No data available	
Dynamic viscosity	No data available	
Partition coefficient	No data available	
Vapour pressure	2.33 kPa at 20 °C	
Relative density	1.02 g/mL	@ 20 °C
Relative vapor density	0.62	
Particle characteristics		
Particle Size	No information available	
Particle Size Distribution	No information available	

Solubility(ies)

Water solubility

Water solubility classification	Water solubility	Water Solubility Temperature
Soluble	> 1000 mg/L	25 °C / 77 °F

Solubility in other solvents

Chemical Name	Solubility classification	Solubility	Solubility Temperature
Acid	Soluble	> 1000 mg/L	25 °C / 77 °F

9.2. Other information

Molecular weight Not applicable

9.2.1. Information with regards to physical hazard classes

Corrosive to metals
Steel Corrosion Rate No data available
Aluminum Corrosion Rate No data available

9.2.2. Other safety characteristics No information available

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Stability Stable under normal conditions.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

Hazardous polymerisation Hazardous polymerisation does not occur.

10.4. Conditions to avoid

Conditions to avoid None known based on information supplied.

10.5. Incompatible materials

Incompatible materials Oxidising agent.

10.6. Hazardous decomposition products

Hazardous Decomposition Products Ammonia. Carbon monoxide. Formaldehyde. nitrogen oxides. Sodium oxides. Sulphur oxides.

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity
Based on available data, the classification criteria are not met

Mixture No data available.

Substance No data available.

Oral Exposure Route:

Dermal Exposure Route:

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde	Rabbit LD_{50}	270 mg/kg	None reported	None reported	GESTIS

Inhalation (Dust/Mist) Exposure Route:

Acute Toxicity Estimate (ATE) Not applicable

Unknown acute toxicity
0 % of the mixture consists of ingredient(s) of unknown toxicity.

Skin corrosion/irritation
Based on available data, the classification criteria are not met.

Mixture No data available.

Substance Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Methenamine	OECD Test 404: Acute Dermal Corrosion/Irritation	Rabbit	500 mg	4 hours	Not corrosive or irritating to skin	ECHA
Formaldehyde	Draize Test	Human	0.150 mg	72 hours	Corrosive to skin	RTECS

Serious eye damage/eye irritation
Based on available data, the classification criteria are not met.

Mixture No data available.

Substance Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Methenamine	OECD Test 405: Acute Eye Corrosion/Irritation	Rabbit	100 mg	24 hours	Not corrosive or irritating to eyes	ECHA
Formaldehyde	Rinse Test	Human	1 ppm	6 minutes	Corrosive to eyes	RTECS

Respiratory or skin sensitisation
May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.

Mixture No data available.

Substance Test data reported below.

Skin Sensitization Exposure Route:

Chemical name	Test method	Species	Results	Key literature references and sources for data
Methenamine	OECD Test No. 406: Skin Sensitisation	Guinea pig	Confirmed to be a skin sensitizer	ECHA
Formaldehyde	Patch test	Human	Confirmed to be a skin sensitizer	ERMA

Respiratory Sensitization Exposure Route:

Chemical name	Test method	Species	Results	Key literature references and sources for data
Methenamine	Based on human experience	Human	Confirmed to be a respiratory sensitizer	HSDB
Formaldehyde	IgE Specific Immune Response Test	Guinea pig	Confirmed to be a respiratory sensitizer	CICAD

STOT - single exposure
Based on available data, the classification criteria are not met.

Mixture No data available.

Substance Test data reported below.

Oral Exposure Route:

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde	Human LD_{Lo}	70 mg/kg	None reported	**Gastrointestinal** **Kidney, Ureter, or Bladder** **Liver** Other changes Ulcerated stomach Other changes	RTECS

STOT - repeated exposure
Based on available data, the classification criteria are not met.

Mixture No data available.

Substance Test data reported below.

Oral Exposure Route:

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Methenamine	Rat NOAEL	80 mg/kg	None reported	None reported	Vendor SDS

Inhalation (Dust/Mist) Exposure Route:

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Methenamine	Rat TC_{Lo}	350 mg/m³	21 days	**Kidney, Ureter, or Bladder** Urine volume decreased or anuria **Nutritional and Gross Metabolic** Weight loss or decreased weight gain **Biochemical** Enzyme inhibition, induction, or change in blood or tissue levels (true cholinesterase)	RTECS

Inhalation (Vapor) Exposure Route:

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde	Human TC_{Lo}	0.017 mg/L	0.5 days	**Eye** **Lungs, Thorax, or Respiration** Lacrimation Other changes	RTECS

Germ cell mutagenicity
Based on available data, the classification criteria are not met.

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as mutagenic

Chemical name	European Union
Formaldehyde	Muta. 2

***Mixture invitro* Data** No data available.

***Substance invitro* Data** Test data reported below.

Chemical name	Test	Cell Strain	Reported dose	Exposure time	Results	Key literature references and sources for data
Methenamine	Cytogenetic analysis	Human HeLa Cell	1 mmol/L	None reported	Positive test result for mutagenicity	RTECS

***Mixture invivo* Data** No data available.

***Substance invivo* Data** Test data reported below.

Oral Exposure Route:

Chemical name	Test	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Methenamine	Dominant lethal test	Mouse	25000 mg/kg	None reported	Positive test result for mutagenicity	RTECS

Inhalation (Vapor) Exposure Route:

Chemical name	Test	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Formaldehyde	Micronucleus test	Human	.000985 mg/L	8.5 years	Positive test result for mutagenicity	RTECS

Carcinogenicity
Based on available data, the classification criteria are not met.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	European Union
Formaldehyde	Carc. 1B

Mixture No data available.

Substance Test data reported below.

Inhalation (Vapor) Exposure Route:

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde	Rat	15 mg/L	78 weeks	**Olfaction** Tumors	RTECS

Reproductive toxicity
Based on available data, the classification criteria are not met.

Mixture No data available.

Substance Test data reported below.

Oral Exposure Route:

Inhalation (Vapor) Exposure Route:

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde	Rat TC_{Lo}	40 mg/L	14 days	**Effects on Embryo or Fetus** Fetotoxicity (except death e.g. stunted fetus)	RTECS

Aspiration hazard
Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

11.2.1. Endocrine disrupting properties
This product does not contain any known or suspected endocrine disruptors.

11.2.2. Other information
Other adverse effects No information available.

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity Based on available data, the classification criteria are not met.

Unknown aquatic toxicity Contains 0 % of components with unknown hazards to the aquatic environment.

Mixture

Acute aquatic toxicity: No data available.

Aquatic Chronic Toxicity: No data available.

Substance

Acute aquatic toxicity: Test data reported below.

Fish:

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Formaldehyde	96 hours	*Pimephales promelas*	LC_{50}	22.6 mg/L	LOLI

Crustacea:

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Formaldehyde	48 Hours	*Daphnia pulex*	LC_{50}	2 mg/L	LOLI

Aquatic Chronic Toxicity: No data available.

12.2. Persistence and degradability

Mixture No data available.

12.3. Bioaccumulative potential

Mixture: No data available.

Partition coefficient Not applicable

12.4. Mobility in soil

Soil Organic Carbon-Water Partition Coefficient Not applicable

12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

Chemical name	PBT and vPvB assessment
Methenamine	Not PBT/vPvB
Formaldehyde	Not PBT/vPvB

12.6. Endocrine disrupting properties

Endocrine Disruptor Information: This product does not contain any known or suspected endocrine disruptors

12.7. Other adverse effects

No information available.

Ozone: Not applicable

Ozone depletion potential (ODP): No information available

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Advice on Disposal

Waste from residues/unused products Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Waste disposal number (residues/unused products)

160506* WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste.

Waste disposal number (used product)

160506* WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste.

Contaminated packaging Dispose of contents/containers in accordance with local regulations.

Other Information Waste codes should be assigned by the user based on the application for which the product was used.

Section 14: TRANSPORT INFORMATION

ADR

14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing Group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	None

IATA

14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	None

IMDG

14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing Group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	None
14.7 Maritime transport in bulk according to IMO instruments	No information available

Additional information
If the item is part of a reagent set or kit the classification would change to the following:
UN3316 Chemical Kit, Hazard Class 9, Packing Group II or III.
If the item is not regulated, the Chemical Kit classification does not apply.

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Take note of Directive 94/33/EC on the protection of young people at work

Authorisations and/or restrictions on use:
This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorisation per REACH Annex XIV
Methenamine - 100-97-0	75 77	
Formaldehyde - 50-00-0	72 77 28 75	

Persistent Organic Pollutants Not applicable

Dangerous substance category per Seveso Directive (2012/18/EU) Non-controlled

Named dangerous substances per Seveso Directive (2012/18/EU)

Chemical name	Lower-tier requirements (tons)	Upper-tier requirements (tons)
Formaldehyde - 50-00-0	5	50

Ozone-depleting substances (ODS) regulation (EC) 1005/2009 Not applicable

Germany
Water hazard class (WGK) slightly hazardous to water (WGK 1)

France
Occupational Illnesses (R-463-3, France)

Chemical name	French RG number	Title
Methenamine 100-97-0	RG 15bis,RG 74	-
Formaldehyde 50-00-0	RG 43,RG 43bis,RG 84 RG 84 RG 5,RG 20bis,RG 102 RG 2,RG 9,RG 14,RG 20,RG 34,RG 65	-

Chemical name	Explosives	REPORTABLE EXPLOSIVES PRECURSORS (2019/1148)
Methenamine 100-97-0		Present

10. Rozporządzenie Komisji (UE) 2020/878 z dnia 18 czerwca 2020 r. zmieniające załącznik II dorozporządzenia (WE) nr1907/2006 Parlamentu Europejskiego i Rady w sprawie rejestracji, oceny, udzielaniazezwoleń i stosowanych ograniczeń wzakresie chemikaliów (REACH).

International Inventories

EINECS/ELINCS	Complies
TSCA	Complies
DSL/NDSL	Complies
ENCS	Does not comply
IECSC	Complies
KECI	Complies
PICCS	Does not comply
AICS	Complies

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances

15.2. Chemical safety assessment

Chemical Safety Report Chemical safety assessments for substances in this mixture were not carried out.

Section 16: OTHER INFORMATION

Issue Date 03-14-2007

Revision Date 23-Mar-2026

Revision Note updated SDS sections:
1
11
12

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend

**	Hazard Designation
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieure
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service Number
Ceiling	Maximum limit value
CLP	Classification, Labelling and Packaging of substances and mixtures [Regulation (EC) No. 1272/2008]
DNEL	Derived No Effect Level (DNEL)
EC	European Community
ECHA	ECHA (The European Chemicals Agency)
EC50	Effective Concentration to 50% of a test population
EEC	European Economic Community
EN	European Standard
IMDG	International Maritime Dangerous Goods (IMDG)
IATA	International Air Transport Association (IATA)
IATA-DGR	International Air Transport Association - Dangerous Goods Regulations
ICAO	International Civil Aviation Organisation
ICAO-TI	International Civil Aviation Organization - Technical Instructions
IUCLID	IUCLID (The International Uniform Chemical Information Database)
GHS	Globally Harmonized System of Classification and Labelling of Chemicals
LOAEL	Lowest observed adverse effect level
LOAEC	Lowest observed adverse effect concentration
LC50	Lethal Concentration to 50% of a test population
LD50	Lethal Dose to 50% of a test population (Median Lethal Dose)
LOLI	LOLI (List of Lists - An International Chemical Regulatory Database)
MAK	Maximale Arbeitsplatz-Konzentration, a German expression corresponding to threshold limit value, which relates to safe daily exposure levels to chemical substances
NOAEL	No Observed Adverse Effect Level
NOAEC	No observed adverse effect concentration
OSHA	Occupational Safety and Health Administration of the US Department of Labour
PEC	Predicted Effect Concentration
PNEC	Predicted No Effect Concentration (PNEC)
PBT	Persistent, Bioaccumulative, and Toxic (PBT) Chemicals
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals [Regulation (EC) No. 1907/2006])

RTECS	RTECS (Registry of Toxic Effects of Chemical Substances)
TWA	TWA (time-weighted average)
SKN*	Skin designation
SKN+	Skin sensitisation
STEL	STEL (Short Term Exposure Limit)
STOT	Specific Target Organ Toxicity
STOT RE	Specific target organ toxicity (repeated exposure)
STOT SE	Specific target organ toxicity (single exposure)
SVHC	Substances of Very High Concern
TLV	Threshold Limit Value
TRGS	Technical rules for hazardous substances, Germany
TSCA	Toxic Substances Control Act
UN	United Nations
vPvB	very persistent and very bioaccumulative
VOC	Volatile organic compounds
AwSV	Administrative regulation of water polluting substances, Germany

Key literature references and sources for data
See Section 11: TOXICOLOGICAL INFORMATION
See Section 12: ECOLOGICAL INFORMATION

Classification procedure

Classification according to Regulation (EC) No. 1272/2008 [CLP]	**Method Used**
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - Vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration toxicity	Calculation method
Ozone	Calculation method

Training Advice Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Prepared By Hach Product Compliance Department

Restrictions on use For Laboratory Use Only.

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006
Regulation (EC) No. 1907/2006 as amended by Regulation (EU) No. 2020/878, and Regulation (EC) No. 1272/2008

End of Safety Data Sheet

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Issue Date 07-Apr-2005 **Revision Date** 19-Mar-2026 **Print Date** 19-Mar-2026 **Version** 3.5

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Code(s) BCK063

Product Name STABLCAL[TS] Formazin Standard 10 NTU

Unique Formula Identifier (UFI) V55R-AYJ6-7110-9RAP

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Water Analysis. Standard solution.

Uses advised against Consumer use

1.3. Details of the supplier of the safety data sheet

Supplier
HACH LANGE GmbH
Willstätterstr. 11
D-40549 Düsseldorf
Tel: +49 (0)211 5288-383
sds@hach.com

Responsible country contact:

HACH UK
Laser House
Ground Floor, Suite B
Waterfront Quay, Salford Quays
GB - Manchester, M50 3XW
Tel. +44 (0) 161 872 1487
info-uk@hach.com

HACH Ireland
Unit 34 GB Business Park
Little Island
IRL-Co. Cork
T45 H681
Tel. +353 (0)146 02 522
info-ie@hach.com

1.4. Emergency telephone number

UK: Chemtrec: +44 20 3807 3798
IE: National Poisons Information Centre (NPIC) 01 809 2566 (24/7)

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Respiratory sensitisation	Category 1 - (H334)
Skin sensitisation	Category 1 - (H317)

2.2. Label elements

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Contains Methenamine



Signal word
Danger

Hazard statements
H317 - May cause an allergic skin reaction
H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

EUH208 - Contains Formaldehyde May produce an allergic reaction.

Precautionary statements
P261 - Avoid breathing dust/fume/gas/mist/vapours/spray
P272 - Contaminated work clothing should not be allowed out of the workplace
P280 - Wear protective gloves and protective clothing
P285 - In case of inadequate ventilation wear respiratory protection
P302 + P352 - IF ON SKIN: Wash with plenty of soap and water
P304 + P341 - IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing
P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention
P342 + P311 - If experiencing respiratory symptoms: Call a POISON CENTER or doctor
P363 - Wash contaminated clothing before reuse
P501 - Dispose of contents/ container to an approved waste disposal plant

2.3. Other hazards
No information available.

PBT & vPvB
This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT)
This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB)

Endocrine Disruptor Information
This product does not contain any known or suspected endocrine disruptors.

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	CAS No. EC No. Index No.	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
Methenamine	100-97-0 202-905-8 612-101-00-2	<10%	Flam. Sol. 2 - H228 Skin Sens. 1 - H317 Resp. Sens. 1 - H334		-	-
Sodium sulfate	7757-82-6 231-820-9 -	<1%	Not classified		-	-
Formaldehyde	50-00-0 200-001-8 605-001-00-5	<0.1%	Acute Tox. 4 - H302 Acute Tox. 3 - H311 Skin Corr. 1B - H314 Skin Sens. 1A - H317 Acute Tox. 2 - H330 Muta. 2 - H341 Carc. 1B - H350 STOT SE 3 - H335	STOT SE 3 :H335: C>=5% Skin Corr. 1B :H314: C>=25% Skin Irrit. 2 :H315: 5%<=C<25% Eye Irrit. 2 :H319: 5%<=C<25%	-	-
Diammonium sulfate	7783-20-2 231-984-1 -	<0.01%	Not classified		-	-
Formazin polymer	1263063-17-7 - -	<0.01%	Not classified		-	-

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapour - mg/L	Inhalation LC50 - 4 hour - gas - ppm
Formaldehyde 50-00-0	None reported	270 mg/kg	None reported	None reported	None reported
Diammonium sulfate 7783-20-2	2840 mg/kg	None reported	None reported	None reported	None reported

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. Take off contaminated clothing and

shoes immediately.

Inhalation May cause allergic respiratory reaction. If breathing has stopped, give artificial respiration. Get medical attention immediately. Remove to fresh air. Get immediate medical attention.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a doctor.

Skin contact Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a doctor.

Ingestion May produce an allergic reaction. Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. Get immediate medical attention.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Use personal protective equipment as required. See section 8 for more information.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms May cause allergy or asthma symptoms or breathing difficulties if inhaled. Coughing and/ or wheezing. Itching. Rashes. Hives.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors May cause sensitisation in susceptible persons. Treat symptomatically.

Section 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media No information available.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical Product is or contains a sensitiser. May cause sensitisation by inhalation and skin contact. May cause sensitisation by skin contact.

Hazardous combustion products This material will not burn. Ammonia. Carbon monoxide. Formaldehyde. Nitrogen oxides (NOx).

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protective equipment.

Additional information Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away

from and upwind of spill/leak.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Provide extract ventilation to points where emissions occur. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Remove contaminated clothing and shoes. Take off contaminated clothing and wash it before reuse.

General hygiene considerations Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Wash hands before breaks and after work. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Take off all contaminated clothing and wash it before reuse. Barrier creams may help to protect the exposed areas of skin.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep at temperatures between 5 and 25 °C.

7.3. Specific end use(s)

Specific use(s) Standard solution. Water Analysis.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure Limits

Chemical name	European Union	United Kingdom	Ireland
Formaldehyde 50-00-0	TWA: 0.37 mg/m³; TWA: 0.62 mg/m³; TWA: 0.3 ppm;	TWA: 2 ppm TWA: 2.5 mg/m³ STEL: 2 ppm	TWA: 0.3 ppm TWA: 0.5 ppm TWA: 0.37 mg/m³

	TWA: 0.5 ppm; STEL: 0.74 mg/m³; STEL: 0.6 ppm; DS	STEL: 2.5 mg/m³	TWA: 0.62 mg/m³ STEL: 0.6 ppm STEL: 0.738 mg/m³ STEL: 0.62 mg/m³ Sens+

Derived No Effect Level (DNEL) - Workers No information available

Predicted No Effect Concentration (PNEC) No information available.

8.2. Exposure controls

Engineering controls Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Hand protection Wear suitable gloves. Gloves must be inspected prior to use. The selected protective gloves have to satisfy the specifications of EU Directive 2016/425 and the standard EN 374-1:2016 derived from it. Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374-1:2016.

Gloves			
Duration of contact	PPE - Glove material	Glove thickness	Break through time
Long term (repeated)	Wear protective Viton™ gloves	0,70 mm	>480 minutes
Short term	Wear protective nitrile rubber gloves	0,20 mm	>30 minutes

Skin and body protection Wear suitable protective clothing.

Respiratory protection When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Recommended filter type: ABEK-P3.

General hygiene considerations Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Wash hands before breaks and after work. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Take off all contaminated clothing and wash it before reuse. Barrier creams may help to protect the exposed areas of skin.

Environmental exposure controls Do not allow into any sewer, on the ground or into any body of water.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state Liquid
Colour white
Odour Odourless.

Property	Values	Remarks • Method
Melting point / freezing point	~ 0 °C	

Initial boiling point and boiling range	~ 100 °C	
Flammability	No data available	
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Flash point	> 100 °C	
Autoignition temperature	No data available	
Decomposition temperature	No data available	
pH	8.48	@ 20 °C
Kinematic viscosity	No data available	
Dynamic viscosity	No data available	
Partition coefficient	-0	
Vapour pressure	2.33 kPa at 20 °C	
Relative density	1.02 g/mL	@ 20 °C
Relative vapor density	0.62	
Particle characteristics		
Particle Size	No information available	
Particle Size Distribution	No information available	

Solubility(ies)

Water solubility

Water solubility classification	Water solubility	Water Solubility Temperature
Soluble	> 1000 mg/L	25 °C / 77 °F

Solubility in other solvents

Chemical Name	Solubility classification	Solubility	Solubility Temperature
None reported	No information available	No data available	No information available

9.2. Other information

9.2.1. Information with regards to physical hazard classes

Corrosive to metals	
Steel Corrosion Rate	No data available
Aluminum Corrosion Rate	No data available

9.2.2. Other safety characteristics No information available

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Stability Stable under normal conditions.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

Hazardous polymerisation Hazardous polymerisation does not occur.

10.4. Conditions to avoid

Conditions to avoid None known based on information supplied.

10.5. Incompatible materials

Incompatible materials Oxidising agent.

10.6. Hazardous decomposition products

Hazardous Decomposition Products Ammonia. Carbon monoxide. Formaldehyde. nitrogen oxides. Sodium oxides. Sulphur oxides.

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity
Based on available data, the classification criteria are not met

Mixture No data available.

Substance Test data reported below.

Oral Exposure Route:

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Diammonium sulfate	Rat LD_{50}	2840 mg/kg	None reported	None reported	GESTIS

Dermal Exposure Route:

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde	Rabbit LD_{50}	270 mg/kg	None reported	None reported	GESTIS

Inhalation (Dust/Mist) Exposure Route:

Acute Toxicity Estimate (ATE) Not applicable

Unknown acute toxicity
6E-07 % of the mixture consists of ingredient(s) of unknown toxicity.

6E-07 % of the mixture consists of ingredient(s) of unknown acute oral toxicity
6E-07 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity
6E-07 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)
6E-07 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapour)
6E-07 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

Skin corrosion/irritation
Based on available data, the classification criteria are not met.

Mixture No data available.

Substance Test data reported below.

Chemical name	Test method	Species	Reported	Exposure	Results	Key literature

			dose	time		references and sources for data
Methenamine	OECD Test 404: Acute Dermal Corrosion/Irritation	Rabbit	500 mg	4 hours	Not corrosive or irritating to skin	ECHA
Sodium sulfate	Draize Test	Rabbit	500 mg	4 hours	Not corrosive or irritating to skin	ECHA
Formaldehyde	Draize Test	Human	0.150 mg	72 hours	Corrosive to skin	RTECS
Diammonium sulfate	Draize Test	Rabbit	800 mg	20 hours	Not corrosive or irritating to skin	ECHA

Serious eye damage/eye irritation
Based on available data, the classification criteria are not met.

Mixture No data available.

Substance Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Methenamine	OECD Test 405: Acute Eye Corrosion/Irritation	Rabbit	100 mg	24 hours	Not corrosive or irritating to eyes	ECHA
Sodium sulfate	Draize Test	Rabbit	90 mg	24 hours	Not corrosive or irritating to eyes	ECHA
Formaldehyde	Rinse Test	Human	1 ppm	6 minutes	Corrosive to eyes	RTECS
Diammonium sulfate	Draize Test	Rabbit	0.050 mL	None reported	Not corrosive or irritating to eyes	ECHA

Respiratory or skin sensitisation
May cause sensitisation by inhalation. May cause sensitisation by skin contact.

Mixture No data available.

Substance Test data reported below.

Skin Sensitization Exposure Route:

Chemical name	Test method	Species	Results	Key literature references and sources for data
Methenamine	OECD Test No. 406: Skin Sensitisation	Guinea pig	Confirmed to be a skin sensitizer	ECHA
Sodium sulfate	OECD Test No. 406: Skin Sensitisation	Guinea pig	No sensitisation responses were observed.	HSDB
Formaldehyde	Patch test	Human	Confirmed to be a skin sensitizer	ERMA

Respiratory Sensitization Exposure Route:

Chemical name	Test method	Species	Results	Key literature references and sources for data
Methenamine	Based on human experience	Human	Confirmed to be a respiratory sensitizer	HSDB
Formaldehyde	IgE Specific Immune Response Test	Guinea pig	Confirmed to be a respiratory sensitizer	CICAD

STOT - single exposure
Based on available data, the classification criteria are not met.

Mixture No data available.

Substance Test data reported below.

Oral Exposure Route:

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde	Human LD_{Lo}	70 mg/kg	None reported	**Gastrointestinal** **Kidney, Ureter, or Bladder** **Liver** Other changes Ulcerated stomach Other changes	RTECS
Diammonium sulfate	Man TD_{Lo}	1500 mg/kg	None reported	**Gastrointestinal** Gas	RTECS

STOT - repeated exposure
Based on available data, the classification criteria are not met.

Mixture No data available.

Substance Test data reported below.

Oral Exposure Route:

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Methenamine	Rat NOAEL	80 mg/kg	None reported	None reported	Vendor SDS

Inhalation (Dust/Mist) Exposure Route:

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Methenamine	Rat TC_{Lo}	350 mg/m^3	21 days	**Kidney, Ureter, or Bladder** Urine volume decreased or anuria **Nutritional and Gross Metabolic** Weight loss or decreased weight gain **Biochemical** Enzyme inhibition, induction, or change in blood or tissue levels (true cholinesterase)	RTECS

Inhalation (Vapor) Exposure Route:

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde	Human TC_{Lo}	0.017 mg/L	0.5 days	**Eye** **Lungs, Thorax, or Respiration** Lacrimation Other changes	RTECS

Germ cell mutagenicity
Based on available data, the classification criteria are not met.

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as mutagenic

Chemical name	European Union
Formaldehyde	Muta. 2

***Mixture invitro* Data** No data available.

***Substance invitro* Data** Test data reported below.

Chemical name	Test	Cell Strain	Reported dose	Exposure time	Results	Key literature references and sources for data
Methenamine	Cytogenetic analysis	Human HeLa Cell	1 mmol/L	None reported	Positive test result for mutagenicity	RTECS

***Mixture invivo* Data** No data available.

***Substance invivo* Data** Test data reported below.

Oral Exposure Route:

Chemical name	Test	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Methenamine	Dominant lethal test	Mouse	25000 mg/kg	None reported	Positive test result for mutagenicity	RTECS

Inhalation (Vapor) Exposure Route:

Chemical name	Test	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Formaldehyde	Micronucleus test	Human	.000985 mg/L	8.5 years	Positive test result for mutagenicity	RTECS

Carcinogenicity
Based on available data, the classification criteria are not met.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	European Union
Formaldehyde	Carc. 1B

Mixture No data available.

Substance Test data reported below.

Inhalation (Vapor) Exposure Route:

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde	Rat	15 mg/L	78 weeks	**Olfaction** Tumors	RTECS

Reproductive toxicity
Based on available data, the classification criteria are not met.

Mixture No data available.

Substance Test data reported below.

Oral Exposure Route:

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sodium sulfate	Mouse TD_{Lo}	14000 mg/kg	4 days	**Effects on Newborn** Other neonatal measures or effects	RTECS

Inhalation (Vapor) Exposure Route:

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde	Rat TC_{Lo}	40 mg/L	14 days	**Effects on Embryo or Fetus** Fetotoxicity (except death e.g. stunted fetus)	RTECS

Aspiration hazard
Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

11.2.1. Endocrine disrupting properties
This product does not contain any known or suspected endocrine disruptors.

11.2.2. Other information
Other adverse effects No information available.

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity Based on available data, the classification criteria are not met.

Unknown aquatic toxicity Contains 0 % of components with unknown hazards to the aquatic environment.

Mixture

Acute aquatic toxicity: No data available.

Aquatic Chronic Toxicity: No data available.

Substance

Acute aquatic toxicity: Test data reported below.

Fish:

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Sodium sulfate	96 hours	None reported	LC_{50}	56 mg/L	IUCLID
Formaldehyde	96 hours	*Pimephales promelas*	LC_{50}	22.6 mg/L	LOLI
Diammonium sulfate	96 hours	*Oncorhynchus mykiss*	LC_{50}	36.7 mg/L	GESTIS

Crustacea:

Chemical name	Exposure	Species	Endpoint type	Reported dose	Key literature references and

	time				sources for data
Sodium sulfate	48 Hours	*Daphnia magna*	EC_{50}	3150 mg/L	IUCLID
Formaldehyde	48 Hours	*Daphnia pulex*	LC_{50}	2 mg/L	LOLI
Diammonium sulfate	48 Hours	None reported	LC_{50}	14 mg/L	GESTIS

Aquatic Chronic Toxicity: No data available.

12.2. Persistence and degradability

Mixture No data available.

12.3. Bioaccumulative potential

Mixture: No data available.

Partition coefficient Not applicable

12.4. Mobility in soil

Soil Organic Carbon-Water Partition Coefficient Not applicable

12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

Chemical name	PBT and vPvB assessment
Methenamine	Not PBT/vPvB
Sodium sulfate	Not PBT/vPvB
Formaldehyde	Not PBT/vPvB
Diammonium sulfate	Not PBT/vPvB

12.6. Endocrine disrupting properties

Endocrine Disruptor Information: This product does not contain any known or suspected endocrine disruptors

12.7. Other adverse effects

No information available.

Ozone: Not applicable

Ozone depletion potential (ODP): No information available

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Advice on Disposal

Waste from residues/unused products Our local agencies will accept used cuvettes to ensure their proper disposal.

Waste disposal number (residues/unused products)

160506* WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste.

Waste disposal number (used product)

160506*	WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste.
Contaminated packaging	Dispose of contents/containers in accordance with local regulations.
Other Information	Waste codes should be assigned by the user based on the application for which the product was used.

Section 14: TRANSPORT INFORMATION

ADR

14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing Group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	None

IATA

14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	None

IMDG

14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing Group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	None
14.7 Maritime transport in bulk according to IMO instruments	No information available

Additional information

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Take note of Directive 94/33/EC on the protection of young people at work

Authorisations and/or restrictions on use:

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII) This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorisation per REACH Annex XIV
Methenamine - 100-97-0	75 77	
Formaldehyde - 50-00-0	72 77 28 75	
Diammonium sulfate - 7783-20-2	65	

Persistent Organic Pollutants Not applicable

Dangerous substance category per Seveso Directive (2012/18/EU) Non-controlled

Named dangerous substances per Seveso Directive (2012/18/EU)

Chemical name	Lower-tier requirements (tons)	Upper-tier requirements (tons)
Formaldehyde - 50-00-0	5	50

Ozone-depleting substances (ODS) regulation (EC) 1005/2009 Not applicable

Germany
Water hazard class (WGK) slightly hazardous to water (WGK 1)

France
Occupational Illnesses (R-463-3, France)

Chemical name	French RG number	Title
Methenamine 100-97-0	RG 15bis,RG 74	-
Formaldehyde 50-00-0	RG 43,RG 43bis,RG 84 RG 84 RG 5,RG 20bis,RG 102 RG 2,RG 9,RG 14,RG 20,RG 34,RG 65	-

Chemical name	Explosives	REPORTABLE EXPLOSIVES PRECURSORS (2019/1148)
Methenamine 100-97-0		Present

10. Rozporządzenie Komisji (UE) 2020/878 z dnia 18 czerwca 2020 r. zmieniające załącznik II dorozporządzenia (WE) nr1907/2006 Parlamentu Europejskiego i Rady w sprawie rejestracji, oceny, udzielaniazezwoleń i stosowanych ograniczeń wzakresie chemikaliów (REACH).

International Inventories

EINECS/ELINCS	Complies
TSCA	Complies
DSL/NDSL	Complies
ENCS	Does not comply
IECSC	Complies
KECI	Complies
PICCS	Does not comply
AICS	Complies

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances

15.2. Chemical safety assessment

Chemical Safety Report Chemical safety assessments for substances in this mixture were not carried out.

Section 16: OTHER INFORMATION

Issue Date 07-Apr-2005

Revision Date 19-Mar-2026

Revision Note updated SDS sections:
1
11
12

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend

**	Hazard Designation
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieure
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service Number
Ceiling	Maximum limit value
CLP	Classification, Labelling and Packaging of substances and mixtures [Regulation (EC) No. 1272/2008]
DNEL	Derived No Effect Level (DNEL)
EC	European Community
ECHA	ECHA (The European Chemicals Agency)
EC50	Effective Concentration to 50% of a test population
EEC	European Economic Community
EN	European Standard
IMDG	International Maritime Dangerous Goods (IMDG)
IATA	International Air Transport Association (IATA)
IATA-DGR	International Air Transport Association - Dangerous Goods Regulations
ICAO	International Civil Aviation Organisation
ICAO-TI	International Civil Aviation Organization - Technical Instructions
IUCLID	IUCLID (The International Uniform Chemical Information Database)
GHS	Globally Harmonized System of Classification and Labelling of Chemicals

LOAEL	Lowest observed adverse effect level
LOAEC	Lowest observed adverse effect concentration
LC50	Lethal Concentration to 50% of a test population
LD50	Lethal Dose to 50% of a test population (Median Lethal Dose)
LOLI	LOLI (List of Lists - An International Chemical Regulatory Database)
MAK	Maximale Arbeitsplatz-Konzentration, a German expression corresponding to threshold limit value, which relates to safe daily exposure levels to chemical substances
NOAEL	No Observed Adverse Effect Level
NOAEC	No observed adverse effect concentration
OSHA	Occupational Safety and Health Administration of the US Department of Labour
PEC	Predicted Effect Concentration
PNEC	Predicted No Effect Concentration (PNEC)
PBT	Persistent, Bioaccumulative, and Toxic (PBT) Chemicals
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals [Regulation (EC) No. 1907/2006])
RTECS	RTECS (Registry of Toxic Effects of Chemical Substances)
TWA	TWA (time-weighted average)
SKN*	Skin designation
SKN+	Skin sensitisation
STEL	STEL (Short Term Exposure Limit)
STOT	Specific Target Organ Toxicity
STOT RE	Specific target organ toxicity (repeated exposure)
STOT SE	Specific target organ toxicity (single exposure)
SVHC	Substances of Very High Concern
TLV	Threshold Limit Value
TRGS	Technical rules for hazardous substances, Germany
TSCA	Toxic Substances Control Act
UN	United Nations
vPvB	very persistent and very bioaccumulative
VOC	Volatile organic compounds
AwSV	Administrative regulation of water polluting substances, Germany

Key literature references and sources for data
See Section 11: TOXICOLOGICAL INFORMATION
See Section 12: ECOLOGICAL INFORMATION

Classification procedure

Classification according to Regulation (EC) No. 1272/2008 [CLP]	**Method Used**
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - Vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration toxicity	Calculation method
Ozone	Calculation method

Full text of H-Statements referred to under section 3
H228 - Flammable solid
H301 - Toxic if swallowed
H311 - Toxic in contact with skin

H314 - Causes severe skin burns and eye damage
H317 - May cause an allergic skin reaction
H318 - Causes serious eye damage
H331 - Toxic if inhaled
H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled
H335 - May cause respiratory irritation
H341 - Suspected of causing genetic defects
H350 - May cause cancer

Training Advice	Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work
Prepared By	Hach Product Compliance Department
Restrictions on use	For Laboratory Use Only.

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006
Regulation (EC) No. 1907/2006 as amended by Regulation (EU) No. 2020/878, and Regulation (EC) No. 1272/2008

End of Safety Data Sheet

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Issue Date 01-15-2007 **Revision Date** 19-Mar-2026 **Print Date** 19-Mar-2026 **Version** 3.5

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Code(s) BCK064

Product Name STABLCAL^{TS} Formazin Standard 20 NTU

Chemical Name Not applicable

Unique Formula Identifier (UFI) NFJN-JYR1-911T-GUK1

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Standard solution. Water Analysis.

Uses advised against Consumer use

1.3. Details of the supplier of the safety data sheet

Supplier
HACH LANGE GmbH
Willstätterstr. 11
D-40549 Düsseldorf
Tel: +49 (0)211 5288-383
sds@hach.com

Responsible country contact:

HACH UK
Laser House
Ground Floor, Suite B
Waterfront Quay, Salford Quays
GB - Manchester, M50 3XW
Tel. +44 (0) 161 872 1487
info-uk@hach.com

HACH Ireland
Unit 34 GB Business Park
Little Island
IRL-Co. Cork
T45 H681
Tel. +353 (0)146 02 522
info-ie@hach.com

1.4. Emergency telephone number

UK: Chemtrec: +44 20 3807 3798
IE: National Poisons Information Centre (NPIC) 01 809 2566 (24/7)

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Respiratory sensitisation	Category 1 - (H334)
Skin sensitisation	Category 1 - (H317)

2.2. Label elements

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Contains Methenamine



Signal word
Danger

Hazard statements
H317 - May cause an allergic skin reaction
H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

Precautionary statements
P261 - Avoid breathing dust/fume/gas/mist/vapours/spray
P272 - Contaminated work clothing should not be allowed out of the workplace
P280 - Wear protective gloves
P285 - In case of inadequate ventilation wear respiratory protection
P302 + P352 - IF ON SKIN: Wash with plenty of soap and water
P304 + P341 - IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing
P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention
P342 + P311 - If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician
P363 - Wash contaminated clothing before reuse
P501 - Dispose of contents/ container to an approved waste disposal plant

2.3. Other hazards
No information available.

PBT & vPvB
This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT)
This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB)

Endocrine Disruptor Information
This product does not contain any known or suspected endocrine disruptors.

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	CAS No. EC No. Index No.	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
Methenamine	100-97-0 202-905-8 612-101-00-2	<10%	Flam. Sol. 2 - H228 Skin Sens. 1 - H317 Resp. Sens. 1 - H334		-	-
Formaldehyde	50-00-0 200-001-8 605-001-00-5	<0.1%	Acute Tox. 4 - H302 Acute Tox. 3 - H311 Skin Corr. 1B - H314 Skin Sens. 1A - H317 Acute Tox. 2 - H330 Muta. 2 - H341 Carc. 1B - H350 STOT SE 3 - H335	STOT SE 3 :H335: C>=5% Skin Corr. 1B :H314: C>=25% Skin Irrit. 2 :H315: 5%<=C<25% Eye Irrit. 2 :H319: 5%<=C<25%	-	-

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapour - mg/L	Inhalation LC50 - 4 hour - gas - ppm
Formaldehyde 50-00-0	None reported	270 mg/kg	None reported	None reported	None reported

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. Take off contaminated clothing and shoes immediately.

Inhalation May cause allergic respiratory reaction. If breathing has stopped, give artificial respiration. Get medical attention immediately. Remove to fresh air. Get immediate medical attention.

Eye contact In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Skin contact Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a doctor.

Ingestion	May produce an allergic reaction. Rinse mouth. Never give anything by mouth to an unconscious person. Get immediate medical attention. Induce vomiting, but only if victim is fully conscious.
Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Use personal protective equipment as required. See section 8 for more information.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms	May cause allergy or asthma symptoms or breathing difficulties if inhaled. Coughing and/ or wheezing. Itching. Rashes. Hives.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors	May cause sensitisation in susceptible persons. Treat symptomatically.

Section 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	No information available.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical	Product is or contains a sensitiser. May cause sensitisation by inhalation and skin contact. May cause sensitisation by skin contact.
Hazardous combustion products	This material will not burn. Carbon monoxide. Ammonia. Formaldehyde. nitrogen oxides.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protective equipment.
Additional information	Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.
For emergency responders	Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions	Prevent further leakage or spillage if safe to do so.

6.3. Methods and material for containment and cleaning up

Methods for containment	Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Provide extract ventilation to points where emissions occur. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Remove contaminated clothing and shoes. Take off contaminated clothing and wash it before reuse.

General hygiene considerations Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Take off all contaminated clothing and wash it before reuse. Barrier creams may help to protect the exposed areas of skin. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep at temperatures between 5 and 25 °C. Store in a cool, dry area away from potential sources of heat, open flames, sunlight or other chemicals.

7.3. Specific end use(s)

Specific use(s) Standard solution.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure Limits

Chemical name	European Union	United Kingdom	Ireland
Formaldehyde 50-00-0	TWA: 0.37 mg/m³; TWA: 0.62 mg/m³; TWA: 0.3 ppm; TWA: 0.5 ppm; STEL: 0.74 mg/m³; STEL: 0.6 ppm; DS	TWA: 2 ppm TWA: 2.5 mg/m³ STEL: 2 ppm STEL: 2.5 mg/m³	TWA: 0.3 ppm TWA: 0.5 ppm TWA: 0.37 mg/m³ TWA: 0.62 mg/m³ STEL: 0.6 ppm STEL: 0.738 mg/m³ STEL: 0.62 mg/m³ Sens+

Derived No Effect Level (DNEL) - Workers No information available

Predicted No Effect Concentration (PNEC) No information available.

8.2. Exposure controls

Engineering controls Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Hand protection Wear suitable gloves. Gloves must be inspected prior to use. The selected protective gloves have to satisfy the specifications of EU Directive 2016/425 and the standard EN 374-1:2016 derived from it. Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374-1:2016.

Gloves			
Duration of contact	PPE - Glove material	Glove thickness	Break through time
Long term (repeated)	Wear protective Viton™ gloves	0,70 mm	>480 minutes
Short term	Wear protective nitrile rubber gloves	0,30 mm	>30 minutes

Skin and body protection Wear suitable protective clothing.

Respiratory protection Wear breathing apparatus if exposed to vapours/dusts/aerosols.

Recommended filter type: ABEK-P3.

General hygiene considerations Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Take off all contaminated clothing and wash it before reuse. Barrier creams may help to protect the exposed areas of skin. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Environmental exposure controls Do not allow into any sewer, on the ground or into any body of water.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state Liquid
Colour white
Odour Odourless.

Property	Values	Remarks • Method
Melting point / freezing point	~ 0 °C	
Initial boiling point and boiling range	~ 100 °C	
Flammability	No data available	
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Flash point	> 100 °C	
Autoignition temperature	No data available	
Decomposition temperature	No data available	
pH	8.26	@ 20 °C
Kinematic viscosity	No data available	

Dynamic viscosity	No data available
Partition coefficient	-0
Vapour pressure	2.33 kPa at 20 °C
Relative density	1.02 g/mL
Relative vapor density	0.62
Particle characteristics	
Particle Size	No information available
Particle Size Distribution	No information available

Solubility(ies)

Water solubility

Water solubility classification	Water solubility	Water Solubility Temperature
Soluble	> 1000 mg/L	25 °C / 77 °F

Solubility in other solvents

Chemical Name	Solubility classification	Solubility	Solubility Temperature
None reported	No information available	No data available	No information available

9.2. Other information

9.2.1. Information with regards to physical hazard classes

Corrosive to metals

Steel Corrosion Rate	No data available
Aluminum Corrosion Rate	No data available

9.2.2. Other safety characteristics No information available

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Stability Stable under normal conditions.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

Hazardous polymerisation Hazardous polymerisation does not occur.

10.4. Conditions to avoid

Conditions to avoid None known based on information supplied.

10.5. Incompatible materials

Incompatible materials Oxidising agent.

10.6. Hazardous decomposition products

Hazardous Decomposition Products Ammonia. Carbon monoxide. Formaldehyde. nitrogen oxides. Sodium oxides. Sulphur oxides.

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity
Based on available data, the classification criteria are not met

Mixture No data available.

Substance Test data reported below.

Oral Exposure Route:

Dermal Exposure Route:

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde	Rabbit LD_{50}	270 mg/kg	None reported	None reported	GESTIS

Inhalation (Dust/Mist) Exposure Route:

Acute Toxicity Estimate (ATE) Not applicable

Unknown acute toxicity
6E-07 % of the mixture consists of ingredient(s) of unknown toxicity.

6E-07 % of the mixture consists of ingredient(s) of unknown acute oral toxicity
6E-07 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity
6E-07 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)
6E-07 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapour)
6E-07 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

Skin corrosion/irritation
Based on available data, the classification criteria are not met.

Mixture No data available.

Substance Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Methenamine	OECD Test 404: Acute Dermal Corrosion/Irritation	Rabbit	500 mg	4 hours	Not corrosive or irritating to skin	ECHA
Formaldehyde	Draize Test	Human	0.150 mg	72 hours	Corrosive to skin	RTECS

Serious eye damage/eye irritation
Based on available data, the classification criteria are not met.

Mixture No data available.

Substance Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Methenamine	OECD Test 405: Acute Eye Corrosion/Irritation	Rabbit	100 mg	24 hours	Not corrosive or irritating to eyes	ECHA
Formaldehyde	Rinse Test	Human	1 ppm	6 minutes	Corrosive to eyes	RTECS

Respiratory or skin sensitisation
May cause sensitisation by inhalation. May cause sensitisation by skin contact.

Mixture No data available.

Substance Test data reported below.

Skin Sensitization Exposure Route:

Chemical name	Test method	Species	Results	Key literature references and sources for data
Methenamine	OECD Test No. 406: Skin Sensitisation	Guinea pig	Confirmed to be a skin sensitizer	ECHA
Formaldehyde	Patch test	Human	Confirmed to be a skin sensitizer	ERMA

Respiratory Sensitization Exposure Route:

Chemical name	Test method	Species	Results	Key literature references and sources for data
Methenamine	Based on human experience	Human	Confirmed to be a respiratory sensitizer	HSDB
Formaldehyde	IgE Specific Immune Response Test	Guinea pig	Confirmed to be a respiratory sensitizer	CICAD

STOT - single exposure
Based on available data, the classification criteria are not met.

Mixture No data available.

Substance Test data reported below.

Oral Exposure Route:

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde	Human LD_{Lo}	70 mg/kg	None reported	**Gastrointestinal** **Kidney, Ureter, or Bladder** **Liver** Other changes Ulcerated stomach Other changes	RTECS

STOT - repeated exposure
Based on available data, the classification criteria are not met.

Mixture No data available.

Substance Test data reported below.

Oral Exposure Route:

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Methenamine	Rat NOAEL	80 mg/kg	None reported	None reported	Vendor SDS

Inhalation (Dust/Mist) Exposure Route:

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Methenamine	Rat TC_{Lo}	350 mg/m³	21 days	**Kidney, Ureter, or Bladder** Urine volume decreased or anuria **Nutritional and Gross Metabolic** Weight loss or decreased weight gain **Biochemical** Enzyme inhibition, induction, or change in blood or tissue levels (true cholinesterase)	RTECS

Inhalation (Vapor) Exposure Route:

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde	Human TC_{Lo}	0.017 mg/L	0.5 days	**Eye** **Lungs, Thorax, or Respiration** Lacrimation Other changes	RTECS

Germ cell mutagenicity
Based on available data, the classification criteria are not met.

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as mutagenic

Chemical name	European Union
Formaldehyde	Muta. 2

***Mixture invitro* Data** No data available.

***Substance invitro* Data** Test data reported below.

Chemical name	Test	Cell Strain	Reported dose	Exposure time	Results	Key literature references and sources for data
Methenamine	Cytogenetic analysis	Human HeLa Cell	1 mmol/L	None reported	Positive test result for mutagenicity	RTECS

***Mixture invivo* Data** No data available.

***Substance invivo* Data** Test data reported below.

Oral Exposure Route:

Chemical name	Test	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Methenamine	Dominant lethal test	Mouse	25000 mg/kg	None reported	Positive test result for mutagenicity	RTECS

Inhalation (Vapor) Exposure Route:

Chemical name	Test	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Formaldehyde	Micronucleus test	Human	.000985 mg/L	8.5 years	Positive test result for mutagenicity	RTECS

Carcinogenicity
Based on available data, the classification criteria are not met.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	European Union
Formaldehyde	Carc. 1B

Mixture No data available.

Substance Test data reported below.

Inhalation (Vapor) Exposure Route:

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde	Rat	15 mg/L	78 weeks	**Olfaction** Tumors	RTECS

Reproductive toxicity
Based on available data, the classification criteria are not met.

Mixture No data available.

Substance Test data reported below.

Oral Exposure Route:

Inhalation (Vapor) Exposure Route:

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde	Rat TC_{Lo}	40 mg/L	14 days	**Effects on Embryo or Fetus** Fetotoxicity (except death e.g. stunted fetus)	RTECS

Aspiration hazard
Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

11.2.1. Endocrine disrupting properties
This product does not contain any known or suspected endocrine disruptors.

11.2.2. Other information

Other adverse effects No information available.

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity Based on available data, the classification criteria are not met.

Unknown aquatic toxicity Contains 0 % of components with unknown hazards to the aquatic environment.

Mixture

Acute aquatic toxicity: No data available.

Aquatic Chronic Toxicity: No data available.

Substance

Acute aquatic toxicity: Test data reported below.

Fish:

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Formaldehyde	96 hours	*Pimephales promelas*	LC_{50}	22.6 mg/L	LOLI

Crustacea:

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Formaldehyde	48 Hours	*Daphnia pulex*	LC_{50}	2 mg/L	LOLI

Aquatic Chronic Toxicity: No data available.

12.2. Persistence and degradability

Mixture No data available.

12.3. Bioaccumulative potential

Mixture: No data available.

Partition coefficient Not applicable

12.4. Mobility in soil

Soil Organic Carbon-Water Partition Coefficient Not applicable

12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

Chemical name	PBT and vPvB assessment
Methenamine	Not PBT/vPvB
Formaldehyde	Not PBT/vPvB

12.6. Endocrine disrupting properties

Endocrine Disruptor Information: This product does not contain any known or suspected endocrine disruptors

12.7. Other adverse effects

No information available.

Ozone: Not applicable

Ozone depletion potential (ODP): No information available

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Advice on Disposal

Waste from residues/unused products Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Waste disposal number (residues/unused products)

160506* WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste.

Waste disposal number (used product)

160506* WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste.

Contaminated packaging Dispose of contents/containers in accordance with local regulations.

Other Information Waste codes should be assigned by the user based on the application for which the product was used.

Section 14: TRANSPORT INFORMATION

ADR

14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing Group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	None

IATA

14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	None

IMDG

14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated

14.4 Packing Group Not regulated
14.5 Environmental hazards Not applicable
14.6 Special precautions for user Special Provisions None
14.7 Maritime transport in bulk according to IMO instruments No information available

Additional information

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Take note of Directive 94/33/EC on the protection of young people at work

Authorisations and/or restrictions on use:
This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorisation per REACH Annex XIV
Methenamine - 100-97-0	75 77	
Formaldehyde - 50-00-0	72 77 28 75	

Persistent Organic Pollutants Not applicable

Dangerous substance category per Seveso Directive (2012/18/EU) Non-controlled

Named dangerous substances per Seveso Directive (2012/18/EU)

Chemical name	Lower-tier requirements (tons)	Upper-tier requirements (tons)
Formaldehyde - 50-00-0	5	50

Ozone-depleting substances (ODS) regulation (EC) 1005/2009 Not applicable

Germany
Water hazard class (WGK) slightly hazardous to water (WGK 1)

France
Occupational Illnesses (R-463-3, France)

Chemical name	French RG number	Title

Methenamine 100-97-0	RG 15bis,RG 74	-
Formaldehyde 50-00-0	RG 43,RG 43bis,RG 84 RG 84 RG 5,RG 20bis,RG 102 RG 2,RG 9,RG 14,RG 20,RG 34,RG 65	-

Chemical name	Explosives	REPORTABLE EXPLOSIVES PRECURSORS (2019/1148)
Methenamine 100-97-0		Present

10. Rozporządzenie Komisji (UE) 2020/878 z dnia 18 czerwca 2020 r. zmieniające załącznik II dorozporządzenia (WE) nr1907/2006 Parlamentu Europejskiego i Rady w sprawie rejestracji, oceny, udzielaniazezwoleń i stosowanych ograniczeń wzakresie chemikaliów (REACH).

International Inventories

EINECS/ELINCS	Complies
TSCA	Complies
DSL/NDSL	Complies
ENCS	Does not comply
IECSC	Complies
KECI	Complies
PICCS	Does not comply
AICS	Complies

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances

15.2. Chemical safety assessment

Chemical Safety Report Chemical safety assessments for substances in this mixture were not carried out.

Section 16: OTHER INFORMATION

Issue Date 01-15-2007

Revision Date 19-Mar-2026

Revision Note updated SDS sections:
2

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend

**	Hazard Designation
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies

	de navigation intérieure
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service Number
Ceiling	Maximum limit value
CLP	Classification, Labelling and Packaging of substances and mixtures [Regulation (EC) No. 1272/2008]
DNEL	Derived No Effect Level (DNEL)
EC	European Community
ECHA	ECHA (The European Chemicals Agency)
EC50	Effective Concentration to 50% of a test population
EEC	European Economic Community
EN	European Standard
IMDG	International Maritime Dangerous Goods (IMDG)
IATA	International Air Transport Association (IATA)
IATA-DGR	International Air Transport Association - Dangerous Goods Regulations
ICAO	International Civil Aviation Organisation
ICAO-TI	International Civil Aviation Organization - Technical Instructions
IUCLID	IUCLID (The International Uniform Chemical Information Database)
GHS	Globally Harmonized System of Classification and Labelling of Chemicals
LOAEL	Lowest observed adverse effect level
LOAEC	Lowest observed adverse effect concentration
LC50	Lethal Concentration to 50% of a test population
LD50	Lethal Dose to 50% of a test population (Median Lethal Dose)
LOLI	LOLI (List of Lists - An International Chemical Regulatory Database)
MAK	Maximale Arbeitsplatz-Konzentration, a German expression corresponding to threshold limit value, which relates to safe daily exposure levels to chemical substances
NOAEL	No Observed Adverse Effect Level
NOAEC	No observed adverse effect concentration
OSHA	Occupational Safety and Health Administration of the US Department of Labour
PEC	Predicted Effect Concentration
PNEC	Predicted No Effect Concentration (PNEC)
PBT	Persistent, Bioaccumulative, and Toxic (PBT) Chemicals
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals [Regulation (EC) No. 1907/2006])
RTECS	RTECS (Registry of Toxic Effects of Chemical Substances)
TWA	TWA (time-weighted average)
SKN*	Skin designation
SKN+	Skin sensitisation
STEL	STEL (Short Term Exposure Limit)
STOT	Specific Target Organ Toxicity
STOT RE	Specific target organ toxicity (repeated exposure)
STOT SE	Specific target organ toxicity (single exposure)
SVHC	Substances of Very High Concern
TLV	Threshold Limit Value
TRGS	Technical rules for hazardous substances, Germany
TSCA	Toxic Substances Control Act
UN	United Nations
vPvB	very persistent and very bioaccumulative
VOC	Volatile organic compounds
AwSV	Administrative regulation of water polluting substances, Germany

Key literature references and sources for data
See Section 11: TOXICOLOGICAL INFORMATION
See Section 12: ECOLOGICAL INFORMATION

Classification procedure

Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method

Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - Vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration toxicity	Calculation method
Ozone	Calculation method

Full text of H-Statements referred to under section 3
H228 - Flammable solid
H301 - Toxic if swallowed
H311 - Toxic in contact with skin
H314 - Causes severe skin burns and eye damage
H317 - May cause an allergic skin reaction
H318 - Causes serious eye damage
H331 - Toxic if inhaled
H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled
H335 - May cause respiratory irritation
H341 - Suspected of causing genetic defects
H350 - May cause cancer

Training Advice Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Prepared By Hach Product Compliance Department

Restrictions on use For Laboratory Use Only.

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006
Regulation (EC) No. 1907/2006 as amended by Regulation (EU) No. 2020/878, and Regulation (EC) No. 1272/2008

End of Safety Data Sheet