Cell Boost 3 Supplement

HYCLONE MEDIA AND SUPPLEMENTS

Improve productivity and cell growth in fed-batch cultures by supplementing the cell culture medium to boost nutrients depleted during culture. HyClone Cell Boost Stapplement provides nutrients such as amino acids, glucose, and trace elements that are suitable for research and bioprocessing applications. It is available as a convenient ready-to-use liquid feed solution or as a dry powder supplement to be hydrated before use (Fig 1). This cell culture medium supplement has been developed for antibody and recombinant protein production with various cell lines including hybridoma and myeloma cells.

Features and benefits

- Designed to support modern cell culture manufacturing processes, Cell Boost 3 is chemically defined (CD), animalderived component-free (ADCF), protein-free, and does not contain L-glutamine, poloxamer 188, or hydrolysates.
- For convenience, this cell culture supplement is available as a ready-to-use liquid solution in addition to a dry powder format.

Cell Boost 3 Supplement has been tested with a variety of cell lines including hybridoma and myeloma cells. Figure 2 shows IgG1 production from a proprietary Sp2/0-derived hybridoma cultured in CDM4MAb medium supplemented with Cell Boost 3.

The supplement is available as a powder or in a ready-to-use liquid format for research, process development, and manufacturing. The liquid feed supplement meets testing specifications and is stable up to 9 months at 2°C to 8°C (Fig 3).

Specifications

Cell Boost 3 specifications for liquid feed solution and dry powder formats:

- CD
- ADCF
- Hydrolysate-free
- · Without poloxamer 188 and L-glutamine



Fig 1. Cell Boost 3 supplements are chemically defined and animal-derived component-free.




Fig 2. IgG1 production using a proprietary Sp2/0-derived hybridoma cultured in HyClone CDM4MAb medium. Fed-batch culture employed on days 4 and 6 using Cell Boost 3 Supplement.





Fig 3. Stability study testing of the Cell Boost 3 liquid feed supplement was performed using CHO-S cell line to determine viable cell density (VCD) compared with control (freshly hydrated powder). The study was conducted using three separate batches of Cell Boost 3 liquid feed supplement stored at 2°C to 8°C and used in fed-batch cultures of CHO-S cells 0, 3, 6, 9, and 12 months after preparation.

Quality control testing for liquids

Quality control test specifications for Cell Boost 3 liquid formats are listed in Table 1.

Table 1. Test specifications*

Appearance	Clear solution
Endotoxin (EU/mL)	≤1 EU/mL
Sterility	No growth
pH	6.9-7.4
Osmolality (mOsmol/kg)	246–301
HPLC amino acid profile	Complies with profile

^{*}Refer to certificate of analysis for actual results

Suggested hydration of dry powder

- Add 35 g of Cell Boost 3 Supplement to 900 mL of cell culturegrade water. If your water source is normally cool, it might be useful to adjust the water temperature. Using warmer room temperature water (22°C to 25°C) will improve solubilization time. Mix for 20 min or until dissolved.
- 2. Adjust pH to 6.9 to 7.4.
- 3. Bring volume to 1000 mL.
- 4. Sterile filter with 0.2 μm filter.

Preparation notes

Cell Boost 3 Supplement can be formulated from 30 to 40 g/L. The supplement has specific storage, temperature, and pH requirements when formulated at higher concentrations. Store Cell Boost 3 Supplement liquid solution at 2°C to 8°C, away from light.

Product handling

Store dry powder medium supplement protected from moisture in a tightly sealed container at 2°C to 8°C, away from light.

Store the ready-to-use liquid feed supplement at 2°C to 8°C , away from light.

General culture recommendations

Recommended supplementation range is between 20 to 200 mL/L during mid to late growth phase. It is anticipated that this will be day 3 to 4 of the culture. It is suggested that L-glutamine is monitored separately in those cultures where it is present in the culture medium, and supplemented as needed.

Related products

Cell Boost 1–6 along with supplements 7a and 7b have been designed to provide rich nutrients suitable for multiple mammalian cell types, see Table 2 for an overview of HyClone supplements. In addition to Cell Boost supplements we offer concentrated liquid supplements designed to provide lipids and cholesterol to cell lines such as NSO, as well as specific nutrients for those cells using the glutamine synthetase (GS) gene expression system.

HyClone Cell Boost powder kit

Cell Boost Process Supplements 1–6 (100 g each) contain samples of supplements designed to increase cell productivity in a variety of cell lines. Each supplement is chemically defined and protein-and hydrolysate-free with no animal-derived components.

HyClone LS250 supplement

LS250 is a chemically defined, animal-derived component-free lipid supplement developed to stimulate cell growth and monoclonal antibody (mAb) production in NS0 cell cultures using traditional hybridoma serum-free media.

HyClone LS1000 supplement

LS1000 supplement is a chemically defined, animal-derived component-free lipid supplement developed to stimulate cell growth and mAb production in NS0 cell cultures using traditional hybridoma serum-free media.

The supplement is formulated using a proprietary complexing process for enhanced cholesterol delivery. LS1000 has been successfully tested in a variety of serum-free medium cultures, including HyClone CDM4NS0 and CDM4MAb media.

HyClone GS-Max supplement

Developed based upon traditional GS supplement formulations to provide the additional nutrients needed for high productivity in GS-cloned CHO and NSO cell lines.

Table 2. Supplement matrix

Supplement	Cell type	Amino	Vitamins	Glucose			Hypoxanthine/	ADCF*	ADCF*	Poloxamer	Produc	ct code
Cell Boost 1		acids			elements	factors	thymidine	lipids	cholesterol	188	Liquid supplement	Powder supplement
Supplement (R05.2)	CHO HEK293	•	•	•							SH31113	SH30584
Cell Boost 2 Supplement	СНО	•		•							SH31114	· SH30596
(R15.4)	PER.C6										SH31122 [†]	31130330
Cell Boost 3 Supplement (JM3.5)	Hybridoma Myeloma	•	•	•	•		•				SH31115	SH30825
Cell Boost 4 Supplement (PS307)	СНО	•	•	•	•	•		•	•		SH31116	SH30857
Cell Boost 5 Supplement (CN-F)	CHO HEK293 Hybridoma NS0	•	•	•	•	•	•	•	•		SH31117	SH30865
Cell Boost 6 Supplement (CN-T)	CHO HEK293 Hybridoma NS0 T cells	•	•	•	•	•	•	•	•		SH31118	SH30866
Cell Boost 7a Supplement	СНО	•	•	•	•					•	SH31119	SH31026
Cell Boost 7b Supplement	СНО	•									SH31120	SH31027
LS250 supplement	NS0							•	•		NA	SH30554
LS1000 supplement	NS0								•		NA	SH30555

^{*}Animal-derived component-free. NA is not applicable. †10% concentrate.

HyClone CDM4CHO medium

Increases process yields in the manufacture of recombinant proteins using a variety of CHO cell clones.

HyClone CDM4NS0 medium

Increases process yields in the manufacture of mAbs using a variety of NSO cell clones. Has also been shown to work with CHO cell clones.

HyClone CDM4MAb medium

Increases process yields in the manufacture of mAbs for therapeutic use in a variety of engineered hybridoma and recombinant myeloma cell lines.

HyClone CDM4PERMAb medium

Increases process yields in the production of human antibodies and recombinant proteins when using PER.C6® technology. Has also been shown to work with CHO and hybridoma cell lines.

HyClone CDM4HEK293 medium

Supports high cell density and specific cell productivity in suspension cultures.

HyClone ActiPro cell culture medium

HyClone ActiPro™ cell culture medium has been formulated to provide high yields of recombinant proteins in processes using Chinese hamster ovary (CHO) cell lines. The medium is chemically defined, animal-derived component-free (ADCF), and optimized for high-yield protein production in batch or fed-batch processes.

HyClone ActiSM cell culture medium

A chemically defined ADCF medium optimized for high-yield protein production. Designed for use with ActiPro medium.

Ordering information

Product	Pack size	Format	Product code	
HyClone Cell Boost 3	500 mL bottle	Liquid	SH31115.01	
liquid supplement	1000 mL bottle	Liquid	SH31115.02	
	1 L bag*	Liquid	SH31115.03	
	5 L bag*	Liquid	SH31115.04	
	10 L bag*	Liquid	SH31115.05	
	20 L bag*	Liquid	SH31115.06	
	50 L bag*	Liquid	SH31115.07	
	100 L bag*	Liquid	SH31115.08	
	200 L bag*	Liquid	SH31115.09	
HyClone Cell Boost 3	100 g bottle	Powder	SH30825.01	
dry powder supplemen	500 g bottle	Powder	SH30825.02	
	1000 g bottle	Powder	SH30825.03	
	5000 g bottle	Powder	SH30825.04	

^{*}Item is made to order. Lead times and minimum order quantities apply.

Related products	Product code
HyClone Cell Boost powder kit	SH30890
HyClone LS250 supplement	SH30555
HyClone LS1000 supplement	SH30554
HyClone GS-Max supplement	SH30586
HyClone CDM4CHO powder medium	SH30556
HyClone CDM4CHO liquid medium	SH30557, SH30558
HyClone CDM4NS0 powder medium	SH30578
HyClone CDM4NS0 liquid medium	SH30579
HyClone CDM4MAb powder medium	SH30800
HyClone CDM4MAb liquid medium	SH30801, SH30802
HyClone CDM4PERMAb powder medium	SH30872
HyClone CDM4PERMAb liquid medium	SH30871
HyClone CDM4HEK293 powder medium	SH30859
HyClone CDM4HEK293 liquid medium	SH30858
HyClone ActiPro powder medium	SH31037
HyClone ActiPro liquid medium	SH31039
HyClone ActiSM™ powder medium	SH31038
HyClone ActiSM liquid medium	SH31040

cytiva.com/hyclone

For local office contact information, visit cytiva.com/contact
Cytiva and the Drop logo are trademarks of Global Life Sciences IP Holdco LLC
or an affiliate. ActiPro, ActiSM, Cell Boost, and HyClone are trademarks of
Global Life Sciences Solutions USA LLC or an affiliate doing business as Cytiva.
PER.C6 is a registered trademark of Janssen Vaccines & Prevention B.V.
All Other third-party trademarks are the property of their respective owners.
© 2020 Cytiva

All goods and services are sold subject to the terms and conditions of sale of the supplying company operating within the Cytiva business. A copy of those terms and conditions is available on request. Contact your local Cytiva representative for the most current information.

