SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Version 8.7
Revision Date 09.07.2026
Print Date 04.08.2026

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Trichloroacetic acid

Product Number : T6399
Brand : Sigma-Aldrich
Index-No. : 607-004-00-7
REACH No. : 01-2119485186-30-XXXX
CAS-No. : 76-03-9

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet

Company : Merck Life Science S.A.S
80 Rue de Luzais
F-38297 SAINT QUENTIN FALLAVIER CEDEX

Telephone : +33 (0)1 85 16 94 34
E-mail address : servicetechnique@merckgroup.com

1.4 Emergency telephone number

Emergency Phone # : +33 (0)9 75 18 14 07 (CHEMTREC)
+33 (0)1 45 42 59 59 (I.N.R.S.)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin corrosion, Sub-category 1A	H314: Causes severe skin burns and eye damage.
Serious eye damage, Category 1	H318: Causes serious eye damage.
Short-term (acute) aquatic hazard, Category 1	H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard,	H410: Very toxic to aquatic life with long

The life science business of Merck operates as MilliporeSigma in the US and Canada

Category 1	lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Danger

Hazard statements :

H314	Causes severe skin burns and eye damage.
H410	Very toxic to aquatic life with long lasting effects.

Precautionary statements :

Prevention:

P260	Do not breathe dust.
P273	Avoid release to the environment.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Reduced Labelling (<= 125 ml)

Hazard pictograms :



Signal word	Danger
Hazard Statements	
H314	Causes severe skin burns and eye damage.
Precautionary Statements	
P260	Do not breathe dust.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated

The life science business of Merck operates as MilliporeSigma in the US and Canada

	clothing. Rinse skin with water.
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Supplemental Hazard Statements	none

2.3 Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.1 Substances

Substance name : TCA

Index-No. : 607-004-00-7

EC-No. : 200-927-2

Components

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : First aiders need to protect themselves.
Show this safety data sheet to the doctor in attendance.

If inhaled : After inhalation: fresh air. Call in physician.

In case of skin contact : In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.
Call a physician immediately.

In case of eye contact : After eye contact: rinse out with plenty of water.
Immediately call in ophthalmologist.
Remove contact lenses.

If swallowed : After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation).
Call a physician immediately.
Do not attempt to neutralise.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

The life science business of Merck operates as MilliporeSigma in the US and Canada

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	:	Water Foam Carbon dioxide (CO2) Dry powder
Unsuitable extinguishing media	:	For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire fighting	:	Combustible. Vapours are heavier than air and may spread along floors. Forms explosive mixtures with air on intense heating. Development of hazardous combustion gases or vapours possible in the event of fire.
Hazardous combustion products	:	Carbon oxides Hydrogen chloride gas

5.3 Advice for firefighters

Special protective equipment for fire-fighters	:	Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.
Further information	:	Suppress (knock down) gases/vapours/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

6.2 Environmental precautions

Environmental precautions	:	Do not let product enter drains.

The life science business of Merck operates as MilliporeSigma in the US and Canada

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10).
Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections

For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Hygiene measures : Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

Temperature class : T1

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Further information on storage conditions : Tightly closed. Dry.

Storage class (TRGS 510) : 8A, Combustible, corrosive hazardous materials

Recommended storage temperature : Recommended storage temperature see product label.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006

Substance name	Environmental Compartment	Value
TCA	Fresh water	0,00017 mg/l
	Marine water	0,000017 mg/l
	Aquatic intermittent release	0,0027 mg/l
	Fresh water sediment	0,00014 mg/kg
	Marine sediment	0,000014 mg/kg
	Soil	0,0046 mg/kg
	Sewage treatment plant	100 mg/l

The life science business of Merck operates as MilliporeSigma in the US and Canada

8.2 Exposure controls

Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection	:	Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

Hand protection

Material	:	Viton®
Break through time	:	480 min
Glove thickness	:	0,7 mm
Protective index	:	Full contact
Manufacturer	:	KCL 890 Vitoject®

Material	:	Nitrile rubber
Break through time	:	30 min
Glove thickness	:	0,4 mm
Protective index	:	Splash contact
Manufacturer	:	Camatril® (KCL 730 / Aldrich Z677442, Size M)

Remarks	:	This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin and body protection	:	Acid-resistant protective clothing
Respiratory protection	:	required when dusts are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.
Recommended Filter type:	:	Filter type B

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Environmental exposure controls

Advice	:	Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	solid

The life science business of Merck operates as MilliporeSigma in the US and Canada

Form	:	crystalline
Colour	:	off-white
Odour	:	stinging
Melting point/ range	:	54 °C
Boiling point/boiling range	:	196 °C (1.013 hPa)
Flammability	:	Method: Flammability (solids) GLP: yes Remarks: The product is not flammable.
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	> 113 °C Method: closed cup
Autoignition temperature	:	711 °C
Decomposition temperature	:	No data available
pH	:	1 (25 °C) Concentration: 81,7 g/l
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	No data available
Flow time	:	No data available
Solubility(ies) Water solubility	:	81,7 g/l (20 °C) completely soluble
Partition coefficient: n-octanol/water	:	log Pow: 1,33 Method: OECD Test Guideline 107 Bioaccumulation is not expected.
Vapour pressure	:	1 hPa (51 °C)

The life science business of Merck operates as MilliporeSigma in the US and Canada

Relative density	:	No data available
Density	:	1,63 g/cm3 (20 °C)
Relative vapour density	:	5,64 (Air = 1.0)

9.2 Other information

Explosives	:	Not classified as explosive.
Oxidizing properties	:	none
Burning rate	:	No data available
Self-ignition	:	Method: Relative self-ignition temperature for solids GLP: yes does not ignite
Metal corrosion rate	:	6,25 mm/a negligible
Evaporation rate	:	No data available
Surface tension	:	27,8 mN/m, 80,2 °C
Molecular weight	:	163,39 g/mol

SECTION 10: Stability and reactivity

10.1 Reactivity

Forms explosive mixtures with air on intense heating.
A range from approx. 15 Kelvin below the flash point is to be rated as critical.
The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Hazardous reactions	:	Risk of explosion with: silver salt

The life science business of Merck operates as MilliporeSigma in the US and Canada

Exothermic reaction with:

alkalines
alkali hydroxides
Amines
Violent reactions possible with:
Strong oxidizing agents
sulfoxides
dimethyl sulfoxide
with
Copper

10.4 Conditions to avoid

Conditions to avoid : Strong heating.

10.5 Incompatible materials

No data available

10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity
LD50 Oral - Rat - 3.320 mg/kg
Remarks: (IUCLID)
LD50 Oral - Rat - 3.320 mg/kg
Remarks: (IUCLID)
Inhalation: No data available
Dermal: No data available

Skin corrosion/irritation
Remarks: Causes severe burns.
Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)
Remarks: Causes severe burns.
Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Serious eye damage/eye irritation
Remarks: Causes serious eye damage.
Remarks: Causes serious eye damage.

Respiratory or skin sensitization
Maximisation Test - Guinea pig
Result: negative
(OECD Test Guideline 406)
Maximisation Test - Guinea pig
Result: negative
(OECD Test Guideline 406)

Germ cell mutagenicity
In vivo tests did not show mutagenic effects
In vivo tests did not show mutagenic effects

The life science business of Merck operates as MilliporeSigma in the US and Canada

Test Type: In vitro mammalian cell gene mutation test
Test system: mouse lymphoma cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: Positive results were obtained in some in vitro tests.
Test Type: Chromosome aberration test in vitro
Test system: Human lymphocytes
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 473
Result: positive
Test Type: In vitro mammalian cell gene mutation test
Test system: mouse lymphoma cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: Positive results were obtained in some in vitro tests.
Test Type: Chromosome aberration test in vitro
Test system: Human lymphocytes
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 473
Result: positive
Test Type: In vivo micronucleus test
Species: Mouse
Application Route: Intraperitoneal
Method: OECD Test Guideline 474
Result: negative

Test Type: In vivo micronucleus test
Species: Mouse
Cell type: Bone marrow
Application Route: Intraperitoneal
Method: OECD Test Guideline 474
Result: negative

Carcinogenicity
No data available

Reproductive toxicity
No data available

Specific target organ toxicity - single exposure
No data available

Specific target organ toxicity - repeated exposure
No data available

Aspiration hazard
No data available

11.2 Additional Information

RTECS: AJ7875000

The life science business of Merck operates as MilliporeSigma in the US and Canada

SECTION 12: Ecological information

12.1 Toxicity

Product:

Ecotoxicology Assessment

Acute aquatic toxicity	:	Very toxic to aquatic life.
Chronic aquatic toxicity	:	Very toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Not relevant

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	:	Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	UN 1839
IMDG	:	UN 1839
IATA	:	UN 1839

14.2 UN proper shipping name

ADR	:	TRICHLOROACETIC ACID
IMDG	:	TRICHLOROACETIC ACID, SOLID
IATA	:	Trichloroacetic acid

The life science business of Merck operates as MilliporeSigma in the US and Canada

14.3 Transport hazard class(es)

		Class	Subsidiary risks
ADR	:	8	
IMDG	:	8	
IATA	:	8	

14.4 Packing group

ADR

Packing group	:	II
Classification Code	:	C4
Hazard Identification Number	:	80
Labels	:	8
Tunnel restriction code	:	(E)

IMDG

Packing group	:	II
Labels	:	8
EmS Code	:	F-A, S-B

IATA (Cargo)

Packing instruction (cargo aircraft)	:	863
Packing instruction (LQ)	:	Y844
Packing group	:	II
Labels	:	Class 8 - Corrosive substances

IATA_P (Passenger)

Packing instruction (passenger aircraft)	:	859
Packing instruction (LQ)	:	Y844
Packing group	:	II
Labels	:	Class 8 - Corrosive substances

14.5 Environmental hazards

ADR

Environmentally hazardous	:	yes

IMDG

Marine pollutant	:	yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

The life science business of Merck operates as MilliporeSigma in the US and Canada

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the following entries should be considered: Number on list 3: Trichloracetic acid Number on list 75 If you intend to use this product as tattoo ink, please contact your vendor.
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	:	Not applicable
Regulation (EU) No 2024/590 on substances that deplete the ozone layer	:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollutants (recast)	:	Not applicable
REACH - List of substances subject to authorisation (Annex XIV)	:	Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.	E1	ENVIRONMENTAL HAZARDS

15.2 Chemical safety assessment

A Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonised System; GLP - Good Laboratory Practice; IARC -

The life science business of Merck operates as MilliporeSigma in the US and Canada

International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organisation; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardisation; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organisation for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Other information : The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.
Copyright 2025 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

REG_EU / EN

The life science business of Merck operates as MilliporeSigma in the US and Canada

Annex: Exposure scenario

Identified uses:

Use: Industrial use

SU 3: Industrial uses: Uses of substances as such or in preparations at industrial sites
SU 3, SU9, SU 10: Industrial uses: Uses of substances as such or in preparations at industrial sites, Manufacture of fine chemicals, Formulation [mixing] of preparations and/ or re-packaging (excluding alloys)
PC19: Intermediate **PC21:** Laboratory chemicals
PROC1: Use in closed process, no likelihood of exposure **PROC2:** Use in closed, continuous process with occasional controlled exposure **PROC3:** Use in closed batch process (synthesis or formulation) **PROC4:** Use in batch and other process (synthesis) where opportunity for exposure arises **PROC5:** Mixing or blending in batch processes for formulation of preparations and articles (multistage and/ or significant contact) **PROC8a:** Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at non-dedicated facilities **PROC8b:** Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at dedicated facilities **PROC9:** Transfer of substance or preparation into small containers (dedicated filling line, including weighing) **PROC10:** Roller application or brushing **PROC15:** Use as laboratory reagent
ERC2, ERC4, ERC6a, ERC6b: Formulation of preparations, Industrial use of processing aids in processes and products, not becoming part of articles, Industrial use resulting in manufacture of another substance (use of intermediates), Industrial use of reactive processing aids

Use: Professional use

SU 22: Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
SU 22: Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
PC21: Laboratory chemicals
PROC15: Use as laboratory reagent
ERC2, ERC6a, ERC6b: Formulation of preparations, Industrial use resulting in manufacture of another substance (use of intermediates), Industrial use of reactive processing aids

1. Short title of Exposure Scenario: Industrial use

Main User Groups	: **SU 3**
Sectors of end-use	: **SU 3, SU9, SU 10**
Chemical product category	: **PC19, PC21**

The life science business of Merck operates as MilliporeSigma in the US and Canada

Process categories	:	**PROC1, PROC2, PROC3, PROC4, PROC5, PROC8a, PROC8b, PROC9, PROC10, PROC15**
Environmental Release Categories	:	**ERC2, ERC4, ERC6a, ERC6b:**

2. Exposure scenario

2.1 Contributing scenario controlling environmental exposure for: ERC2, ERC4, ERC6a, ERC6b

Daily amount per site (Msafe) : 87,3 kg

Environment factors not influenced by risk management

Flow rate	:	18.000 m3/d
Dilution Factor (River)	:	10
Dilution Factor (Coastal Areas)	:	100

Other given operational conditions affecting environmental exposure

Number of emission days per year	:	220
Emission or Release Factor: Air	:	0 %
Emission or Release Factor: Water	:	0 %
Emission or Release Factor: Soil	:	0 %

Discharge into the environment must be avoided.

Technical conditions and measures / Organizational measures

Compartment : All compartments

Do not allow uncontrolled discharge of product into the environment.

Conditions and measures related to municipal sewage treatment plant

Type of Sewage Treatment Plant	:	Municipal sewage treatment plant
Flow rate of sewage treatment plant effluent	:	2.000 m3/d
Sludge Treatment	:	Sewage sludge should be incinerated.

2.2 Contributing scenario controlling worker exposure for: PROC1, PROC2, PROC3, PROC4, PROC9, PROC15

Product characteristics

Concentration of the Substance in Mixture/Article	:	Covers the percentage of the substance in the product up to 100 % (unless stated differently).
Physical Form (at time of use)	:	Solid, low dustiness
Process Temperature	:	< 78 °C

Frequency and duration of use

Frequency of use : 8 hours/day

Other operational conditions affecting workers exposure

Outdoor / Indoor : Indoor without local exhaust ventilation (LEV)

Organisational measures to prevent /limit releases, dispersion and exposure

Covers daily exposures up to 8 hours.

Conditions and measures related to personal protection, hygiene and health evaluation

Wear chemically resistant gloves (tested to EN374) in combination with 'basic' employee training., Wear eye protection/ face protection., Wear suitable coveralls to prevent exposure to the skin.

The life science business of Merck operates as MilliporeSigma in the US and Canada

2.3 Contributing scenario controlling worker exposure for: PROC5, PROC8a, PROC8b

Product characteristics

Concentration of the Substance in Mixture/Article : Covers the percentage of the substance in the product up to 100 % (unless stated differently).
Physical Form (at time of use) : Solid, low dustiness
Process Temperature : < 78 °C

Frequency and duration of use

Frequency of use : 8 hours/day

Other operational conditions affecting workers exposure

Outdoor / Indoor : Indoor without local exhaust ventilation (LEV)

Organisational measures to prevent /limit releases, dispersion and exposure

Covers daily exposures up to 8 hours.

Conditions and measures related to personal protection, hygiene and health evaluation

Wear chemically resistant gloves (tested to EN374) in combination with specific activity training., Wear eye protection/ face protection., Wear suitable coveralls to prevent exposure to the skin.

2.4 Contributing scenario controlling worker exposure for: PROC10

Product characteristics

Concentration of the Substance in Mixture/Article : Covers the percentage of the substance in the product up to 100 % (unless stated differently).
Physical Form (at time of use) : Solid, low dustiness
Process Temperature : < 78 °C

Frequency and duration of use

Frequency of use : 8 hours/day

Other operational conditions affecting workers exposure

Outdoor / Indoor : Indoor without local exhaust ventilation (LEV)

Organisational measures to prevent /limit releases, dispersion and exposure

Covers daily exposures up to 8 hours.

Conditions and measures related to personal protection, hygiene and health evaluation

Wear chemically resistant gloves (tested to EN374) in combination with intensive management supervision controls., Wear eye protection/ face protection., Wear suitable coveralls to prevent exposure to the skin.

3. Exposure estimation and reference to its source

Environment

Contributing Scenario	Exposure Assessment Method	Specific conditions	Compartment	Value	Level of Exposure	RCR*
ERC2	ECETOC TRA		Marine sediment		87,3kg/day	< 1
ERC4	ECETOC TRA		Marine sediment		87,3kg/day	< 1

The life science business of Merck operates as MilliporeSigma in the US and Canada

ERC6a	ECETOC TRA		Marine sediment		87,3kg/day	< 1
ERC6b	ECETOC TRA		Marine sediment		87,3kg/day	< 1

Workers

Contributing Scenario	Exposure Assessment Method	Specific conditions	Value	Level of Exposure	RCR*
PROC1	ECETOC TRA 3	acute, inhalative, systemic			< 0,01
PROC1	ECETOC TRA 3	acute, dermal, systemic			< 0,01
PROC1		acute, combined, systemic			< 0,01
PROC1	ECETOC TRA 3	longterm, inhalative, systemic			< 0,01
PROC1	ECETOC TRA 3	longterm, dermal, systemic			< 0,01
PROC1		longterm, combined, systemic			< 0,01
PROC2	ECETOC TRA 3	acute, inhalative, systemic			< 0,01
PROC2	ECETOC TRA 3	acute, dermal, systemic			0,10
PROC2		acute, combined, systemic			0,10
PROC2	ECETOC TRA 3	longterm, inhalative, systemic			< 0,01
PROC2	ECETOC TRA 3	longterm, dermal, systemic			0,10
PROC2		longterm, combined, systemic			0,10
PROC3	ECETOC TRA 3	acute, inhalative, systemic			< 0,01
PROC3	ECETOC TRA 3	acute, dermal, systemic			0,05
PROC3		acute, combined, systemic			0,05
PROC3	ECETOC TRA 3	longterm,			< 0,01

The life science business of Merck operates as MilliporeSigma in the US and Canada

		inhalative, systemic			
PROC3	ECETOC TRA 3	longterm, dermal, systemic			0,05
PROC3		longterm, combined, systemic			0,05
PROC4	ECETOC TRA 3	acute, inhalative, systemic			0,02
PROC4	ECETOC TRA 3	acute, dermal, systemic			0,49
PROC4		acute, combined, systemic			0,51
PROC4	ECETOC TRA 3	longterm, inhalative, systemic			< 0,01
PROC4	ECETOC TRA 3	longterm, dermal, systemic			0,49
PROC4		longterm, combined, systemic			0,49
PROC9	ECETOC TRA 3	acute, inhalative, systemic			< 0,01
PROC9	ECETOC TRA 3	acute, dermal, systemic			0,49
PROC9		acute, combined, systemic			0,49
PROC9	ECETOC TRA 3	longterm, inhalative, systemic			< 0,01
PROC9	ECETOC TRA 3	longterm, dermal, systemic			0,49
PROC9		longterm, combined, systemic			0,49
PROC15	ECETOC TRA 3	acute, inhalative, systemic			< 0,01
PROC15	ECETOC TRA 3	acute, dermal, systemic			0,02
PROC15		acute, combined, systemic			0,03
PROC15	ECETOC TRA 3	longterm, inhalative, systemic			< 0,01

The life science business of Merck operates as MilliporeSigma in the US and Canada

PROC15	ECETOC TRA 3	longterm, dermal, systemic			0,02
PROC15		longterm, combined, systemic			0,03

*Risk characterisation ratio

PROC5	ECETOC TRA 3	acute, inhalative, systemic			0,02
PROC5	ECETOC TRA 3	acute, dermal, systemic			0,49
PROC5		acute, combined, systemic			0,51
PROC5	ECETOC TRA 3	longterm, inhalative, systemic			< 0,01
PROC5	ECETOC TRA 3	longterm, dermal, systemic			0,49
PROC5		longterm, combined, systemic			0,49
PROC8a	ECETOC TRA 3	acute, inhalative, systemic			0,02
PROC8a	ECETOC TRA 3	acute, dermal, systemic			0,49
PROC8a		acute, combined, systemic			0,51
PROC8a	ECETOC TRA 3	longterm, inhalative, systemic			< 0,01
PROC8a	ECETOC TRA 3	longterm, dermal, systemic			0,49
PROC8a		longterm, combined, systemic			0,49
PROC8b	ECETOC TRA 3	acute, inhalative, systemic			< 0,01
PROC8b	ECETOC TRA 3	acute, dermal, systemic			0,49
PROC8b		acute, combined, systemic			0,49
PROC8b	ECETOC TRA 3	longterm, inhalative, systemic			< 0,01
PROC8b	ECETOC TRA 3	longterm,			0,49

The life science business of Merck operates as MilliporeSigma in the US and Canada

		dermal, systemic			
PROC8b		longterm, combined, systemic			0,49

*Risk characterisation ratio

PROC10	ECETOC TRA 3	acute, inhalative, systemic			0,02
PROC10	ECETOC TRA 3	acute, dermal, systemic			0,39
PROC10		acute, combined, systemic			0,41
PROC10	ECETOC TRA 3	longterm, inhalative, systemic			< 0,01
PROC10	ECETOC TRA 3	longterm, dermal, systemic			0,39
PROC10		longterm, combined, systemic			0,40

*Risk characterisation ratio

4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario

For scaling of worker exposure assessments performed with ECETOC TRA, please consult the Merck tool ScIDeEx® at www.merckmillipore.com/scideex.
Please refer to the following documents: ECHA Guidance on information requirements and chemical safety assessment Chapter R.12: Use descriptor system; ECHA Guidance for downstream users; ECHA Guidance on information requirements and chemical safety assessment Part D: Exposure Scenario Building, Part E: Risk Characterisation and Part G: Extending the SDS; VCI/Cefic REACH Practical Guides on Exposure Assessment and Communications in the Supply Chain; CEFIC Guidance Specific Environmental Release Categories (SPERCs).

1. Short title of Exposure Scenario: Professional use

Main User Groups : **SU 22**
Sectors of end-use : **SU 22**
Chemical product category : **PC21**
Process categories : **PROC15**
Environmental Release Categories : **ERC2, ERC6a, ERC6b:**

The life science business of Merck operates as MilliporeSigma in the US and Canada

2. Exposure scenario

2.1 Contributing scenario controlling environmental exposure for: ERC2, ERC6a, ERC6b

Daily amount per site (Msafe) : 87,3 kg

Environment factors not influenced by risk management

Flow rate : 18.000 m3/d
Dilution Factor (River) : 10
Dilution Factor (Coastal Areas) : 100

Other given operational conditions affecting environmental exposure

Number of emission days per year : 220
Emission or Release Factor: Air : 0 %
Emission or Release Factor: Water : 0 %
Emission or Release Factor: Soil : 0 %
Discharge into the environment must be avoided.

Technical conditions and measures / Organizational measures

Compartment : All compartments
Do not allow uncontrolled discharge of product into the environment.

Conditions and measures related to municipal sewage treatment plant

Type of Sewage Treatment Plant : Municipal sewage treatment plant
Flow rate of sewage treatment plant effluent : 2.000 m3/d
Sludge Treatment : Sewage sludge should be incinerated.

2.2 Contributing scenario controlling worker exposure for: PROC15

Product characteristics

Concentration of the Substance in Mixture/Article : Covers the percentage of the substance in the product up to 100 % (unless stated differently).
Physical Form (at time of use) : Solid, low dustiness
Process Temperature : < 78 °C

Frequency and duration of use

Frequency of use : 8 hours/day

Other operational conditions affecting workers exposure

Outdoor / Indoor : Indoor without local exhaust ventilation (LEV)

Organisational measures to prevent /limit releases, dispersion and exposure

Covers daily exposures up to 8 hours.

Conditions and measures related to personal protection, hygiene and health evaluation

Wear chemically resistant gloves (tested to EN374) in combination with 'basic' employee training., Wear eye protection/ face protection., Wear suitable coveralls to prevent exposure to the skin.

3. Exposure estimation and reference to its source

Environment

The life science business of Merck operates as MilliporeSigma in the US and Canada

Contributing Scenario	Exposure Assessment Method	Specific conditions	Compartment	Value	Level of Exposure	RCR*
ERC2	ECETOC TRA		Marine sediment		87,3kg/day	< 1

Workers

Contributing Scenario	Exposure Assessment Method	Specific conditions	Value	Level of Exposure	RCR*
PROC15	ECETOC TRA 3	acute, inhalative, systemic			< 0,01
PROC15	ECETOC TRA 3	acute, dermal, systemic			0,02
PROC15		acute, combined, systemic			0,03
PROC15	ECETOC TRA 3	longterm, inhalative, systemic			< 0,01
PROC15	ECETOC TRA 3	longterm, dermal, systemic			0,02
PROC15		longterm, combined, systemic			0,03

*Risk characterisation ratio

4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario

For scaling of worker exposure assessments performed with ECETOC TRA, please consult the Merck tool ScIDeEx® at www.merckmillipore.com/scideex.
Please refer to the following documents: ECHA Guidance on information requirements and chemical safety assessment Chapter R.12: Use descriptor system; ECHA Guidance for downstream users; ECHA Guidance on information requirements and chemical safety assessment Part D: Exposure Scenario Building, Part E: Risk Characterisation and Part G: Extending the SDS; VCI/Cefic REACH Practical Guides on Exposure Assessment and Communications in the Supply Chain; CEFIC Guidance Specific Environmental Release Categories (SPERCs).

The life science business of Merck operates as MilliporeSigma in the US and Canada