

Buffer solution pH 7.00 (20°C)

33646-1L

Version 1.4

Revision Date 11.06.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier					
Product name	: Buffer solution pH 7.00 (20°C)				
SDS-number	: 00000021025				
Type of product	Mixture				
Remarks	: Document according to Art. 32 of Regulation (EC) 1907/20)06.			
1.2. Relevant identified u	s of the substance or mixture and uses advised against				
Use of the Substance/Mixture	: Laboratory chemicals				
Uses advised against	: none				
1.3. Details of the supplier of the safety data sheet					
Company	 Honeywell International Inc. Honeywell International, Internation, International, Int				
Telephone For further information, please contact:	: : SafetyDataSheet@Honeywell.com				
1.4. Emergency telephone number					
Emergency telephone number Country based Poison Control Center	 +1-703-527-3887 (ChemTrec-Transport) +1-303-389-1414 (Medical) see chapter 15.1 				

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

REGULATION (EC) No 1272/2008

Page 1 / 15



Buffer solution pH 7.00 (20°C)

33646-1L

Version 1.4

Revision Date 11.06.2022

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

2.2. Label elements

REGULATION (EC) No 1272/2008

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

2.3. Other hazards

Results of PBT and vPvB assessment, see chapter 12.5.

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Chemical name	CAS-No. Index-No. REACH Registration Number EC-No.	Classification 1272/2008	Concentration	Remarks
Potassium dihydrogenorthopho sphate	7778-77-0 231-913-4		0,35 %	N.C.*
Disodium hydrogenorthophosp hate	7558-79-4 231-448-7		0,73 %	N.C.*

N.C.* - Non-hazardous substance - for information only

Remaining components of this product are non-hazardous and/or are present at concentrations below reportable limits.

Occupational Exposure Limit(s), if available, are listed in Section 8. For the full text of the H-Statements mentioned in this Section, see Section 16.

Page 2 / 15

Honeywell Fluka

:

Buffer solution pH 7.00 (20°C)

33646-1L

Version 1.4

Revision Date 11.06.2022

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice:

First aider needs to protect himself. Move out of dangerous area. Take off all contaminated clothing immediately.

Inhalation: If inhaled, remove to fresh air. Call a physician if irritation develops or persists.

Skin contact: Wash off immediately with plenty of water.

Eye contact: Immediately flush eye(s) with plenty of water. If eye irritation persists, consult a specialist.

Ingestion: When swallowed, allow water to be drunk. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

No data available

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

See Section 11 for more detailed information on health effects and symptoms.

Page 3 / 15

Honeywell Fluka

Buffer solution pH 7.00 (20°C)

33646-1L

Version 1.4

Revision Date 11.06.2022

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media: Water mist Carbon dioxide (CO2) Foam Dry powder

Extinguishing media which shall not be used for safety reasons: High volume water jet

5.2. Special hazards arising from the substance or mixture

The product itself does not burn.

5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.Do not use a solid water stream as it may scatter and spread fire.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

6.2. Environmental precautions

Should not be released into the environment. Prevent further leakage or spillage if safe to do so.

6.3. Methods and materials for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Pick for disposal in tightly closed containers

6.4. Reference to other sections

For personal protection see section 8.

Page 4 / 15

Honeywell Fluka

Buffer solution pH 7.00 (20°C)

33646-1L

Version 1.4

Revision Date 11.06.2022

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling:

Exhaust ventilation at the object is necessary. Wear personal protective equipment. Never return unused material to storage receptacle. Protect from contamination.

Advice on protection against fire and explosion: No special precautions required. Normal measures for preventive fire protection.

Hygiene measures: When using do not eat or drink. When using do not smoke.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers: Keep in original packaging, tightly closed.

Further information on storage conditions: Do not leave vessels/containers open Avoid product residues in/on containers. Protect from extreme heat and cold.

7.3. Specific end use(s)

no additional data available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

DNEL/ PNEC-Values

Component	End- use/impact	Exposure duration	Value	Exposure routes	Remarks
Potassium	Workers /		14,82	Inhalation	
dihydrogenorthophosphate	Long-term systemic		mg/m3		

Page 5 / 15



Buffer solution pH 7.00 (20°C)

33646-1L

Version 1.4

Revision Date 11.06.2022

	effects			
Potassium dihydrogenorthophosphate	Consumers / Long-term systemic effects	6,35 mg/m3	Inhalation	
Potassium dihydrogenorthophosphate	Consumers / Long-term systemic effects	70mg/kg bw/d	Oral	
Disodium hydrogenorthophosphate	Workers / Long-term systemic effects	4,07 mg/m3	Inhalation	
Disodium hydrogenorthophosphate	Consumers / Long-term systemic effects	3,04 mg/m3	Inhalation	

Component	Environmental compartment / Value	Remarks
Potassium dihydrogenorthophosphate	:	No data available
Disodium hydrogenorthophosphate	Fresh water: 0,05 mg/l	
Disodium hydrogenorthophosphate	Marine water: 0,005 mg/l	
Disodium hydrogenorthophosphate	Sewage treatment plant: 50 mg/l	

8.2. Exposure controls

Occupational exposure controls

Do not breathe vapour.

The Personal Protective Equipment must be in accordance with EN standards:respirator EN 136, 140, 149; safety glasses EN 166; protective suit: EN 340, 463, 468, 943-1, 943-2; gloves EN 374, 511; safety shoes EN-ISO 20345.

Engineering measures

Ensure adequate ventilation.

Personal protective equipment *Respiratory protection:*



Buffer solution pH 7.00 (20°C)

33646-1L

Version 1.4

Revision Date 11.06.2022

In the case of vapour formation use a respirator with an approved filter.

Hand protection: Glove material: Natural Latex Glove thickness: 0,6 mm Lapren®706 Gloves must be inspected prior to use. Replace when worn. Remarks:Supplementary note: The specifications are based on information and tests from similar substances by analogy. Due to varying conditions (e.g.temperature or other strains) it must be considered that the usage of a chemical protective glove in practice may be much shorter than the permeation time determined in accordance with EN 374. Since actual conditions of practical use often deviate from standardised conditions according EN 374 the glove manufacturer reccomends to use the chemical protective glove in practice not longer than 50% of the recomended permeation time. Manufacturer's directions for use should be observed because of great diversity of types . Suitable gloves tested according EN 374 are supplied e.g. from KCL GmbH, D-36124 Eichenzell, Vertrieb@kcl.de Eye protection: Tightly fitting safety goggles Skin and body protection:

Lab coat

Environmental exposure controls

Handle in accordance with local environmental regulations and good industrial practices.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	:	liquid
Colour	:	colourless
Odour	:	odourless
Melting point/range	:	< 0 °C

Page 7 / 15



Buffer solution pH 7.00 (20°C)

33646-1L

Version 1.4

Revision Date 11.06.2022

Boiling point/boiling range	:	ca. 100 °C
Flammability	:	Not applicable
Upper explosion limit	:	Not applicable
Lower explosion limit	:	Not applicable
Flash point	:	does not flash
Auto-ignition temperature	:	Not applicable
Decomposition temperature	:	No decomposition if used as directed.
рН	:	7 (undiluted)
Auto-ignition temperature	:	not auto-flammable
Viscosity, kinematic	:	No data available
Water solubility	:	completely miscible
Partition coefficient: n- octanol/water	:	No data available
Vapour pressure	:	similar to water
Density	:	ca. 1 g/cm3
Bulk density	:	Not applicable
Relative vapour density	:	No data available
9.2 Other Information		
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Evaporation rate	:	No data available

Page 8 / 15



Buffer solution pH	7.00 (20°C)				
33646-1L Version 1.4	Revision Date 11.06.2022				
Viscosity, dynamic	: No data available				
SECTION 10: Stability and	I reactivity				
10.1. Reactivity					
Stable under normal co	onditions.				
10.2. Chemical stabil	ity				
No decomposition if us	ed as directed.				
10.3. Possibility of ha	azardous reactions				
Hazardous polymerisation does not occur.					
10.4. Conditions to a	10.4. Conditions to avoid				
Protect from extreme h	eat and cold.				
10.5. Incompatible m	aterials				
No dangerous reaction	known under conditions of normal use.				
10.6. Hazardous deco	omposition products				
Possible in traces Phosphorus compound	ls				
SECTION 11: Toxicologica	al information				
11.1. Information on t	oxicological effects				
<i>Acute oral toxicity:</i> No data available					
<i>Acute dermal toxicity:</i> No data available					
Acute inhalation toxicit	γ:				
	Page 9 / 15				



Buffer solution pH 7.00 (20°C)

33646-1L

Version 1.4

Revision Date 11.06.2022

Skin irritation: No data available

Eye irritation: No data available

Respiratory or skin sensitisation: No data available

Aspiration hazard: No data available

11.2. Information on other hazards

Endocrine disrupting properties No data available

Other information: The product has not been tested. The information is derived from the properties of the individual components.

SECTION 12: Ecological information

12.1. Toxicity

Toxicity to fish: No data available

Toxicity to aquatic plants: No data available

Toxicity to aquatic invertebrates: No data available

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

Page 10 / 15



Buffer solution pH 7.00 (20°C)

33646-1L

Version 1.4

Revision Date 11.06.2022

No data available

12.5. Results of PBT and vPvB assessment

No data available

12.6. Endocrine disrupting properties

No data available

12.7. Other adverse effects

The methods for determining biodegradability are not applicable to inorganic substances. The product has not been tested. The information is derived from the properties of the individual components.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product: Dispose according to legal requirements.

Packaging: Legal requirements are to be considered in regard of reuse or disposal of used packaging materials

Further information: Provisions relating to waste: EC Directive 2006/12/EC; 2008/98/EEC Regulation No. 1013/2006

For personal protection see section 8.

SECTION 14: Transport information

14.1 UN number

ADR/RID:Not dangerous goods IMDG:Not dangerous goods

IATA:Not dangerous goods

14.2 UN proper shipping name ADR/RID:Not dangerous goods IMDG:Not dangerous goods IATA:Not dangerous goods

14.3 Transport hazard class(es)

Page 11 / 15

Honeywell Fluka

Buffer solution pH 7.00 (20°C)

33646-1L

Version 1.4

Revision Date 11.06.2022

14.4 Packaging group

14.5 Environmental hazards ADR/RID:no

Marine pollutant: no

14.6 Special precautions for user No data available

INO data avallable

14.7 Maritime transport in bulk according to IMO instruments No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Basis	Value	Remarks
Directive 2012/18/EC SEVESO III		Not applicable
Substances of very high concern (SVHC)		This product does not contain substances of very high concern according to Regulation (EC) No Article 57 above the respective regulatory 1907/2006 (REACH), concentration limit of ≥ 0.1 % (w/w).

VOC:

Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control), 0%

VOC:

Directive 2004/42/EC, 0 %

Poison Control Center

Country	Phone Number	Country	Phone Number
Austria	+4314064343	Liechtenstein	+41 442515151
Belgium	070 245245	Lithuania	+370532362052

Page 12 / 15



Buffer solution pH 7.00 (20°C)

33646-1L

Version 1.4

Revision Date 11.06.2022

Bulgaria	(+)35929154233
Croatia	(+3851)23-48-342
Cyprus	+357 2240 5611
Czech Republic	+420224919293; +420224915402
Denmark	82121212
Estonia	16662; (+372)6269390
Finland	9471977
France	+33(0)145425959
Greece	+30 210 779 3777
Hungary	(+36-80)201-199
Iceland	5432222
Ireland	+353(1)8092166
Italy	0382 24444
	Berlin : 030/19240
	Bonn : 0228/19240
	Erfurt : 0361/730730
Germany	Freiburg : 0761/19240
Connarry	Göttingen : 0551/19240
	Homburg : 06841/19240
	Mainz : 06131/19240
	Munich : 089/19240
Latvia	+37167042473

I	1
Luxembourg	070245245; (+352)80002-5500
Malta	+356 2395 2000
Netherlands	030-2748888
Norway	22591300
Poland	+48 42 25 38 400
Portugal	800250250
Romania	+40 21 318 3606
Slovakia (NTIC)	+421 2 54 774 166
Slovenia	+386 1 400 6051
Spain	+34915620420
Sweden	112 (begär Giftinformation);+46104566786
Switzerland	145
United Kingdom	(+44) 844 892 0111

Other inventory information

US. Toxic Substances Control Act On TSCA Inventory

Australia. Industrial Chemicals Act (AIIC), as amended On the inventory, or in compliance with the inventory

Canada. Canadian Environmental Protection Act (CEPA). Domestic Substances List (DSL) All components of this product are on the Canadian DSL

Page 13 / 15

Honeywell Fluka

Buffer solution pH 7.00 (20°C)

33646-1L

Version 1.4

Revision Date 11.06.2022

Japan. Kashin-Hou Law List On the inventory, or in compliance with the inventory

Korea. Existing Chemicals Inventory (KECI) On the inventory, or in compliance with the inventory

Philippines. Inventory of Chemicals and Chemical Substances (PICCS) On the inventory, or in compliance with the inventory

China. Inventory of Existing Chemical Substances (IECSC) On the inventory, or in compliance with the inventory

New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand On the inventory, or in compliance with the inventory

Taiwan Chemical Substance Inventory (TCSI) On the inventory, or in compliance with the inventory

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Further information

All directives and regulations refer to amended versions. Vertical lines in the left hand margin indicate a relevant amendment from the previous version.

Abbreviations: EC European Community CAS Chemical Abstracts Service DNEL Derived no effect level PNEC Predicted no effect level

vPvB Very persistent and very biaccumulative substance

PBT Persistent, bioaccmulative und toxic substance

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not

Page 14 / 15



Buffer solution pH 7.00 (20°C)

33646-1L

Version 1.4

Revision Date 11.06.2022

to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Final determination of suitability of any material is the sole responsibility of the user.

This information should not constitute a guarantee for any specific product properties.

Page 15 / 15